

# INDEX

## A

*Abies balsamea*, 197; *excelsa*, 197.  
*Abutilon avicennae*, 188; *theophrasti*, 480.  
*Acalypha virginica*, 196.  
*Acer dasycarpum*, 189; *negundo*, 148, 442, 476; *nigrum*, 148; *rubrum*, 189; *saccharinum*, 148, 189, 442, 476.  
*Acerates floridana*, 433; *longifolia*, 195; *viridiflora*, 433.  
*Acervularia*, 34.  
*Achillea millefolia*, 192, 433.  
*Acnida tuberculata*, 443.  
*Actinomeris alternifolia*, 439.  
Adams, Lester, 409, 484.  
*Adianthus pedatum*, 198, 439.  
*Aesculus octandra*, 148.  
Aftonian beds, age of, 332; calcareous nodules and plates, 312; correlation of, 327; disturbance of, by Kansan ice, 348; mammalian fauna of, 316; manganese dioxide in, 311; molluscan fauna of, 328; organic remains in, 315; previous study of, 310; silt bands in, 315; springs in, 362; structure and composition, 311; thickness of, 362.  
Aftonian fauna, XII; fossils, age of, 347; sections, Harrison and Monona counties, 333; stage in Davis county, 508; in Harrison and Monona counties, 309; in Iowa county, 173; in Poweshiek county, 260; in Wayne county, 227.  
*Agoseris cuspidata*, 432, 433.  
*Agrimonia mollis*, 439.  
*Agriolimax campestris*, 396.  
*Agropyron Smithii*, 433, 438.  
*Agrostis alba vulgaris*, 433; *perennans*, 439.  
Albertan formation, 308.  
Alfalfa, 482.  
*Alisma plantago*, 197.  
Allen creek, Harrison county, 295.  
*Allerisma marionensis*, 256.  
*Allium canadense*, 433; *tricoccum*, 439.

Alluvial groves, plants of, 442.  
Alluvial plains of Missouri river, 287.  
Alluvium, bison bones in, 407; character, 406; organic remains in, 406; see also under various counties.  
*Alnus incana*, 197.  
Alsike Clover, 483.  
Altitudes in Butler county—Allison, 19; Aplington, 19; Austinville, 19; Bristow, 19; Clarksville, 19; Dumont, 19; Greene, 19; New Hartford, 19; Packard, 19; Parkersburg, 19; Shell Rock, 19; Sinclair, 19.  
Altitudes in Davis county—Belknap, 497; Bloomfield, 497; Drakeville, 497; Floris, 497; Milton, 497; Moulton, 497; Paris, 497; Pulaski, 497; Steuben, 497; Unionville, 497; West Grove, 497.  
Altitudes in Grundy county—Beaman, 73; Cleves, 73; Conrad, 73; Grundy Center, 73; Hicks, 73; Holland, 73; Morrison, 73; Reinbeck, 73; Wellsburg, 73; Whitten, 73.  
Altitudes in Hamilton and Wright counties—Alexander, 118; Highview, 118; Meservey, 118; Radcliffe, 118; Stanhope, 118; Thrall, 118; Williams, 118.  
Altitudes in Harrison and Monona counties—Blencoe, 292; Dunlap, 292; Grant Center, 292; Kennebec, 292; Logan, 292; Mapleton, 292; Missouri river, 292; Missouri Valley, 292; Modale, 292; Mondamin, 292; Onawa, 292; Persia, 292; River Sioux, 292; Rode, 292; Rodney, 292; Sloan, 292; Smithland, 292; Ticonic, 292; Ute, 292; Whiting, 292; Woodbine, 292.  
Altitudes in Iowa county—Amana, 162; Conroy, 162; Homestead, 162; Ladora, 162; Marengo, 162; North English, 162; Parnell, 162; South Amana, 162; Victor, 162; Williamsburg, 162.

## INDEX

- Altitudes in Poweshiek county— Barnes, 250; Brooklyn, 250; Carnforth, 250; Deep River, 250; Ewart, 250; Grinnell, 250; Guernsey, 250; Hartwick, 250; Jacobs, 250; Malcom, 250; Montezuma, 250; New Sharon, 250; Newberg, 250; Searsboro, 250; Tilton, 250.
- Altitudes in Wayne county—Allerton, 209; Benton, 209; Cambria, 209; Clio, 209; Corydon, 209; Harvard, 209; Humeston, 209; Knifflin, 209; Lineville, Mo., 209; Promise City, 209; Sewall, 209; Seymour, 209.
- Alum root, 190.
- Alveolites rockfordensis*, 35.
- Amana, Iowa county, Des Moines sandstone near, 168; Kinderhook limestone at, 167.
- Amana Society, 163, 183.
- amaranthus albus*, 480; *blitoides*, 433, 480; *hybridus*, 480; *retroflexus*, 195, 433, 480.
- Ambrosia artemisiaefolia*, 192, 433, 480; *psilostachya*, 433; *trifida*, 192, 480.
- Amelanchier canadensis*, 147, 439.
- American cowslip, 193; crab apple, 190; elm, 196, 475; ivy, 188; plane, 196.
- Ammania coccinea*, 443.
- Amnicola*, 329, 331, 342, 396.
- Amorpha canescens*, 189, 433, 459; *fruticosa*, 442.
- Ampelopsis quinquefolia*, 188.
- Amphicarpa monoica*, 476; *pitcheri*, 432, 433, 439.
- Analyses of water of Grinnell well, 266.
- Ancylus rivularis*, 329, 330, 342, 396.
- Andropogon furcatus*, 433; *scoparius*, 433.
- Anemone canadensis*, 432, 433; *cylindrica*, 433, 459; *nemorosa*, 186; *patens wolfgangiana*, 432, 433; *pennsylvanica*, 186.
- Anodonta*, 330, 396.
- Antennaria neodioica*, 433; *plantaginifolia*, 192, 433.
- Anthemis cotula*, 480.
- Apion tuberosa*, 189, 439.
- Aplexa*, 330, 331; *hypnorum*, 396.
- Aplington, Lime Creek shales near, 36.
- Aplopappus spinulosus*, 432, 433.
- Apocynum androsaemifolium*, 195; *cannabinum*, 195, 433.
- Appanoose formation in Wayne county, 213, 215.
- Aquilegia canadensis*, 187, 439, 454.
- Arabis canadensis*, 439, 454; *dentata*, 439.
- Aralia nudicaulis*, 190; *quinquefolia*, 190; *racemosa*, 190.
- Arbor vitae, 197, 475.
- Archaeocidaris, 215.
- Arctium minus*, 476.
- Arey, M. F., XIII, 78; Geology of Butler county, 2; Geology of Davis county, 487; Geology of Grundy county, 61; Geology of Wayne county, 199.
- Arisaema dracontium*, 197; *triphyllum*, 197, 439.
- Aristida basiramea*, 433.
- Arrow-head, 197.
- Artemisia biennis*, 443; *caudata*, 433; *dracunculoides*, 433; *ludoviciana*, 192, 433, 438.
- Artesian prospects, Butler county, 59.
- Artichokes, 440.
- Asarabacca, 195.
- Asarum canadensis*, 195.
- Asclepias cornuta*, 195; *incarnata*, 195; *purpurascens*, 433; *sullivantii*, 433; *syriaca*, 433; *tuberosa*, 195, 434; *verticillata*, 434.
- Ash, 149, 479.
- Ash-leaved maple, 189.
- Asparagus, 198.
- Asparagus officinalis*, 198, 434.
- Aspen, 144.
- Aster, 191, 442.
- Aster cordifolius*, 439; *dumosus*, 191; *ericoides*, 191, 438; *laevis*, 434; *late-riflorus*, 442; *multiflorus*, 191, 434; *novae-angliae*, 191, 434; *oblongifolius*, 434, 453; *sagittifolius*, 191, 438; *sericeus*, 434, 453, 459.
- Astragalus canadensis*, 189, 434; *caryocarpus*, 432, 434; *lotiflorus*, 432, 434; *plattensis*, 432, 434.
- Athyrium proutii*, 38; *subquadrata*, 256.
- Atrypa aspera* var. *hystrix*, 34, 36, 37; *reticularis*, 26, 31, 33-37.
- Aughey, Samuel, 471.
- Austin, Mr., 236.
- Austrian pine, 197, 474.
- Avens, 190.

**B**

- Babcock, W. E., 309, 340, 408, 484.
- Bain, H. F., 168, 212, 215, 221, 278, 300, 307, 310, 360.
- Balmy, 193.
- Balsam, 475; apple, 190; fir, 197.
- Baptisia leucantha*, 189, 434; *leucophaea*, 189.
- Barbour, E. H., 307.
- Barnyard-grass, 481.
- Barometric pressure, study of, 453.
- Basswood, 188, 442.
- Bean, 189, 483.

- Bear creek, Iowa county, 164; Poweshiek county, 251.
- Bear Grove Hills, Butler county, 17.
- Beard's-tongue, 193.
- Beaver creek, Butler county, 7, 22.
- Bed-straw, 440, 476.
- Beggar's lice, 476, 481; ticks, 192, 439, 480.
- Bellerophon pelops*, 36..
- Bellwort, 198.
- Benches in Harrison and Monona counties, 287, 394.
- Bergamot, 194.
- Berry, S. L., 521.
- Betula papyracea*, 197.
- Beyer, S. W., XIII, 38, 66, 79, 101, 123, 242, 254, 279, 310.
- Bidens cernua*, 443; *connata*, 192; *fondosa*, 192, 480; *vulgata*, 443.
- Bifidaria*, 331; *armifera*, 329, 342, 395; *contracta*, 395, 397; *holzingeri*, 395, 397; *pentodon*, 395, 397; *procera*, 395, 397.
- Bindweed, 482.
- Bison in Iowa, 407.
- Bitter-nut, 145, 196.
- Bittersweet, 149, 439.
- Black Hawk creek, Grundy county, 73, 75.
- Black Ash, 195; bindweed, 196; cherry, 189, 475; haw, 191; locust, 148, 475, 479; mustard, 480; night-shade, 441, 482; oak, 146, 441; snakeroot, 190, 443, 476; thorn, 190; walnut, 196, 440, 442, 476; willow, 197, 443.
- Blackberry, 149, 441.
- Bladder-fern, 439.
- Blair, Nebraska, limestone near, 302.
- Blazing star, 191.
- Blood-root, 187, 441.
- Blue clay, Hamilton and Wright counties, 126.
- Blue beech, 145; cohosh, 187; flag, 198, 444; joint-grass, 443; vervain, 194, 483; violet, 187, 442; —eyed grass, 198; —grass, 441, 482.
- Boltonia, 192.
- Boltonia asteroides*, 443; *glastifolia*, 192.
- Bone beds, Harrison county, 409; Monona county, 408.
- Boneset, 191, 444.
- Boone river, Hamilton county, 103, 121; sections on, 122, 123.
- Boot, David H., 468, 485.
- Botany of Hamilton and Wright counties, 138; of Harrison and Monona counties, 426; of Iowa county, 186.
- Botrychium virginianum*, 439.
- Bourne, Mr., 472.
- Bouteloua curtipendula*, 434; *hirsuta*, 432, 434.
- Boulders in Butler county, 14; in Grundy county, 86; Iowa county, 157, 175.
- Box elder, 148, 189, 442, 474, 476.
- Boyer river, Harrison county, 295.
- Brassica arvensis*, 434, 480; *nigra*, 434, 480; *sinapistrum*, 187.
- Brauneria angustifolia*, 434.
- Brick clay in Butler county, 49.
- Brick and tile plants in Davis county—Birckmier, A. P., brickyard, 519.
- Brick and tile plants in Grundy county—Fronig, F. D., brickyard, 91; Gethman Brick & Tile Co., 91.
- Brick and tile works in Hamilton and Wright counties—Dows, 135; Eagle Grove, 135; Goldfield, 135; Jewell Junction, 135; Webster City, 135.
- Brick and tile plants in Harrison and Monona counties—Missouri Valley, 369, 416; Smith, Charles, brickyard, 369; Woodbine, 416.
- Brick and tile plants in Iowa county—Cheney, H. A., brickyard, 185; Lewis & Lewis, brickyard, 185; Smith Brothers, brickyard, 185; Wagner, J. W., brickyard, 185.
- Brick and tile plants in Poweshiek county—Broadston, B. J., brickyard, 265; Grinnell Brick and Tile, brickyard, 264; Meyer, Peter, brickyard, 265; Montezuma, 265; Stillwell, 265.
- Brick and tile plants in Wayne county—Allerton, 234; Corydon, 234; Crawfordsville, 234; Lineville, 234; Mardis, Alexander, brickyard, 234.
- Bromus racemosus*, 480; *secalinus*, 480.
- Brown, L. C. 484.
- Brunella vulgaris*, 194.
- Buchanan gravels, Butler county, 41; Grundy county, 83; relation of, to Loveland, 373.
- Buck creek, Poweshiek county, mines on, 264.
- Buckthorn, 441.
- Buckeye, 148.
- Buckwheat, 196.
- Buffalo bur, 482.
- Bugle-weed, 194.
- Building stone, see under various counties.
- Bulletin from Laboratory of Natural History, 485.
- Bur cucumber, 443.
- Bur-grass, 198.
- Bur-oak, 146, 196, 441, 442.
- Bur-reed, 197.
- Burdock, 192, 476.

- Buresh, Lumir, 467, 484.
- Burning bush, 149, 188.
- Butler county, altitudes, 19; area, 2; artesian prospects, 59; Bear Grove hills, 17; boulders, 14; brick clay, 49; Buchanan gravels, 41; building stones, 48; Carboniferous system, 37; Cedar Valley stage, 25; Devonian system, 25; drainage, 19; economic products, 48; geological formations, 24; Hackberry shales, 34; Iowan stage, 17, 45; Kansan stage, 8, 13, 41; Kinderhook stage, 37; lime, 49; Lime Creek shales, 33; loess, 13, 46; Middle Devonian series, 25; Mississippian series, 37; New Hartford recessional moraine, 9; oil, 50; Owen beds, 33; paha, 16; physiography, 6; Pleistocene series, 41; ponds, 23; preglacial topography, 6; preglacial valleys, 7; previous geological work, 5; quarries, see quarries; Quaternary system, 41; residual materials, 40; sand and gravel, 42, 50; soils, 47; springs, 23, 58; stratigraphy, 23; topography of, 6; Upper Devonian series, 33; valley trains, 42; water horizons, 52; water power, 51; wells in, 52.
- Buttercup, 187, 442.
- Butterfly-weed, 195.
- Butternut, 145, 196.
- Button snakeroot, 190, 191; bush, 191; weed, 191.
- Bythinella obtusa*, 329, 337, 396.
- C**
- Cacalia atriplicifolia*, 192; *suaveolens*, 434; *tuberosa*, 192, 434.
- Cairo Lake, Hamilton county, 117.
- Calamagrostis canadensis*, 443.
- Caleb creek, Wayne county, 210.
- Calhoun and Greene counties, survey of, XIV.
- California Junction, dunes near, 405.
- Call, R. E., 102, 376.
- Caltha palustris*, 187.
- Calvin, Samuel, XI, XIV, 33, 34, 37, 38, 42, 51, 59, 66, 95, 168, 186, 249, 269, 279, 300, 309, 311, 312, 316, 348, 373, 389, 408, 484, 524; paper on Af-tonian mammals, 316.
- Calystegia sepium*, 195.
- Camel, 322, 340.
- Camelina sativa*, 480.
- Camelus*, 316, 335, 341.
- Campanula americana*, 193, 439, 454; *rotundifolia*, 193.
- Campophyllum torquium*, 302.
- Canadian moonseed, 187.
- Cannabis sativa*, 196, 434, 480.
- Cance-birch, 197.
- Capsella bursa-pastoris*, 187, 434, 480.
- Carboniferous period, history of, 259.
- Carboniferous system, see under various counties.
- Cardinal-flower, 193.
- Carex beddbii*, 443; *crus-corvi*, 443; *davisi*, 439; *festucacea*, 434; *gravidia*, 433, 434, 438, 439; *grisea* var. *angustifolia*, 439; *lanuginosa*, 443, 445; *laxiflora*, 439; *pennsylvanica*, 434; *riparia*, 443; *rosea*, 439; *scirpoidea*, 439; *scoparia*, 443; *sparganioides*, 439; *stricta*, 443; *tribuloides*, 443; *trichocarpa*, 443; *vulpinoidea*, 443, 445.
- Carman, J. E., XIV.
- Carpenter, Col. C. C., 236.
- Carpinus caroliniana*, 145.
- Carrion-flower, 198, 441.
- Carrot, 481.
- Carter, Jeff., lime kiln of, 519.
- Carter creek, Davis county, 499.
- Carya alba*, 196; *amara*, 196; *glabra* var. *villosa*, 439.
- Carychium*, 331; *exiguum*, 396, 397; *exile*, 396, 397.
- Cassia chamaecrista*, 412, 434, 480; *marilandica*, 189.
- Castilleja coccinea*, 194; *sessiliflora*, 432, 434.
- "Cat steps," on loess bluffs, 283.
- Catalpa, 193, 474, 479.
- Cat-tail, 197, 444.
- Catnip, 194, 482.
- Caulophyllum thalictroides*, 187.
- Ceanothus americanus*, 188, 434; *ovatus pubescens*, 432, 434, 459.
- Cedar river basin in Grundy county, 74.
- Cedar Valley stage, see under various counties.
- Celandine, 187.
- Celastrus scandens*, 188, 439.
- Celtis occidentalis*, 146, 196, 439, 442.
- Cenchrus carolinianus*, 433, 434, 481; *tribuloides*, 198.
- Cephalanthus occidentalis*, 191.
- Cervalces*, 316.
- Cervus*, 316, 323, 334.
- Chariton river, Wayne county, 210; mines on, 230.
- Charlock, 187, 480.
- Cheat, 480.
- Chelidonium majus*, 187.
- Chelone glabra*, 193.
- Chenopodium album*, 195, 434, 454, 481; *hybridum*, 439; *urbicum*, 481.
- Chequest creek, Davis county, 498.

- Cherokee formation in Davis county, 504.  
 Cherry, 147, 189.  
 Chickweed, 188.  
 Chicory, 193.  
 Choke cherry, 189, 441.  
*Chrysopsis villosa*, 434, 453.  
*Cichorium intybus*, 192.  
*Circaea lutetiana*, 439.  
*Cirsium altissimum*, 439; *discolor*, 192, 434; *iowense*, 434.  
 Cladopora, 35.  
 Clay products, see Brick and Tile.  
*Claytonia virginica*, 188.  
 Clear creek, Iowa county, 164.  
 Cleavers, 191.  
*Clematis virginiana*, 186; *viorna*, 186.  
 Cleome, 187.  
*Cleome integrifolia*, 434; *pungens*, 187.  
 Climbing bittersweet, 188; false buckwheat, 196; ivy, 188.  
 Closed gentian, 195.  
 Cluster wells in Davis county, 521.  
 Coal, see under various counties, see also under Mines.  
*Cochlicopa*, 331; *lubrica*, 395.  
 Cocklebur, 192, 483.  
 Coffee-bean tree, 148.  
 Coldwater creek, Butler county, 8, 20.  
 Coltsfoot, 191.  
 Columbine, 187, 439.  
*Comandra richardsoniana*, 434; *umbellata*, 434.  
 Compass-plant, 192.  
 Cone-flower, 192, 443.  
 Cone-in-cone in Davis county, 492.  
*Convolvulus sepium*, 434, 481.  
 Coover, W. F., XIII.  
*Coreopsis palmata*, 434; *tripteris*, 192.  
 Cork elm, 442.  
 Cornel, 149.  
 Cornelia Lake, Wright county, 114.  
*Cornus asperifolia*, 191, 439; *paniculata*, 439, 442; *sericea*, 191; *stolonifera*, 439, 443.  
*Corydalis aurea occidentalis*, 431, 434.  
*Corylus americana*, 145, 196, 439, 459.  
 Cottonwood, 143, 197, 442, 474, 479.  
 Couch-grass, 198.  
 Coues, Elliott, 278.  
 Council Bluffs, meteorological observations at, 467.  
 Cow-parsnip, 440; wheat, 194.  
 Cox, Claude, 484.  
 Crab-apple, 147; —grass, 481.  
 Cranberry tree, 191.  
 Cranesbill, 188.  
*Crataegus coccinea*, 190; *crus-galli*, 147; *mollis*, 147, 439, 442, 459; *oxyacantha*, 190; *tomentosa*, 190.  
 Cratty, R. I., 445.  
 Creeping crowfoot, 187.  
 Cretaceous in Harrison and Monona counties, 299.  
*Crotalaria sagittalis*, 433, 434.  
 Crow, C. L., 484.  
*Cryptotaenia canadensis*, 190, 439, 476.  
 Cucumber, 442.  
 Culavin, G. F. and G. H., 413, 484.  
 Culver's physic, 194.  
 Cup evaporimeters, evaporation from, 461.  
 Cup-plant, 192, 443.  
 Curly-dock, 196, 482.  
 Currants, 149.  
*Cuscuta glomerata*, 195.  
*Cyclotoma atriplicifolia*, 433, 434.  
*Cynoglossum officinale*, 439, 481.  
*Cyperus acuminatus*, 443; *aristatus*, 443; *erythrorhizos*, 443; *esculentus*, 443; *rivularis*, 443; *schweinitzii*, 433, 434; *strigosus*, 443.  
*Cypripedium spectabile*, 197.  
*Cystopteris fragilis*, 439, 459.

**D**

- Dactylis glomerata*, 481.  
 Daisy, 440; flea-bane, 481.  
*Dalea alopecuroides*, 434; *enneandra*, 434.  
 Dana, J. D., 428.  
 Dandelion, 193, 442, 483.  
 Dann, Frank, 94.  
*Datura stramonium*, 195; *tatula*, 481.  
*Daucus carota*, 481.  
 Davidson, O. C., 234.  
 Davis county, Aftonian stage, 508; alluvium, 511; altitudes, 497; area, 491; building stone, 518; Carboniferous system, 501; Cherokee formation, 504; clay, 519; cluster wells, 521; coal, 513; cone-in-cone, 492; Des Moines stage, 504; drainage, 497; economic products, 513; gravels in, 511; hydraulic limestone, 492, 505, 519; Kansan stage, 493, 508; loess, 511; lime, 519; Mississippian series, 501; Nebraskan stage, 508; Pella limestone, 501; Pennsylvanian series, 504; physiography, 493; Pleistocene series, 508; Preglacial topography, 494; Quaternary system, 508; road materials, 520; Saint Louis stage, 501; salt springs, 523; soils, 512; springs, 522; stratigraphy, 499; topography, 493; water supply, 521.  
 Day, J. B. P., 283, 484.  
 Dead-nettle, 194.

- Deep river, Poweshiek county, 247, 251.  
 Deer, Virginia, in Iowa, 407.  
*Delphinium Penardi*, 434; *tricorne*, 439.  
*Dentaria laciniata*, 439.  
*Derbya crassus*, 507.  
 Des Moines river, Des Moines beds on, 502; Saint Louis limestone on, 502.  
 Des Moines stage, limestone in, 214; see also under various counties.  
*Desmanthus illinoensis*, 434.  
*Desmodium acuminatum*, 189; *canadense*, 433, 434; *canescens*, 433, 434; *dillenii*, 439; *gradiflorum*, 439; *humifusum*, 189; *paniculatum pubens*, 434.  
 Deur, C. H., 415, 484.  
 Devonian system, see under various counties.  
 Dewberry, 190.  
 Diamond willow, 479.  
*Dicentra cucullaria*, 187, 439, 459.  
*Dielasma bovidens*, 215.  
*Digitaria humifusa*, 438; *sanguinalis*, 481.  
*Dioscorea villosa*, 198.  
 Ditch stone-crop, 190.  
 Dock, 482.  
 Dodder, 195.  
*Dodecatheon meadia*, 193.  
 Dog-fennel, 480.  
 Dog's-tooth violet, 440.  
 Dogwood, 149, 439, 442.  
 Doorweed, 196.  
 Downy yellow violet, 187.  
 Dragon arum, 197.  
 Drainage ditches in Harrison and Monona counties, 418.  
 Drainage, see under various counties.  
 Dry Run, Butler county, 22.  
 Duckweed, 197.  
 Dumont, Dr. T. A., 59.  
 Dutchman's breeches, 187, 439.  
 Dwarf white lily, 198; wild rose, 190.  
*Dysosodia chrysanthemoides*, 192; *papposa*, 434, 481.
- E**
- Eagle creek, Wright county, 121.  
 Early crowfoot, 187; wild rose, 190.  
*Echinacea purpurea*, 192.  
*Echinochloa crus-galli*, 481.  
*Echinocystis lobata*, 190, 442.  
*Echinodorus cordifolius*, 444.  
*Echinospermum lappula*, 194.  
 Edentata in Aftonian, 327.  
 Eells, H. L., 59.  
 Elderberry, 149, 191, 443, 476.  
 Elecampane, 192.
- Eleocharis palustris*, 444, 445; *tenuis*, 444.  
 Elephants in Aftonian, 322.  
*Elephas columbi*, 316, 323, 324, 334; *imperator*, 310, 316, 323, 324, 334, 340; *primigenius*, 316, 323.  
 Elk in Iowa, 407.  
 Elliott, A. B., 484.  
 Ellisia, 194.  
*Ellisia nyctelea*, 194, 434, 440, 459.  
 Elm Lake, Wright county, 114.  
 Elms, 147.  
*Elymus canadensis*, 434; *robustus*, 438; *striatus*, 440, 459.  
 Enchanter's nightshade, 439.  
 English hawthorn, 190; plantain, 193.  
 English river, Iowa county, 165.  
*Equisetum arvense*, 435; *hyemale*, 435; *laevigatum*, 435, 440.  
*Equus*, 310, 336, 340; *caballus*, 322; *complicatus*, 316, 319, 335, 341; *exclusus*, 320; *occidentalis*, 320; *pacificus*, 318; *scotti*, 316, 318, 334, 335, 341.  
*Equus* zone, 310, 328.  
*Eragrostis megastachya*, 435, 481; *pisloxa*, 438, 481.  
*Erigeron annuus*, 438; *canadense*, 191, 435, 481; *philadelphicus*, 192, 433, 435, 440; *ramosus*, 435, 481.  
*Eryngium yuccaefolium*, 190.  
*Erythronium albidum*, 198, 440.  
*Euconulus*, 331; *fulvus*, 396, 398.  
 Eulophus, 190.  
*Eulophus americanus*, 190.  
*Eupatorium ageratoides*, 191; *altissimum*, 435, 459; *perfoliatum*, 191, 444; *purpureum*, 191, 440, 476; *urticaefolium*, 440, 442, 459, 476.  
*Euphorbia corollata*, 196, 435; *dentata*, 438; *dictyosperma*, 438; *geyeri*, 438; *glyptosperma*, 435; *heterophylla*, 481; *hexagona*, 438; *maculata*, 196, 435, 481; *marginata*, 435, 481; *preslia*, 435, 481; *serpens*, 435; *serpyllifolia*, 435.  
 European larch, 197.  
 Evaporation, exposure to, effect of, on prairie, 445, 468; factors affecting, 466; rate of, 460; study of, 450; wind velocity, relation between, 465; from evaporating pans, 461.  
 Evening primrose, 190, 482.  
 Everlasting pea, 189.  
*Evonymus atropurpureus*, 188, 440, 442, 476.
- F**
- Fabius creek, Davis county, 499.  
*Fagopyrum esculentum*, 196.  
 False acacia, 189; flax, 480; indigo, 189; pimpernell, 194; Solomon's seal, 198; spikenard, 198.

- fauna of Aftonian, 310.  
*Fenestella*, 507.  
Fern, 440.  
Fescue grass, 442.  
*Festuca nutans*, 440, 442, 459; *octoflora*, 435.  
Fetid marigold, 192, 481.  
Fever-wort, 191.  
Field pennycress, 187.  
Figwort, 193.  
Fire, effect of, on prairies, 471.  
Fischer, George, 484.  
Fish tooth in Butler county, 25.  
Fish vertebra, from Aftonian, 341.  
Five-finger, 190.  
Fleabane, 192, 440.  
Flood creek, Butler county, 20.  
Flood plains in Poweshiek county, 246.  
Flora of prairies, 430, 438.  
Flower-of-an-hour, 481.  
Flowering currant, 442.  
Ford Brothers, 79.  
Fossils, Aftonian age of, 347; loess, 46, 177, 395, 397, 404; from Cox pit, 334; from Davis county, 507; from Logan, 302.  
Foster, J. W., 428.  
Four-o'clock, 482.  
Fouts, W. A., 415.  
Fox river, Davis **county**, 499.  
*Fragaria vesca*, 190, 440; *virginiana*, 435, 440, 459, 476.  
*Fraxinus americana*, 195; *lanceolata*, 149, 476; *nigra*, 149; *pennsylvanica*, 440, 442, 459, 476; *sambucifolia*, 195.  
Frost grape, 188.  
Fruit, cultivation of, in Harrison and Monona counties, 415.  
*Fusulina cylindrica*, 302.

**G**

*Galium aparine*, 191, 440, 476; *circassianum*, 440; *triflorum*, 191, 440.  
Garden, Robert L., 407.  
Garget, 195.  
*Gaura coccinea*, 435; *parviflora*, 435.  
Geest in Grundy county, 80.  
Geikie, A., 322.  
Gentian, 195.  
*Gentiana andrewsii*, 195; *puberula*, 195; *saponaria*, 195.  
Geological formations, effect of, on prairies, 473.  
*Geranium maculatum*, 188.  
*Gerardia aspera*, 435, 459; *purpurea*, 194; *tenuifolia*, 194, 444.  
*Geum album*, 190; *virginianum*, 440.  
Giant hyssop, 194.  
Giddings, Levi A., 484.  
Gidley, J. W., 317.  
Gilder, Robert F., 307, 413.

Ginger, 195.  
Ginseng, 190.  
Gittens, Thos., 186.  
Glacial action, effect of, on prairies, 473.  
Gladwin, E. L., 317.  
Gladwin horse, 317.  
*Gleditschia triacanthos*, 148, 189, 442.  
*Glyceria nervata*, 440.  
*Glycyrrhiza lepidota*, 435.  
Golden ragwort, 192; —rod, 192, 443.  
Goose grass, 191.  
Goose-foot, 481.  
Gooseberry, 149, 441, 443, 476.  
Gordon, C. H., 503.  
Grape, 149, 442, 443, 476.  
Gravel pits in Butler county—Ahrends, 42, 50; Butler, 42, 50; Chicago, Rock Island & Pacific, 50; Chicago Great Western pit, 45, 50; Dumont pits, 50; West Point pits, 42.  
Gravel pits in Grundy county, 91.  
Gravel pits in Hamilton and Wright counties, 131.  
Gravel pits in Harrison and Monona counties—Aldrich and Young pit, 360; Blakely pit, 359; Cox pit, 333; Elliott pit, 340; Ferdig pit, 358; Grant Center pit, 359; Hawthorn pit, 344, 358; McCleary pit, 344; McGavern pit, 351; Mefferd pit, 352; Missouri Valley, 333, 351; Ordway pit, 342; Peckenpaugh pit, 335; Persia pit, 352; Peyton pit, 339; Pinckney pit, 357; Robinson pit, 336; Rodney pit, 344; Turman pit, 360; Wallace pit, 337; Weniger pit, 347; Woodbine, pit, 352; Woodward pit, 344.  
Gravels, Buchanan, in Butler county, 41; residual, in Davis county, 511; work on, XIV; and boulders in Wayne county, 226.  
Great lobelia, 193; ragweed, 192, 480; St. John's-wort, 187; Solomon's seal, 198; water-dock, 196.  
Green amaranth, 195; ash, 440, 442, 474, 476; dragon, 197; foxtail, 482; milkweed, 195.  
Greenbrier, 198, 441.  
Griffin, C. F., 484.  
*Grindelia squarrosa*, 435, 453.  
Grinnell, Rev. J. B., 241.  
Ground cherry, 195, 482; nut, 189.  
Grundy county, alluvium, 90; altitudes, 73; area, 65; boulders, 86; brick and tile plants, 91; Buchanan gravels, 83; building stones, 91; Carboniferous system, 77; Cedar Valley stage, 76; Des Moines stage, 80; Devonian system, 76; drainage, 74; economic products, 91; geest, 80; geological

- Grundy County. Continued.  
 formations, 75; Iowan loess, 89; Iowan stage, 84; Kansan stage, 82; Kinderhook stage, 77; Lime Creek shales, 76; mantle rock, 80; Middle Devonian series, 76; Mississippian series, 77; modified Iowan drift forms, 85; paha, 68; Pennsylvanian series, 80; physiography, 67; Pleistocene series, 82; previous geological work, 63; Quaternary system, 82; residual material, 80; road materials, 91; sand, 91; soils, 90; springs, 92; stratigraphy, 75; topography, 67; Upper Devonian series, 76; water supplies in, 92.
- Gumbo, see Harrison and Wayne counties.
- Gymnocladus dioica*, 148, 440, 442.
- H**
- Habenaria leucophaea*, 197.
- Hackberry, 196, 439, 442, 475.
- Hackberry shales in Butler county, 34.
- Haights, A. L., 415.
- Hairy puccoon, 194.
- Halbert-leaved rose mallow, 188.
- Hall, James, 36, 65, 156, 242.
- Hamilton and Wright counties, altitudes, 118; area, 101; brick and tile works, 135; building stone, 130; Carboniferous system, 122; coal, 132; Des Moines stage, 123; drainage, 121; economic products, 130; flowing wells, 136; forestry notes, 138; geological formations, 122; Kansan drift, 125; lakes, 113; lime, 131; limestone, 130; Mississippian series, 122; moraine, 110; Pennsylvanian series, 123; physiography, 103; Pleistocene series, 125; previous geological work, 101; Quaternary system, 125; Saint Louis limestone, 122; sand and gravel, 131; soils, 129; stratigraphy, 122; topography, 103; water supplies, 136; Wisconsin drift, 127.
- Hard maple, 475.
- Harebell, 193.
- Harrison and Monona counties, Aftonian fauna, 310; Aftonian sections, 333, 347; Aftonian stage, 309; alluvium, 405; altitudes, 292; area, 277; bison remains, 407; botany, 426; building stone, 416; Carboniferous, 301; clays, 416; coal, 303; Cretaceous, 299; drainage, 293; dunes, 405, 411; gumbo, 405; Kansan stage, 367; loess, 376; loess fossils, 395; Loveland, 371; Missouri stage, 301; mollusca, 395; mounds, 412; Nebraskan
- Harrison and Monona Counties—Cont.  
 stage, 304; Pennsylvanian, 301; physiography, 279; Pleistocene series, 304; post-Kansan loess, 379; prairies, 426; Quaternary system, 304; river benches, 287, 394; road materials, 417; sand and gravel, 417; soils, 414; stratigraphy, 299; topography, 279; tree planting, 474; water power and drainage ditches, 418; water supply, 417; weeds, 479; yellow loess, 387.
- Hartgrave creek, Butler county, 22.
- Harward, Mr., 520.
- Hawthorn, C. A., 344, 484.
- Hawthorn, 147.
- Hayden, F. V., 310.
- Hazel-nut, 146, 196, 439.
- Heal-all, 194.
- Heart-leaved willow, 197, 444.
- Hedeoma hispida*, 433, 435.
- Hedge bindweed, 195; mustard, 482; nettle, 194.
- Helienum autumnale*, 192, 444.
- Helianthemum canadense*, 435.
- Helianthus annuus*, 192, 435, 481; grosseserratus, 192, 444; hirsutus, 435; laetiflorus, 192; maximiliani, 435, 438; scaberrimus, 435, 453, 459; strumosus mollis, 433, 435; tuberosus, 440.
- Helicina*, 177; *occulta*, 366, 396-398.
- Helicodiscus*, 331; *parallelus*, 396, 398.
- Helioësis helianthoides*, 440; *laevis*, 192; *scabra*, 435.
- Hemlock, 475.
- Hemp, 196, 480.
- Hendrixson, W. S., 269.
- Hepatica acutiloba*, 187; *triloba*, 186.
- Heracleum lanatum*, 440.
- Heuchera hispida*, 190, 435.
- Hibiscus militaris*, 188; *trionum*, 481.
- Hickory, 145.
- Hicoria minima*, 145; *ovata*, 145.
- Hieracium venosum*, 193.
- High blackberry, 190.
- Hinds, Henry, 203, 303, 515.
- Hixson, A. W., XI.
- Hoary vervain, 483.
- Hog peanut, 476.
- Holbrook, Parker K., 484.
- Holmes, Charles, 484; Mrs. Charles, 475, 484; William Henry, 323.
- Honewort, 190.
- Honey creek, Iowa county, 164.
- Honey locust, 148, 189, 442, 475.
- Honeysuckles, 149.
- Hordeum jubatum*, 198, 435, 481.
- Hornby, J. D., 413.
- Horse nettle, 482; gentian, 191, 442; weed, 191, 481.

Horseradish, 187.

Horses, Aftonian, 317.

Hop, 196, 440.

*Houstonia angustifolia*, 435.

Humidity, relative, table of, 462.

*Hydrophyllum virginianum*, 194, 440, 459.

*Hypericum pyramidatum*, 187.

*Hypoxys erecta*, 198; *hirsuta*, 431, 435.

*Hystrix patula*, 440.

### I

*Ilysanthes gratioloides*, 194.

*Impatiens fulva*, 188; *pallida*, 440.

Indian currant, 441; hemp, 195; pipe, 193, 440; rice, 198; tobacco, 193; turnip, 197, 439.

Indigo, 149, 442.

*Inula helenium*, 192.

Iowa, water powers of, XIV.

Iowa Academy of Sciences, 485.

Iowa county, Aftonian interglacial stage, 173; alluvium, 178; altitudes, 162; area, 155; boulders, 175; building stone, 184; Carboniferous system, 167; Cedar Valley stage, 167; clay products, 184; coal, 185; Des Moines stage, 168; Devonian system, 167; drainage, 162; economic products, 180; flora, 186; geological formations, 166; Iowan stage, 176; Kansan stage, 174; Kinderhook stage, 167; lime, 184; loess hills, 156, 164; loess, 157, 177; loess topography, 159; meteorites, 185; Mississippian series, 167; Nebraskan stage, 172; Osage and Saint Louis stages, 168; Pennsylvanian series, 168; physiography, 156; Pleistocene series, 172; pre-glacial surface, 179; previous geological work, 155; Quaternary system, 172; soils, 180; stratigraphy, 165; topography, 156; water supply, 183.

Iowa Lake, Hamilton county, 117.

Iowa Lakeside Laboratory, 330.

Iowa river, Iowa county, 162; exposures on, 170; in Grundy county, 74; in Poweshiek county, 250.

Iowa loess, see under various counties.

Iowan stage, see under various counties.

*Ipomoea purpurea*, 195, 481.

*Iris versicolor*, 198, 444.

Iron-weed, 444, 483; —wood, 146, 441.

*Isanthus brachiatus*, 435.

*Iva xanthiifolia*, 435, 481.

### J

Jack oak, 146.

Jersey tea, 149.

Jerseyan formation, 308.

Joe-Pye-weed, 191.

*Juglans cinerea*, 145, 196; *nigra*, 145, 196, 440, 442, 476.

June-berry, 439.

*Juniperus virginiana*, 143, 197.

### K

Kansan stage, see under various counties.

Kay, George F., XIV.

Kentucky bluegrass, 198; coffee-bean, 440, 442.

Kettle holes, Wright county, 117.

Keyes, C. R., 65, 203, 213, 233, 242, 278, 300, 301, 303.

Kiefer, C. G., 407.

Killikinnik, 191.

Kinderhook stage in Butler county, 37; in Grundy county, 77; in Iowa county, 167.

Kinney, H. A., 484.

Knot grass, 196.

*Koelreuteria cristata*, 435.

Kuhnia, 191.

*Kuhnia eupatoroides corymbulosa*, 191, 435, 453.

### L

*Lactuca canadensis*, 193, 435; *floridana*, 470, 476; *ludoviciana*, 435; *pulchella*, 431, 435; *sagittifolia*, 435; *scariola*, 435, 481.

Lake-beds as origin of prairies, 472.

Lakes of Hamilton and Wright counties, 113; of Harrison and Monona counties, 294.

Lambs-quarters, 195, 481.

*Lamium amplexicaule*, 194.

*Lampsilis anodontoides*, 330; *luteolus*, 330.

*Laportea canadensis*, 196, 440.

*Lappa officinalis*, 192.

*Lappula Redowskii occidentalis*, 435; *virginiana*, 440, 476.

*Larix europaea*, 197.

Larkspur, 439.

*Lathyrus pratensis*, 189.

Lead plant, 189.

Leather-flower, 186.

Leek, 439.

*Leersia virginica*, 442.

Lees, James H., XI-XIII, 215, 499, 500, 524.

*Leguminosae*, 411.

*Lemna*, 197.

Leonard, A. G., 303, 503.

- Leonurus cardiaca*, 194.  
*Lepachys pinnata*, 192, 435.  
*Lepidium apetalum*, 435, 481; *virginicum*, 481.  
*Lespedeza capitata*, 435.  
*Lesquereauxa*, Leo, 472.  
Lettuce, 193.  
*Leucanthemum vulgare*, 192.  
*Leucocheila fallax*, 395, 397.  
Leverett, Frank, 376.  
Lewis and Clark expedition, 278.  
*Liatris paniculata*, 191; *punctata*, 435, 453; *pycnostachya*, 191; *scariosa*, 191, 435; *spicata*, 191; *squarrosa*, 435.  
*Lilium canadensis*, 198; *philadelphicum*, 198.  
*Limax campestris*, 397.  
Lime Creek shales in Butler county, 33; in Grundy county, 76.  
Lime in Butler county, 49; in Davis county, 519; in Hamilton county, 131; in Iowa county, 184.  
Limestone, hydraulic, in Davis county, 492, 505, 519; analyses, 520; lithographic, Butler county, 30; see building stone.  
Linden, 149.  
*Linum sulcatum*, 435.  
*Lippia lanceolata*, 444.  
*Lithospermum angustifolium*, 432, 436; *caneescens*, 436, 438; *hirtum*, 194.  
Little Bear creek, Iowa county, 164; Poweshiek county, 247, 251.  
Little Sioux river, 296.  
Little Wall Lake, Hamilton county, 117.  
Liverleaf, 186.  
*Lobelia cardinalis*, 193; *inflata*, 193; *spicata*, 436; *syphilitica*, 193, 444.  
Loco-weed, 482.  
Locust, 189.  
Loess, aeolian origin of, 399; character, 376; distribution, 377, 389, 391, 403; divisions, 378; genesis, 399; lamination, 380, 403; source, 401; thickness, 377; topography, 400; post-Kansan, character, 379; yellow, ages of, 390; members, 387-389.  
Loess bluffs of Harrison and Monona counties, 280.  
Loess fossils, Butler county, 46; Harrison and Monona counties, 378, 389, 395, 397, 404.  
Loess hills in Iowa county, 156, 164.  
Loess kindchen, in Butler county, 47; in Iowa county, 177.  
Loess soils in Iowa county, 180.  
Loess topography in Iowa county, 159.  
See also under various counties.
- Logan, Aftonian at, 335; fossils from, 302; meteorological record from, 418; temperature and rainfall at, 419.  
Lombardy poplar, 197.  
Long, Major S. H., 408.  
Long expedition, 278, 407.  
*Lonicera glaucescens*, 440; *sempervirens*, 191; *sullivantii*, 440.  
Loosestrife, 190.  
*Lophantus nepetoides*, 194.  
Lopseed, 194.  
*Lotus corniculata*, 481.  
Lousewort, 194.  
Loveland clay, character, 371; distribution, 374; earlier study of, 371; relation of, to Buchanan, 373; to Kansan drift, 371, 375; in Harrison and Monona counties, 371.  
Low blackberry, 190; grounds and marshes, plants of, 443.  
Lucas, F. A., 323.  
Lungwort, 194.  
*Lychnis dioica*, 481.  
*Lycopus americanus*, 444; *virginicus*, 194.  
*Lygodesmia juncea*, 436, 481; *rostrata*, 432, 436.  
*Lymnaea*, 331, 406; *caperata*, 329, 339, 342, 396; *humilis*, 329, 344, 396; *obrussa*, 396; *palustris*, 396; *reflexa*, 329, 330, 337, 396.  
Lynch, William, 523.  
*Lythrum alatum*, 190, 444.

**M**

- Macbride, T. H., XIV, 101, 114, 224.  
Macbride, T. H., geology of Hamilton and Wright counties, 97.  
Mad-dog skullcap, 194, 444.  
Maidenhair fern, 198, 439.  
*Malus iowensis*, 147.  
*Malva rotundifolia*, 481.  
*Malvastrum coccineum*, 436.  
Mammalian fauna, Aftonian, 310.  
*Mammut americanum*, 316, 324, 334, 335, 340, 341, 343; *mirificum*, 316.  
Manganese dioxide, 311, 332.  
Manna grass, 440.  
Maple river, Monona county, 296.  
Maples, 148.  
Maps, topographic, in Iowa, XIV.  
Mardis, Alexander, 224, 225, 234, 236.  
Marsh cress, 187, 442; elder, 481; marigold, 187.  
Marshes, plants of, 443.  
Martin, Doctor, sanitarium, 523.  
*Martynia louisiana*, 482; *proboscidea*, 438.  
*Maruta cotula*, 192.

- Mastodon, 324.  
*Mastodon mirificus*, 310.  
 Mathiasen, Mr., 408.  
 Matthew, W. D., 328.  
 May-apple, 187; —weed, 192.  
 Mayne creek, Butler county, 22.  
 McCabe, J. C., 184.  
 McElhaney Bros., 222.  
 McGee, W. J., 6, 65, 156, 242, 248, 373, 378.  
 McGuire, W. W., 472.  
 Meadow parsnip, 190; —sweet, 189.  
*Medicago sativa*, 436, 482.  
*Meekella striatocostata*, 302.  
*Megalonyx*, 316, 327.  
*Melampyrum americanum*, 194.  
*Melilotus alba*, 436, 482; *officinale*, 436, 482.  
*Menispermum canadense*, 187, 440, 476.  
*Mentha arvensis canadensis*, 444; *piperrita*, 194; *viridis*, 194.  
*Mertensia virginica*, 194.  
 Meteorites in Iowa county, 185.  
 Meteorological observations at Missouri Valley, 450; record from Logan, 418.  
 Middle Devonian series, Butler county, 25; Grundy county, 76.  
 Middle English river, Iowa county, 165.  
 Milfoil, 192.  
 Milk vetch, 189.  
 Milkweed, 195.  
 Milkwort, 189.  
 Miller, Joshua, lime kiln of, 519.  
 Millers Bay, mollusks from, 329.  
 Mines in Davis county—Anchor Coal Company, 516; Brown Cannel Coal Company, 513; Carbon, 515; Deut, George, 515; Fayne, James, 516; Hastings, Henry, 516; Laddsdale, 515; Lunsford, 513; Sickels, 516; Soap Creek Coal Company, 515.  
 Mines in Hamilton county—Brockshink, 132; Clafin, 133; Silver, 132; Stockdale, 134.  
 Mines in Poweshiek county—Petit, 264; Smith and Barrowman, 264.  
 Mines in Wayne county—Frye, Lewis, 231; Hayhurst, Joe, 214, 232; Hayhurst, John, 231; Jared, E. T., Jr., 214, 232; Lineville, 234; Numa Block Coal Company, 232; Simms, 214; Slack, W. R., 232; Winger, 233; Wood, Thomas, 232.  
 Mississippian series, see under various counties.  
 Missouri river, alluvial plains of, 287; course of, 293.  
 Missouri stage, Harrison and Monona counties, 301; Wayne county, 223.
- Missouri Valley, meteorological observations at, 450.  
 Missouri willow, 443.  
*Mnium cuspidatum*, 440.  
 Moershal, Dr. Wm., 186.  
 Moisture, effect of, on prairies, 472, 473.  
 Mollusca of Harrison and Monona counties, 395.  
 Molluscan fauna, Aftonian, 310, 328.  
 Mollusks, Aftonian and modern compared, 329; from Millers Bay, 329; from West Lake Okoboji, 329.  
*Monarda fistulosa*, 194; *mollis*, 436, 459.  
 Monona county, see Harrison and Monona.  
*Monotropa uniflora*, 193, 440.  
 Moonseed, 440, 476.  
 Moraine, in Butler county, 9; in Hamilton and Wright counties, 110.  
 Morning-glory, 195, 481.  
*Morus rubra*, 196, 440, 442, 476.  
 Mosnat, H. R., 137, 156, 174.  
 Mosquito creek, Harrison county, 294.  
 Mossy stone-crop, 190.  
 Motherwort, 194.  
 Mt. Nebo, Butler county, 17.  
 Mounds in Harrison and Monona counties, 412.  
 Mountain ash, 475; mint, 194.  
*Muhlenbergia racemosa*, 436; *sobolifera* 436.  
 Mulberry, 440, 442, 475, 476.  
 Mullein, 193, 483.  
 Murray Hill section in Harrison county, 355.  
*Muscilium truncatum*, 396.  
 Mylodon in Aftonian, 316, 327, 335.  
*Mylodon robustus*, 327.

## N

- Nabalus albus*, 193; *asper*, 193.  
 Narrow-leaved spring beauty, 188.  
*Nasturtium armoracia*, 187; *palustre*, 187.  
*Naticopsis gigantea*, 35.  
 Nebraskan drift, disturbance of, by Kansan ice, 348; exposures of, 308; previous study of, 307.  
 Nebraskan stage, see under various counties.  
 Neckweed, 194.  
*Negundo aceroides*, 189.  
*Nelumbium luteum*, 187, 444.  
*Nepeta cataria*, 194, 436, 482.  
 Nettle, 443, 476.  
 Nettle-leaved vervain, 194.  
 New Hartford recessional moraine, Butler county, 9.

- New Jersey tea, 188.  
 New York, Wayne county, prospect near, 234.  
 Newberry, J. S., 428.  
 Newman, Miss. work of, XII.  
 Nightshade, 195.  
 Noe, Dr. C. F., 186.  
 North English river, 165, 247, 251.  
 North Skunk river, Poweshiek county, 248, 251; mines on, 264; rocks along, 252.  
 North Wyacondah river, Davis county, 499.  
 Northern prickly ash, 188.  
 Norton, W. H., XIV, 79, 171, 242, 253, 265.  
 Norway spruce, 197, 475.
- O**
- Oaks, 146.  
*Oenothera biennis*, 190, 436, 482; *serulata*, 436.  
 Ogden, Richard B., 241.  
 Oil in Butler county, 50.  
 Old Mans creek, Iowa county, 165.  
 Old-witch grass, 482.  
 Oliver, Judge Addison, 419, 484.  
 Omaha, meteorological observations at, 467.  
*Onosmodium occidentale*, 436, 459.  
 Orange-red lily, 198.  
 Orchard grass, 481.  
*Orchis spectabilis*, 197.  
 Organic remains in alluvium, 406.  
*Orthotheces (Derbyia) crassus*, 507.  
 Osage stage in Iowa county, 168.  
 Osborn, Herbert, 407.  
 Osborne, Henry Fairfield, 310, 328.  
 Osborne, W. M., 361.  
*Osmoderma longistylis*, 190, 440.  
*Ostrya virginiana*, 145, 441, 459.  
 Otter creek, Butler county, 8, 22; Wright county, 121.  
*Oribos*, 316, 335.  
 Owen, Dr. D. D., 101, 155, 428, 491, 492, 519, 523; analyses of hydraulic limestone by, 520.  
 Owen, Richard, cited, 327.  
 Owen beds, Butler county, 33.  
 Ox-bow lakes in Harrison and Monona counties, 294.  
 Ox-eye daisy, 192.  
*Oxalis corniculata*, 188; *filipes*, 441; *stricta*, 188, 436, 441, 482; *violacea*, 188, 436.  
*Oxybaphus nyctagineus*, 436, 482.  
*Oxytropis Lamberti*, 432, 436, 482.
- P**
- Pachyphyllum woodmani*, 34, 35.  
 Paha, Butler county, 16; Grundy county, 68.
- Pale dock, 196; Indian plantain, 192; touch-me-not, 440.  
 Pammel, L. H., 430, 431, 438.  
*Panicum capillare*, 436, 482; *huachucae silvicola*, 438, 444; *scribnerianum*, 436, 482; *virgatum*, 436.  
 Paper-birch, 197.  
*Parietaria pensylvanica*, 441.  
 Parthenium, 192.  
*Parthenium integrifolium*, 192.  
 Partridge-pea, 480.  
*Paspalum ciliatifolium*, 433, 436.  
 Patrick, Mr., 309.  
 Peached-leaved willow, 443, 444.  
 Pear thorn, 190.  
*Pedicularis canadensis*, 194, 436.  
 Peckenpaugh, Frank, 484.  
 Pella limestone, Davis county, 501; Poweshiek county, 256.  
 Pennsylvanian series, see under various counties.  
 Penny-cress, 483.  
*Penthorum sedoides*, 190.  
 Pentstemon, 193; *digitalis*, 193; *gracilis*, 432, 436; *grandiflorus*, 432, 436.  
 Pepper-grass, 481.  
 Peppermint, 194.  
 Perkins, Mr., 309.  
*Petalostemum candidum*, 189, 436; *pureum*, 436; *violaceus*, 189.  
 Peyton, Geo., 309, 484.  
*Phalaris arundinacea*, 444.  
*Phascolus diversifolium*, 189.  
*Phillipsia major*, 302, 508.  
*Phleum pratense*, 482.  
 Phlox, 195.  
*Phlox divaricata*, 441; *pilosa*, 195, 436.  
*Phryma leptostachya*, 194, 441.  
*Physa*, 406; *gyrina*, 396; *integra*, 329, 342, 396.  
*Physalis heterophylla*, 436; *pubescens*, 195, 436; *subglabrata*, 482.  
*Phytolacca decandra*, 195.  
 Piche evaporimeters, evaporation from, 461.  
 Pickerel-weed, 198.  
 Pigeon creek, Harrison county, 294.  
 Pig-nut hickory, 145, 439.  
 Pigweed, 195, 480.  
*Pilea pumila*, 441, 442.  
*Pinus austriaca*, 197; *strobus*, 197, 476; *sylvestris*, 197, 476.  
*Pisidium*, 331, 406; *abditum*, 329, 339, 342, 396; *compressum*, 329, 337, 342, 344, 396, 398.  
*Planorbis*, 330, 331, 406; *bicarinatus*, 329, 339, 342, 343, 396; *dilatatus*, 329, 339, 342, 396; *exacutus*, 396; *parvus*, 329, 337, 342, 396; *trivolvus*, 396.

- Plantain, 193, 476, 482; —leaved everlasting, 192.
- Plants of alluvial groves, 442; of dry prairies, 433.
- Plantago aristata*, 436; *lanceolata*, 193, 436, 482; *major*, 193; *rugelii*, 436, 476, 482.
- Platanus occidentalis*, 196.
- Pleasanton shales, in Wayne county, 221.
- Pleistocene series, see under various counties.
- Plum, 147, 441, 442.
- Plumed thistle, 192.
- Poa compressa*, 436; *pratensis*, 198, 436, 441, 459, 482; *triflora*, 444.
- Podophyllum peltatum*, 187.
- Poison ivy, 149, 188, 441, 442, 476; oak, 188.
- Poke, 195.
- Polemonium reptans*, 195.
- Polygonia sanguinea*, 189; *senega*, 189; *verticillata*, 436.
- Polygonatum biflorum*, 198, 441; *commutatum*, 441, 459; *giganteum*, 198.
- Polygonum aviculare*, 196, 482; *convolvulus*, 196, 436, 482; *dumetorum*, 196, 441; *erectum*, 482; *hydropiper*, 196; *lapathifolium*, 442, 444; *muhlenbergii*, 444; *orientale*, 482; *pennsylvanicum*, 436, 482; *ramosissimum*, 436; *virginianum*, 196.
- Polygyra*, 329, 337; *hirsuta*, 395; *monodon*, 395, 398; *multilineata*, 395; *profunda*, 395, 397, 410.
- Polytaenia nuttalli*, 438.
- Ponds in Butler county, 23.
- Pontederia cordata*, 198.
- Poole, Joseph, 516.
- Populus deltoides*, 143, 442; *dilatata*, 197; *grandidentata*, 144; *monilifera*, 197; *tremuloides*, 144.
- Portulaca oleracea*, 188.
- Post-Kansan loess, see loess.
- Posten, R. C., 216, 236.
- Potamogeton illinoiensis*, 444; *pectinatus*, 444.
- Potentilla arguta*, 436; *canadensis*, 436; *monspeliensis*, 436; *norvegica*, 190; *paradoxa*, 436, 444.
- Pounds, F. L., 168.
- Poweshiek county, alluvium, 261; altitudes, 250; area, 241; Carboniferous system, 254; clay products, 264; coal, 263; Des Moines stage, 258; drainage, 250; geological formations, 253; history, 241; Kansan drift, 261; Kinderhook stage, 254; loess, 261; Mississippian series, 254; Nebraskan stage, 260; Pella beds, 256; Pennsylvanian series, 258; physiography, 242; Pleistocene series, 260; Quaternary system, 260; Saint Louis stage, 255; soils, 261; stratigraphy, 252; topography, 242; Verdi beds, 257; water supply, 265.
- Prairie panic-grass, 482; willow, 197.
- Prairies, causes of treelessness, 428; contributing causes, 471; effect of exposure to evaporation, 445, 468; effect of rainfall, 470; effect of topography, 449; effect of winds, 446; plants, 430, 433; types, 429; use of, 427.
- Prairies of Harrison and Monona counties, 426.
- Prather, J. C., 303, 484.
- Pratt, W. H., 376.
- Prenanthes aspera*, 436.
- Prickly ash, 442, 443, 476; gooseberry, 441; lettuce, 481.
- Prince's feather, 482.
- Proboscidians in Aftonian, 323.
- Productus*, 167; *cora*, 302, 508; *costatus*, 302; *longispinus*, 302; *margincinctus*, 256; *muricatus*, 508; *nebrascensis*, 302; *ovatus*, 256, 257; *punctatus*, 302; *semireticulatus*, 507.
- Prostrate vervain, 194.
- Prunus americana*, 147, 189, 441, 442; *pensylvanica*, 189; *serotina*, 147, 189; *virginiana*, 189, 441, 459.
- Psedera quinquefolia*, 441, 442, 459, 476.
- Psoralea argophylla*, 436; *esculenta*, 432, 436; *melilotoides*, 189.
- Pugnax otiumwa*, 256, 257.
- Punctum*, 331; *pygmaeum*, 396, 397.
- Pupilla muscorum*, 395, 405.
- Pupoides*, 331.
- Purple boneset, 440, 476; cone-flower, 192; gerardia, 194; prairie clover, 189.
- Purplish meadow-rue, 187.
- Purslane, 188, 194.
- Pussy willow, 441, 443, 444.
- Pycnanthemum lanceolatum*, 194; *linifolium*, 194.
- Pyramidula*, 331; *alternata*, 329, 342, 396, 410; *snimekii*, 396, 397, 405; *striatella*, 329, 342, 396, 398.
- Pyrola elliptica*, 193.
- Pyrus coronaria*, 190.

## Q

- Quadrula metanevra*, 330.
- Quaking asp, 144.
- Quarries in Butler county--Brown's, 37; Butler township, 25; Oldwater township, 29; Dayton township, 27;

## INDEX

- Quarries in Butler County—Continued.  
 Faint, Thomas, 35, 49; Greene, 28, 29; Hewitt's, 31; Jackson's, 32; Jefferson township, 26; Madison township, 35; Schrader's, 28; Shell Rock township, 25; Wickham's, 34.
- Quarries in Davis county—Eggabroad, George, 507, 518; Welch, John, 506, 518.
- Quarries in Grundy county—Conrad, 77.
- Quarries in Hamilton county, Webster City, 130.
- Quarries in Harrison county, Pecknappaugh quarry, 301, 335.
- Quarries in Iowa county, Amana, 184.
- Queen of the Prairie, 189.
- Quercus alba*, 146, 196; *coccinea*, 146; *macrocarpa*, 146, 196, 436, 441, 442, 459; *rubra*, 146, 196; *schnneckii*, 146.
- Quick, Edwin, 407.
- Quick-grass, 198.
- R**
- Rabbit-foot clover, 189.
- Radicula palustris*, 442, 444; *sinuata*, 444.
- Ragweed, 480.
- Rainfall, effect of, on prairies, 470; study of, 453; at Logan, Harrison county, 419.
- Ramseyer, C. W., 524.
- Ranunculus abortivus*, 187, 433, 436, 441, 459; *acris*, 187; *cymbalaria*, 444; *fascicularis*, 187; *repens*, 187; *septentrionalis*, 442.
- Raspberry, 149, 441, 476.
- Rattlesnake-root, 193; weed, 193.
- Rayburn, Mr., 269.
- Red Campion, 481; cedar, 143, 197, 474; cherry, 189; clover, 189, 483; elm, 196, 442, 443, 475; haw, 439, 442; maple, 189; mulberry, 196; oak, 196; osier, 439, 443; plum, 189.
- Reed, M. A., 484.
- Rein-orchis, 197.
- Residual material, Butler county, 40; Grundy county, 80.
- Rhamnus lanceolata*, 441.
- Rhombopora lepidodendroides*, 507.
- Rhus glabra*, 188, 436, 441, 459; *radicans*, 188; *toxicodendron*, 188, 436, 441, 476.
- Ribes cynosbati*, 441; *floridum*, 441; *gracile*, 441, 443, 459, 476; *missouriensis*, 149.
- Ribgrass, 193.
- Rich-weed, 442.
- Road materials, Davis county, 520; Grundy county, 91; Harrison and Monona counties, 417; work on, XIII.
- Robinia pseudacacia*, 148, 189.
- Roches moutonnees*, 40.
- Rock creek, Poweshiek county, 251.
- Rock maple, 189.
- Roman wormwood, 192.
- Rosa blanda*, 190; *lucida*, 190; *pratincola*, 437, 438; *woodsii*, 437, 441.
- Rose, 149, 441.
- Rosin-plant, 192.
- Rough-leaved dogwood, 191.
- Round-leaved mallow, 481.
- Round-lobed hepatica, 186.
- Rubus allegheniensis*, 441; *canadensis*, 190; *occidentalis*, 437, 441, 476; *villosus*, 190.
- Rudbeckia hirta*, 192; *laciniata*, 443; *triloba*, 192, 441.
- Rue-anemone, 187.
- Rumex acetosella*, 438, 482; *altissimus*, 443, 444; *brittanica*, 196; *crispus*, 196, 437, 482; *orbiculatus*, 196; *verticillatus*, 196, 482.
- Russian-thistle, 482.
- Rye, 440.
- S**
- Sagittaria latifolia*, 444; *heterophylla*, 197; *variabilis*, 197.
- St. John, O. H., 278, 301-303, 308, 310.
- Saint Louis stage, see under various counties.
- Salix amygdaloides*, 144, 443, 444; *discolor*, 144, 441, 443, 444; *humilis*, 197, 437; *longifolia*, 433, 437, 443, 444; *missouriensis*, 437, 443, 444; *nigra*, 144, 197, 443.
- Salsola kali tenuifolia*, 437, 482.
- Salt creek, Davis county, 498.
- Salt springs, Davis county, 492, 523; Wayne county, 236.
- Sambucus canadensis*, 191, 443, 476.
- Sand, see also Gravels.
- Sand and gravel, work on, XIV.
- Sand-bar willow, 443, 444; bur, 481; dunes in Harrison and Monona counties, 405, 411.
- Sanguinaria canadensis*, 187, 441.
- Sanicula canadensis*, 190; *marilandica*, 441, 443, 459, 476.
- Sarsaparilla, 190.
- Satchel, D., 241.
- Savage, T. E., 254.
- Saw-tooth sunflower, 444.
- Say, Thomas, 278.
- Scarlet painted-cup, 194; fruited thorn, 190.
- Schadt, Conrad, 186.
- Schuchertella crenistriatus*, 256; keokuk, 256.

- Scirpus americanus*, 444; *atrovirens*, 444, 445; *validus*, 444.  
*Scotch pine*, 197, 474, 476.  
*Scott, C. E.*, XIII.  
*Scott, W. B.*, 328.  
*Scouring rush*, 440.  
*Scrophularia leporella*, 437; *marilandica*, 441; *nodosa*, 193.  
*Scutellaria lateriflora*, 194, 444.  
*Sea-bottom*, old, as origin of prairies, 472.  
*Sedum acre*, 190.  
*Segmentina*, 331; *armigera*, 329, 337, 342, 396.  
*Selenite*, in Davis county, 492.  
*Self-heal*, 194.  
*Seminula subtila*, 215, 302.  
*Seneca snakeroot*, 189.  
*Senecio aureus*, 192; *plattensis*, 437.  
*Senna*, 189.  
*Sericocarpus tortifolius*, 191.  
*Setaria viridis*, 437, 482.  
*Shaler, N. S.*, 428.  
*Shannon, W. W.*, 254, 260, 269.  
*Sharp-lobed hepatica*, 187.  
*Sheepberry*, 149, 191.  
*Shell Rock river*, Butler county, 20.  
*Shellbark hickory*, 196.  
*Shepherd's purse*, 187, 480.  
*Sheridan formation*, 328.  
*Shimek B.*, XI, XIII, 278, 311; geology of Harrison and Monona counties, 271.  
*Shin-leaf*, 193.  
*Shooting star*, 193.  
*Showy lady's slipper*, 197; *orchis*, 197.  
*Shreve, Dr. Forrest*, 453.  
*Sicyos angulata*, 443.  
*Silene antirrhina*, 437, 438; *stellata*, 433, 437, 441.  
*Silky cornel*, 191.  
*Silphium integrifolium*, 192, 437; *laciniatum*, 192, 437; *perfoliatum*, 192, 443.  
*Silver maple*, 148, 189.  
*Sioux City Academy of Science and Letters*, 484.  
*Sisymbrium canescens*, 437; *officinale*, 482.  
*Sisyrinchium bermudiana*, 198; *campestre*, 437.  
*Skunk cabbage*, 197.  
*Skunk river*, Hamilton county, 104, 121; Poweshiek county, 251.  
*Slender gerardia*, 194.  
*Slippery elm*, 196.  
*Small-flowered crowfoot*, 187.  
*Smaller Solomon's seal*, 198, 441.  
*Smartweed*, 196, 442, 482.  
*Smilacina bifolia*, 198; *racemosa*, 198; *stellata*, 198, 433, 437.  
*Smilax ecirrhata*, 441; *herbacea*, 198, 441; *hispida*, 198, 441, 459.  
*Smith, J. H.*, 277.  
*Smooth sumach*, 188, 441, 442; yellow violet, 442.  
*Smooth sweet cicely*, 190.  
*Snake-grass*, 481.  
*Sneeze-weed*, 192, 444.  
*Sniff, A. H.*, 484.  
*Snow-on-the-mountain*, 481.  
*Snowberries*, 149.  
*Snyder, Martin*, 241.  
*Snyders Hollow section*, Harrison county, 365.  
*Soap creek*, Davis county, 498.  
*Soap-weed*, 483.  
*Soapwort gentian*, 195.  
*Soft maple*, 442, 474, 476.  
*Soils*, care of, 181; effect of, on prairies, 473.  
*Soils*, see under various counties.  
*Solanum carolinense*, 482; *nigrum*, 195, 428, 437, 441, 459; *rostratum*, 482.  
*Soldier river*, Harrison county, 290.  
*Soleniscus paludinaeformis*, 508.  
*Solidago canadensis*, 437; *missouriensis*, 192, 437; *nemoralis*, 437; *rigida*, 192, 437, 453, 482; *serotina*, 437, 443; *speciosa angustata*, 437, 453.  
*Solomon's seal*, 441.  
*Somes, M. P.*, 143.  
*Sonchus asper*, 193, 483; *oleraceus*, 193.  
*Sorghastrum nutans*, 437.  
*Sour-dock*, 482.  
*South Beaver creek*, 23, 73, 75.  
*South English river*, Poweshiek county, 251.  
*South Fork of Chariton river*, Wayne county, 210.  
*South Wyacondah river*, Davis county, 499.  
*Sow thistle*, 193, 483.  
*Spanish needles*, 443.  
*Sparganium eurycarpum*, 197.  
*Spearmint*, 194.  
*Speckled alder*, 197.  
*Specularia perfoliata*, 193.  
*Speedwell*, 194.  
*Sphaerium*, 406; *striatinum*, 396; *sulcatum*, 329, 337, 339, 340, 342-344, 396.  
*Sphaerodoma primogenia*, 508.  
*Sphenopholis pallens*, 444.  
*Sphyragrarium edentulum*, 395, 397, 405.  
*Spiderwort*, 198.  
*Spikenard*, 190.  
*Spiny-leaved sow-thistle*, 193.  
*Spiranthes cernua*, 444.  
*Spiraea lobata*, 189; *salicifolia*, 189.

- Spirifer biplicatus*, 167; *cameratus*, 302, 507; *keokuk*, 256, 257; *rocky-montanus*, 215; *whitneyi*, 34, 35.  
*Spiriferina kentuckensis*, 302.  
*Sporobolus cuspidatus*, 438; *heterolepis*, 444.  
 Spotted touch-me-not, 188.  
 Spreading dogbane, 195.  
 Springs, in Butler county, 23, 58; Davis county, 522; Grundy county, 92; Wayne county, 236.  
 Sprole, Wm., 34.  
 Spurge, 196, 481.  
 Squaw creek, Hamilton county, 121.  
 Squirrel-tail grass, 198, 481.  
*Stachys palustris*, 194, 443, 444; *tenuifolia*, 443.  
 Star-grass, 198.  
 Starry campion, 441.  
 Steele creek, Wayne county, 210.  
 Steer creek, Harrison county, 295.  
*Steironema ciliatum*, 444.  
*Stellaria media*, 188.  
 Stern, Almor, 484; Glenn H., 418, 484; Jacob T., 418.  
 Stevenson, Mr., 469.  
 Stickweed, 194.  
 Stiff golden-rod, 482.  
*Stipa spartea*, 437.  
 Stone clover, 189.  
 Stookey, S. W., geology of Iowa county, 151; geology of Poweshiek county, 237.  
 Stramonium, 195.  
 Stream valleys, asymmetrical, in Poweshiek county, 248.  
 Strawberry, 190, 440, 476.  
*Strobilops*, 331; *labyrinthica*, 395; *virgo*, 395.  
 Stromatoporaspas, 25, 27, 31, 35.  
*Stromatoporella incrustans*, 34, 35.  
*Stropheodonta arcuata*, 34.  
*Strophonella reversa*, 34, 35.  
*Strophostyles helvola*, 433, 437, 483; *pauciflora*, 437, 483.  
 Struble, G. F., 408.  
*Succinea avara*, 329, 330, 342, 396, 398; *grosvenorii*, 329, 337, 342, 389, 396, 410; *obliqua*, 329, 396; *ovalis*, 396, 398, 410; *retusa*, 329, 342, 396, 397.  
 Succory, 193.  
 Sugar maple, 148, 189.  
 Sumac, 149.  
 Sunflower, 192, 481.  
 Swamp beggar-ticks, 192; dock, 196; hickory, 196; maple, 189; milkweed, 195.  
 Sweet cicely, 440; —william, 441; —scented bedstraw, 191, 440.  
 Sycamore, 196.  
*Symplocarpus foetidus*, 197.  
*Syphoricarpos occidentalis*, 437, 442, 459; *orbiculatus*, 437, 441, 459.

## T

- Tacy, David, 356, 361, 484.  
 Tall bellflower, 193; dock, 443; thistle, 439.  
 Tamiesea, J. H. and J. L., 484.  
*Tanacetum vulgare*, 192.  
 Tansy, 192.  
*Taraxacum dens-leonis*, 193; *officinale*, 427, 442, 459, 483.  
*Tecoma radicans*, 193.  
 Temperature, effect of, on prairies, 473; and rainfall at Logan, 419; and relative humidity, study of, 453.  
*Terebratula turgida*, 256.  
*Teucrium canadense*, 433, 437.  
*Thalictrum anemonides*, 187; *purpurascens*, 187; *revolutum*, 442.  
*Thlaspi aureum*, 190.  
 Thin grass, 439.  
*Thlaspi arvense*, 187, 483.  
 Thorn apple, 195, 481.  
 Thoroughwort, 191.  
 Three-seeded mercury, 196; —thorned acacia, 189.  
*Thuja occidentalis*, 197.  
 Tick trefoil, 189.  
 Tickseed, 192.  
*Tilia americana*, 149, 188, 442, 459.  
 Timothy, 482.  
 Todd, J. E., 278, 327.  
 Topography, effect of, on prairies, 449; preglacial, Butler county, 6; Davis county, 494.  
*Tradescantia bracteata*, 437; *virginica*, 198.  
 Tree-planting in Harrison and Monona counties, 474.  
*Trifolium arvense*, 189; *hybridum*, 437, 483; *pratense*, 189, 437, 483; *repens*, 189, 437, 483.  
*Trillium nivale*, 198.  
*Triosteum perfoliatum*, 191, 442.  
*Triticum repens*, 198.  
 Trumpet creeper, 193.  
 Trumpet honeysuckle, 191.  
 Tuberous Indian Plantain, 192.  
 Turtle Head, 193.  
*Tussilago farfara*, 191.  
 Tutenmergel, in Davis county, 492.  
 Twin Lakes, Wright county, 114.  
 Twin Sisters Lakes, Wright county, 114.  
*Typha latifolia*, 197, 444.

**U**

- Udden, J. A., 300, 307, 310, 371, 404.  
*Ulmus americana*, 146, 196, 442, 443, 459, 476; *fulva*, 146, 196, 442, 443, 459; *racemosa*, 442.  
 Ungulates in Aftonian, 322.  
 Unicorn-plant, 482.  
*Unio*, 337, 339; *anodontoides*, 329, 330, 342, 396; *tachrymosus*, 396; *luteolus*, 330; *metanever*, 329, 330, 335, 396.  
 United States Geological Survey, work of, in Iowa, XIV.  
 Upham, Warren, 102, 428.  
 Upper Devonian series, Butler county, 33; Grundy county, 76.  
*Ursus*, 316, 327, 334.  
*Urtica gracilis*, 443, 476.  
*Uvularia grandiflora*, 198.

**V**

- Valley trains, Butler county, 42.  
*Vallonia gracilicosta*, 329, 330, 342, 395, 398; *parvula*, 330, 395, 397.  
*Valvata*, 331; *bicarinata*, 329, 330, 342, 396; *tricarinata*, 329, 337, 342, 343, 396.  
 Velvet leaf, 480; Indian mallow, 188.  
 Venus' looking-glass, 193.  
*Verbascum thapsus*, 193, 483.  
*Verbena bracteosa*, 194, 437, 483; *hastata*, 194, 437, 483; *stricta*, 437; *urticafolia*, 194, 483.  
 Verdi beds, Poweshiek county, 257.  
*Vernonia fasciculata*, 444, 483; *noveboracensis*, 437, 483.  
*Veronica peregrina*, 194; *virginica*, 194.  
*Vertigo*, 331; *milium*, 395, 397; *modesta*, 395, 397, 405; *ovata*, 395, 397; *tridentata*, 395, 397.  
 Vetchling, 189.  
*Viburnum lentago*, 191; *opulus*, 191; *prunifolium*, 191.  
*Vicia americana*, 437, 438.  
 Vincent, M., 484.  
*Viola cucullata*, 187, 437, 442; *palmata*, 437; *papilionacea*, 437; *pedatifida*, 437; *pubescens*, 187, 442; *scabriuscula*, 442; *sororia*, 442, 459.  
 Violet wood-sorrel, 188.  
 Virginia creeper, 149, 188, 441, 442, 476.  
 Virginian cowslip, 194.  
 Virgin's Bower, 186.  
*Vitis cordifolia*, 188; *vulpina*, 439, 442, 443, 459, 476.  
*Vitrea*, 331; *hammonis*, 329, 330, 337, 342, 395, 398; *indentata*, 395, 397.

**W**

- Wahoo, 188, 440, 442, 476.  
 Wall Lake, Hamilton county, 117;  
 Wright county, 114.

- Walnut, 195, 474, 479.  
 Walnut creek, 250.  
 Warren, Theodore, 303, 357.  
 Warren mastodon, 324.  
 Water ash, 195; beech, 145; from Aftonian gravels, 174; hoarhound, 444; horizons in Butler county, 52; oats, 198; plantain, 197.  
 Water power, see under various counties.  
 Water powers of Iowa, XIV.  
 Water supply, see under various counties.  
 Waterleaf, 194, 440.  
 Waters, underground, of Iowa, XIV.  
 Wattles, J. S., 406, 484.  
 Wax-root, 188.  
 Wayne county, Aftonian stage, 224; alluvium, 229; altitudes, 209; Appanoose formation, 213; area, 203; Carboniferous system, 212; clays, 234; coal, 230; Des Moines stage, 213; drainage, 210; geological formations, 211; gravels and boulders, 226; gumbo, 227; Kansan stage, 225; limestone, 214; loess, 228; Missouri stage, 223; Nebraskan stage, 223; Pennsylvanian series, 213; physiography, 204; Pleasanton shales, 221; Pleistocene series, 223; Quaternary system, 223; Saint Louis stage, 212; secondary drift forms, 226; soils, 230; springs, 236; stratigraphy, 211; topography, 204; water supplies, 235.  
 Webster City, sections near, 122.  
 Weeds, Harrison and Monona counties, 479.  
 Weeks, Dr., 413.  
 Wells, R. W., 471.  
 Wells in Butler county, 53; Aplington, 57; Austinville, 57; Clarksville, 54; Greene, 54; New Hartford, 57; Parkersburg, 57; Shell Rock, 54.  
 Wells in Davis county—Bloomfield, 522; Floris, 521; Laddsdale, 521; Troy, 522.  
 Wells in Grundy county—Beaman, 92; Conrad, 92; Dike, 94; Flater, 93; Fortune, Robert, 94; Grundy Center, 93; Johnston, Peter, 94; Murphy, 93; Reinbeck, 93; Wellsburg, 79, 95; Wright, Wm., 94.  
 Wells, flowing, in Hamilton and Wright counties—Eagle Grove, 138; Goldfield, 138; Webster City, 138.  
 Wells in Harrison and Monona counties—Bisbee, Chas., 361; Griffin, 343; Hill, R., 357; McCabe, J. C., 357; Ordway, 343; Reed, R. H., 357; Wilkinson, 343.

## INDEX

- Wells of Iowa county—Amana, 184; Homestead, 184; Marengo, 184; Par nell, 183; Williamsburg, 183.
- Wells in Poweshiek county—Grinnell, 253, 265; Holmes, 260; Jones, 260; Newkirk, 254; Talbot & Thompson, 254.
- Wells in Wayne county, 235.
- West Fork of Cedar river, Butler county, 21.
- West Fork river, Monona county, 297.
- West Lake Okoboji, mollusks from, 329.
- Western mugwort, 192.
- Wheeler creek, Wright county, 117.
- White, C. A., 5, 102, 203, 236, 428, 492, 520, 523.
- White ash, 195; boneset, 476; cedar, 197; clover, 189, 483; daisy, 192; dog-tooth violet, 198; elm, 196, 442, 443, 476; false indigo, 189; grass, 442; lettuce, 193; oak, 146, 196; pine, 197, 475, 476; prairie clover, 189; snake-root, 191; 440; sweet clover, 482; ver-vain, 194, 483; —topped aster, 191.
- White Fox Creek, Wright county, 121.
- Whitewood, 188.
- Whiting, Judge C. E., 478; tree planting by, 475; Charles I., 407, 484; Will C., 484; soft maple grove, plants in, 476.
- Whitney, J. D., 156, 428, 472.
- Whittaker, J. S., 235, 236.
- Wilder, F. A., 101.
- Willard, D. E., 429.
- Williams, I. A., 33, 37, 38, 101, 242, 279, 310.
- Willow, 144, 148, 474.
- Willow river, Harrison county, 295.
- Winchell, Alexander, 428, 472; N. H., 428.
- Wind, effect of, on prairies, 446, 473; velocity, study of, 453; and evaporation, relation between, 465.
- Wind-flower, 186.
- Winter grape, 188.
- Wisconsin drift in Hamilton and Wright counties, 127.
- Wolf creek, Grundy county, 174.
- Wolf-berry, 442.
- Wood anemone, 186; nettle, 196.
- Woodbine Normal School, 484.
- Woodwards Glen section, Monona county, 359.
- Worth, A. G. and W. T., 416.
- Worthen, A. H., 102, 428.
- Wound-wort, 443.
- Wright, M. B., 186.
- Wright county, see Hamilton and Wright counties.
- X**
- Xanthium commune*, 437, 483; *strumarium*, 192.
- Y**
- Yam-root, 198.
- Yarrow, 192.
- Yeager, Jacob, 241.
- Yellow false indigo, 189; honey-suckle, 440; lily, 198; nelumbo, 187, 444; oak, 441; plum, 189; sweet clover, 482; violet, 442; wood-sorrel, 188, 441, 482.
- Yucca glauca*, 432, 437, 483.
- Z**
- Zanthoxylum americanum*, 188, 437, 442, 443, 476.
- Zaphrentis pellaensis*, 256.
- Zizania aquatica*, 198.
- Zizia aurea*, 437, 488.
- Zonitoides*, 331, *arboreus*, 329, 342, 396, 398; *minusculus*, 396.
- Zygadene, 198.
- Zygadenus glaberrimus*, 198.