INDEX.

Abies balsamea, 433.
Acer sachharinum, 114, 425.
saccharum, 114.
negundo, 114.
nigrum, 425.
Acervularia davidsoni, 50, 51, 54, 274.
profunda, 271, 272, 273.
Acervularia profunda beds, 271.
Administrative reports, 9.
Aesculus glabra, 424.
Aftonian forests, 291.
Albia, elevation of, 359.
Allen quarry, 277.
Allorisma subcuneatum, 137, 150, 160.
Alluvium, 70, 175, 244, 380.
Altamont moraine, 92, 93, 96.
Alta Vista, elevation of, 267.
Alveolites rockfordensis, 322.
Ambocoelia planoconvexa, 136, 137, 139, 141, 142, 146, 147, 152, 160.
Amelanchier canadensis, 427.
rotundifolia, 117.
American Elm, 118.
Ammodiscus, 152, 160.
Amorpha canescens, 425.
fruticosa, 426.
Ampelopsis quinquefolia, 113, 424.
Analyses of coal, 414.
Lithographic limestone, 346.
Anderson, elevation of, 131.
Ante-glacial silt, 165.
Appanoose beds, 376.
Arbor vitae, 433.
Archaeocidaris, 138, 160.
aculeata, 160.
edgarensis, 136.
Arey, F. M., 338.
Arrow-wood, 117.
Asaphus, 46.
Ash-leaved Maple, 114.
Athyris bed, 319, 320, 321.
Athyris crassicardinalis, 227.
vittata, 314, 315, 320, 321, 322.
Atrypa aspera, 50, 53, 56, 57, 271, 272.
hystrix, 57.
occidentalis, 57, 270.
Beds, 270.
reticularis, 50, 53, 55, 57, 60, 271, 272, 277, 320, 321, 322.
Austrian Pine, 433.
Avery creek district, 383.
Avicula longa, 150, 160.
Aviculopecten, 139, 160.
whiteyi, 156, 160.
Aviculopinna americana, 150, 160.
Axopyllum rude, 146, 160.

Ballast, burnt clay, 416.
Balsam fir, 433.
Bartlett, elevation of, 131.
Bartlett quarry, 317.
Bassett, elevation of, 267.
Basswood, 112, 423.
Bellerophon carbonaria, 138, 145, 160.
marcouanus, 156, 160.
montfortianus, 153, 160.
panneus, 227.
Bently, C. B., brickyard, 251.
Berlin, elevation of, 203.
Betula nigra, 431.
Beyer, S. W., 224.
Geology of Monroe county, 355.
Work of, 11.
Bifidaria armifera, 170.
pentodon, 172, 173.
Bishop quarry, 271, 288.
Black haw, 117.
Locust, 116.
Walnut, 119, 430.
Blodgett quarry, 215.
Bluff creek district, 394.
Box Elder, 114.
Breccia, 316.
Brickyards—
Bentley, C. B., 251.
Brown, A. E., 179.

Carmen, C. W., 179.
Carter, S. O., 179.
Gelham Bros. Brick Co. 252.
Gladbrook Pressed Brick & Tile Co., 251.
Hall, G. L., 179.
Iowa Institution for Feeble Minded Children, 179.
Johnson, D. C., 179.
Johnson, Fred, 179.
Johnson, John, 179.
McMillin, J. W., 179.
Stone, X., 179.
Traer Brick & Tile Co., 252.
Weatherhead, John, 179.
Weld, John, 250.
Bridge's well, 155.
Brompton, elevation of, 359.
Brown quarry, 275.
Buchanan gravels, 31, 34, 36, 64-68, 280, 281, 282, 283, 326, 327.
Esker of, 66.
Genesis of, 67.
Buckthorn, 424.
Building stone, Chickasaw county, 288.
Fremont county, 177.
Hancock county, 107.
Howard county, 74.
Kossuth county, 107.
Mills county, 177.
Mitchell county, 331.
Monroe county, 418.
Tama county, 248.
Winnebago county, 107.
Burning Bush, 424.
Burnt clay ballast, 416.
Machine, 417.
Butlerville quarry, 214, 230.
Button-bush, 118.
Butter-nut, 120. 430.
Buxton, elevation of, 359.

Calcareous tufa, 176.
Calorimetric tests of coal, 414.
Calvin S.
Administrative report, 11.
Geology of Chickasaw county, 257.
Howard county, 23.
Mitchell county, 295.
Camarophoria caput testudinis, 227.
Cameroceras proteiforme, 43.
Campophyllum torquium, 160.
Capulus paralinus, 227.
vomerium, 227.
Carboniferous, Lower, 213, 363.
Upper, 228.
Carya alba, 130, 430.
porcina, 430.
Catalpa speciosa, 429.
Chaenomya leavenworthensis, 137, 160.
Chandler cliff section, 313.
Chariton conglomerate, 376.
Chelsea, elevation of, 203.
Chemical work of survey, 20.
Chenomya minnehaha, 160.
Chickasaw county, geology of, 257.
Buchanan gravels, 280.
Devonian system, 268.
Drainage, 266.
Economic products, 288.
Elevations, 266.
Geological formations, 268
Iowan drift, 283.
Kansan drift, 279.
Physiography, 261.
Pleistocene system, 279.
Soils, 287.
Stratigraphy, 267.
Topography, 261.
Water power, 291.
Supplies, 290.
Chickasaw quarries, 272.
Choke-Cherry, 426.
Chonetes granulifera, 136, 138, 142, 148, 153, 160.
illinoisensis, 226.
logani, 223, 226.
vernuiliana, 139, 148, 160.
Chonopectus fischeri, 226.
Ceanothus americanus, 113, 424.
Cedar creek district, 387.
River, 297, 298, 303, 305, 306.
Valley stage, 212.
Celastrus scandens, 112, 424.
Celtis occidentalis, 119, 429.
Centerville coal seam, 376.
Central Coal Company, drill section of, 369.
Cephalanthus occidentalis, 118, 428.
Cercis canadensis, 426.
Cladopora prolifera, 271.
Clark, elevation of, 131.
Clarke, Dr. J. M., 183.
Clays, Chickasaw county, 288.
Fremont county, 178.
Hancock county, 108.
Howard county, 76.
Kossuth county, 108.

Mills county, 178.
Mitchell county, 333.
Monroe county, 415, 416.
Tama county, 250.
Winnebago county, 107.
Clays, Monograph on, 11, 12.
Clayton county, building stone in, 15.
Field work in, 14.
Glass sand in, 15.
Topographic map of, 15.
Climbing Bittersweet, 112, 424.
Coal, analyses of, 414.
Basins, 382.
Avery Creek district 383.
Bluff Creek district, 394.
Cedar Creek district, 387.
Foster district, 384.
Hilton district, 390.
Hiteman district, 385.
Hocking district, 387.
Miller Creek district, 394.
Fremont county, 178.
Heat value of, 414, 415.
Industry, early history of, 380.
Measures, 363, 365, 377.
Drill hole sections of, 369-373.
Mills county, 178.
Coal Mines—
Bridgeport, 382.
Central Coal Co., 382.
Consolidation Coal Co., 394-398.
Davis, 382.
Deep Vein Coal Co., 387.
Frederick Coal Co., 384.
Hocking Coal Co., 387, 388, 389.
Little Hoover Coal Co., 382.
Smoky Hollow Coal Co., 383.
Star Coal Co., 387.
Wapello Coal Co., 385, 386.
Whitebreast Fuel Co., 390-394.
Coal Mining Methods—
Cages, 410.
Drainage, 408.
Drilling, 398.
Haulage, 408.
Market, 412.
Opening the mine, 402.
Power plant, 411.
Systems of mining, 404.
Transportation, 412.
Tracks underground, 410.
Top works, 411.
Ventilation, 406.
Coal, Mitchell county, 178.
Monroe county, 380.
Price per ton, 381.
Production of Iowa, 381.
Monroe county, 381.
Seams, number of, 375.
Thickness, 375.
Coalfield, elevation of, 359.
Cochlicopa lubrica, 172, 173.
Concretionary sandstone, 374.
Conglomerate, Charlton, 376.
Conocardium pulchellum, 227.
Consolidation Coal Co., 394-398.
Drill section of, 369.
Contact of Devonian with Maquoketa, 25, 38.
Cornel-bush, 117.
Cornus circinata, 117.
paniculata, 117, 427, 428.
sericea, 427.
Corylus americana, 120, 431.
Cottonwood, 432.
Crab-apple, 116.
Craspedophyllum strictum, 272.
Crataegus, 427.
crus-galli, 116.
margaretta, 427.
mollis, 116, 427.
punctata, 116, 427.
tomentosa, 116.
Cretacious system, 161.
Croft quarry, 55, 60, 61, 75.
Crystal lake, 89, 90, 97, 111.
Cyrtina hamiltonensis, 50, 51.
Cystiphyllum americanum, 271.
Cythere, 145.

Dakota sandstone, 162.
Davy Burnt Clay Ballast Co., 416, 417, 418.
Deformations, 330.
Deep well, Hospital for Insane at Cherokee, 17.
Deep wells, 132, 133.
Derbya crassa, 136, 138, 139, 142, 146, 152, 153, 161.
robusta, 161.
Des Moines stage, 228, 363, 365, 377.
Deer creek, 207.
Devon, elevation of, 267.
Devonian, Acervularia profunda beds, 271.
Atrypa occidentalis beds, 270.
Gypidula comis beds, 269.
Idiostroma beds, 273.
Intermediate beds, 275.
Lithographic beds, 274.
Magnesian beds, 277.
Spirifer parryanus beds, 273.

Devonian, contact of, with Maquoketa, 25, 38.
Dolomitic phase of, 38, 49.
General section of, 62, 279.
Overlap of, on Maquoketa, 25, 38.
System, 49-62, 212, 268-278 310-326.
Dexiobia ovata, 223.
Devil's Anvil, 219.
Diamond drill, 398, 399, 400, 401.
Dielasama allei, 226.
bovidens, 161.
iowensis, 322.
Dinsdale, elevation of, 203.
Diplograptus pristis, 46.
putillus, 46.
quadrimucronatus, 46.
Discina convexa, 138.
Dogwood, 117.
Dolomitization of Devonian, 38, 49.
Downy Grape, 424.
Drainage, Chickasaw county, 266.
Fremont county, 130.
Hancock county, 95.
Howard county, 36.
Kossuth county, 95.
Mills county, 130.
Mitchell county, 306.
Monroe county, 359.
Tama county, 203.
Winnebago county, 95.
Drainage of northeastern Iowa, 279, 298, 299
Driftless area, 15.
Drilling 398.
Drill hole sections, 369-373.
Dudley, elevation of, 359.
Dunes, sand, 380.
Dysart elevation of, 203.

Eagle lake, 89.
Economic products, Chickasaw county, 288.
Fremont county, 177.
Hancock county, 107.
Howard county, 74.
Kossuth county, 107.
Mills county, 177
Mitchell county, 331.
Monroe county, 380.
Tama county, 247
Winnebago county, 107.
Eddyville, elevation of, 359.
Section, 364.
Elder-berry, 117.
Elder-bush, 117.
Elberon, elevation of, 203.
Emerson, elevation of 131.
Entolium aviculatum, 139, 161.
circulus, 224.
Eocidaris hallanus, 145, 156, 160.
Erisocrinus typus, 136, 160.
Esker of Buchanan gravel, 66.
Euomphalus cyclostomus, 56, 274.
rugosus, 139, 145, 160.
Eupachycrinus verrucosus, 136, 138, 160.
Euonymus atropurpureus, 424.

Farragut, elevation of, 131.
Favosites alpenensis, 50, 54, 55, 271.
Fenestella, 148, 161.
Field corps 11.
Fistulipora nodulifera, 136, 160.
Five-leaved Ivy, 113.
Flood plains, 202.
Folds in Devonian beds, 323.
Forest City, moraine at, 99.
Foreston quarry, 52, 75.
Forest trees, Hancock county, 110.
Kossuth county, 110.
Monroe county, 423.
Winnebago county, 110.
Fossils of Kinderhook beds, 223, 224, 226, 227.
Missouri beds, 160, 161.
Foster district, 384.
Foster, elevation of, 359.
Fraxinus americana, 118, 428.
viridis, 118, 428.
Frederick, elevation of, 359.
Frederika, oil at, 14, 18.
Fredericksburg, elevation of, 267.
Fremont county, geology of, 125.
Alluvium, 175.
Ante-glacial silt, 165.
Area, 126.
Building stone, 177.
Bowlder clay, 166.
Carboniferous system, 135.
Clays, 178.
Coal, 178.
Cretaceous system, 161.
Deep borings, 132.
Drainage, 130.
Economic products, 177.
Elevations, 131.
Geological formations, 132.
Geological structure, 176
Glacial scorings, 176.
Glenwood well, record of, 133, 134.

Gravel, 182.
Gumbo, 167.
Loess, 167.
Fossils of, 170.
Missourian deposit, plants of, 160.
Animals of, 160.
Mississippian sections, 135, 158.
Physiography, 127.
Pleistocene system, 165.
Sand, 182.
Soils, 182.
Stratigraphy, 132.
Topography, 127.
Water supply, 180.
Fusulina cylindrica, 137, 138, 139, 140, 141, 142, 143, 146, 148, 154, 160.

Gable quarry 312.
Galena-Trenton, 40-44, 336.
Garvin, elevation of, 203.
Gelham Bros. Brick Co., 252.
Geological board, members of, 3.
Corps, members of, 4.
Geological formations. Chickasaw county, 268.
Fremont county, 132.
Hancock county, 100.
Howard county, 39.
Kossuth county, 100.
Mills county, 132.
Mitchell county, 310.
Monroe county, 363.
Tama county, 212.
Winnebago county, 100.
Geology of Chickasaw county, 257.
Fremont county, 125.
Hancock county, 83.
Howard county, 21.
Kossuth county, 83.
Mills county, 125.
Mitchell county, 295.
Monroe county, 355.
Tama county, 186.
Winnebago county, 83.
Glacial scorings, 176.
Gladbrook, elevation of, 203.
Gladbrook Pressed Brick & Tile Co., 251.
Gladstone, elevation of, 203.
Glass sand, 15.
Gledistchia triacanthos, 426.
Glenwood, elevation of, 131.
Wells at, 133. 134.
Gomphoceras oviforme, 55.
Gopelrud quarry, 322.
Grasses of Iowa, Bulletin on, 12.
Gravels, 238, 379.
Buchanan, 31, 34, 36, 64-68, 280-283.
Wisconsin, 104.
Green Ash, 118.
Green quarry, 312.
Gumbo, 167.
Gymnoclades canadensis, 426.
Gypidula comis beds, 269.
Gypidula comis, 50, 56, 57, 268, 269, 270.
Gyroceras burlingtonensis, 227.

Hackberry, 119.
Hagerty, elevation of, 359.
Hall, James, 85, 189, 213, 357.
Hallman quarry 58, 74.
Hamburg, elevation of, 131.
Drill holes at, 132.
Hamilton, elevation of, 359.
Hancock county, geology of, 83.
Building stone, 107.
Clays, 107, 108.
Drainage, 95.
Economic products, 107.
Forestry notes, 110.
Geological formations, 100.
Kansan drift, 100.
Physiography, 86.
Soils, 106.
Topography, 86.
Water supply, 108.
Wisconsin drift, 103.
Gravels, 104.
Hard Maple, 114.
Hastings, elevation of, 131.
Haulage, 408.
Tail rope system, 386, 409.
Endless rope system, 409.
Hawthorn, 116.
Haynies, elevation of, 131.
Hazel-nut, 120.
Heat value of coal, 414.
Heaton quarry, section at, 135.
Helicina occulta, 170, 171, 172, 174.
Helecodiscus lineatus, 170, 171, 172, 173.
Henderson, elevation of 131.
Henton, elevation of, 131.
Hickory, 120.
Hilton, 390.
Hillsdale, elevation of, 131.
Hiteman district, 385.
Hocking Coal Co., drill section of, 371.
Hocking district, 387.

Hoen, A. B., Lithography and lithographic limestone, 339.
Honey Locust, 426.
Horn-beam, 120.
Hoisting engine, 412.
Howard county, geology of, 21.
Alluvium, 70.
Area of, 25.
Buchanan gravels, 64.
Clays, 76.
Devonian, 49.
Drainage, 36.
Economic products, 74.
Galena-Trenton, 40.
Geological formations, 39.
Hudson River formation, 44.
Iowan drift, 68.
Kansan drift, 62.
Lime, 77.
Loess, 70.
Maquoketa formation, 44.
Ordovician, 40.
Physiography, 27.
Pleistocene, 62.
Road materials, 77.
Soils, 71.
Stone, 74.
Stratigraphy, 37.
Thickness of Pleistocene deposits, 23.
Topography, 27.
Unconformity, 73.
Water powers, 79.
Water supplies, 78.
Huffman quarry, 270.
Hudson River formation, 44-49.

Idiostroma beds, 273.
Igoceras undata, 227.
Iowan bowlders, 68, 69, 195, 284, 285, 286.
Drift, Chickasaw county, 283.
Howard county, 68, 69.
Loess-covered, 194, 329.
Margin of, 27, 191-194.
Mitchell county, 328.
Tama county, 191, 239.
Toledo lobe of, 193-196.
Topography of, 32, 34, 191-200, 261-266, 301-306.
Iowa river, 204.
Iron ore, 334.
Ironwood, 120, 431.
Irvington ridge, 94.
Isotelus florencevillensis, 46.
gigas, 46.
susae, 46.

Jersey Tea, 113.
Jones quarry, 59.
Juglans cinerea, 120, 430.
nigra, 119, 430.
June-berry, 117.
Juniperus Virginiana, 122, 433.

Kane quarry, 276.
Kansan drift, Chickasaw county, 279.
Fremont county, 166.
Hancock county, 100.
Howard county, 62, 63, 64.
Kossuth county, 100.
Mills county, 166.
Mitchell county, 326.
Monroe county, 378, 379.
Tama county, 200, 235.
Winnebago county, 100.
Kentucky Coffee-tree, 426.
Kettleholes, 88.
Keyes, C. R., 126.
Kinderhook beds, Burlington, 225.
Kinderhook stage, 213-228.
Knobby drift, topography, 88.
Kossuth county, geology of, 83.
Building stone, 107.
Clays, 107, 108.
Drainage, 95.
Economic products, 107.
Forestry notes, 110.
Geological formations, 100.
Kansan drift, 100.
Physiography, 86.
Soils, 106.
Topography, 86.
Water supply, 108.
Wisconsin drift, 103.
Gravels, 104.
Kubel, S. J., 352.
Lakes—
Crystal, 89, 90, 97, 111.
Eagle, 89.
Harmon, 99.
Rice, 90.
Twin, 89, 90, 111.

Lawler, elevation of, 267.
Le Grand, elevation of, 203.
Lepidodendrons, 367.
Lepidodendron sternbergii, 357.
Leonard, A. G., Report of Asst. State Geologist, 14.
Work of, 11.
Leptaena charlottae, 43.
rhomboidalis, 226.
unicostata, 39, 42, 47.
Leptopora typa, 227.
Leucocheila fallax, 170, 172, 173.
Lewis quarry, 308, 310, 312 333.
Lime, Howard county, 77.
Tama county, 249.
Mitchell county, 332.
Lime kilns, 288.
Lindahl, Dr. Josua, 183.
Linden, 112.
Limnaea humilis, 171, 172.
Lingula philomela, 43.
Library of survey, additions to, 15.
Lithographic beds, 274.
Lithographic limestone, 309, 311, 312, 315, 332, 339-351.
Absorption tests, 348, 349.
Composition, 346, 347.
Essentials of, 345.
Texture, 347, 348.
Value of, 350, 351.
Lithography, beginning of, 340.
Principles of, 339-342.
Processes of, 343, 344, 345.
Locust, 116.
Loess, 70, 167, 242, 328, 379.
Fossils in, 170-174, 196.
Islands, 306.
Origin of, 243.
Overlying Iowan drift, 194, 329.
Kansan drift, 201.
Pebbles in, 168.
Structure of, 168.
Loess-Kansan area, topography of, 28.
Lonicera sempervirens, 428.
tartarica, 428.
Lovilia, elevation of, 359.
Loxonema, sp., 227.
Lyphophyllum proliferum, 148, 160.

Macbride, T. H., Geology of Kossuth, Hancock and Winnebago counties, 83.
Macrodon tenuistriatus, 161.
Malvern, elevation of, 131.
Maquoketa formation, 44-49, 337.
Overlap of Devonian on, 25, 38.
Thickness of, 49.
McGee, W J, 26, 190, 260, 358.
McIntire, Devonian beds near, 325.
McMillan's well, 155.
McPaul, elevation of, 131.
Melrose, elevation of, 359.
Miller creek district, 382.
Mills county, geology of, 125.
Alluvium, 175.
Ante-glacial silt, 165.
Area, 126.
Building stone, 177.
Bowlder clay, 166.
Carboniferous system, 135.
Clays, 178.
Coal, 178.
Cretaceous system, 161.
Deep borings, 132.
Drainage, 130.
Economic products, 177.
Elevations, 131.
Geological formations, 132.
Geological structure, 176.
Glacial scorings, 176.
Glenwood well, record of, 133, 134.
Gravel, 182.
Gumbo, 167.
Loess, 167.
Loess, fossils of, 170.
Missourian deposit, plants of, 160.
Missourian deposit, animals, of, 160.
Mississippian sections, 135, 158.
Physiography, 127.
Pleistocene system, 165.
Sand, 182.
Soils, 182.
Stratigraphy, 132.
Topography, 127.
Water supply, 180.
Minneola, elevation of, 131.
Mitchell, Devonian beds near, 318.
Mitchell county, geology of, 295.
Buchanan gravels, 326.
Building stone, 331.
Clays, 333.
Coal, 334.
Deformations, 330.
Devonian system, 310.
Drainage, 306.
Economic products, 331.
Elevations, 297, 298, 307.
Geological formations 310.

Geological relations, 296
Geographical relations, 297, 298, 299.
Iowan drift, 328.
Iowan loess, 328.
Iowan terraces, 330.
Iron ore, 334.
Kansan drift, 326.
Loess, supra-Iowan, 329.
Lime, 332.
Lithographic stone, 332, 339.
Pleistocene system, 326.
Physiography, 301.
Road materials, 333.
Soils, 331.
Stratigraphy, 307.
Topography, 301.
Unconformities, 330.
Water power, 337.
Water supplies, 335.
Mississippian series, 364.
Sections, 135-159.
Missourian beds, fossils of, 160, 161.
Modiola subelliptica, 145, 161.
Monroe beds, 366.
Monroe county, geology of, 355.
Building stone, 418.
Clays, 415.
Coal, 380.
Basins, 382.
Mining methods, 398.
Tests, 413.
Des Moines stage, 365.
Drainage, 359.
Physiography, 358.
Pleistocene, 377.
Recent, 380.
Road materials, 419.
Saint Louis stage, 364.
Sand, 419.
Soils, 419.
Stratigraphy, 363.
Economic geology, 380.
Elevations, 359.
Forest trees and shrubs, 423.
Geological formations, 363.
Kansan drift, 379.
Loess, 379.
Mississippian series, 365.
Pennsylvanian series, 365.
Topography, 358.
Water supply, 420.
Montour, elevation of, 203.
Moraines, 89.
Moravia, elevation of, 359.
Morus rubra, 430.
Moss quarry, 324.
Mosnat, H. R., 190.
Murchisonia, sp., 145, 148.
Myalina nucula, 153.
recurvirostris, 139, 140, 146, 161.
subquadrata, 139, 141, 145, 161.
swallowi, 150, 161.
Mystic coal seam, 376.

Nashua, elevation of, 267.
New Hampton, elevation of, 267.
Well at, 291.
Niagara limestone, 39.
Nickerson quarry, 315.
Norton, W. H., report as special assistant, 17.
Work of, 11.
Norway Spruce, 433.
Nucleospira barrisi, 227.
Nucula beyrichia, 145, 148, 161.

Oaks, 121.
Ohio Buckeye, 424.
Oneota river, preglacial valley of, 31, 34.
Oolite, 215, 218, 219, 220, 221, 222.
Tests of, for road material, 248, 249.
Orbiculoidea convexa, 161.
Orchard, quarries near, 317.
Ordovician system, 40-49.
Orthis, 150.
iowensis, 60, 270, 272.
kankakensis, 39, 47.
swallowi, 223.
testudinaria, 39, 43, 46, 47, 49.
Orthoceras indianensis, 227.
Orthothetes crenistria, 214, 217, 218, 220, 223, 224.
inequalis, 227.
inflatus, 226, 227.
Osage well, record of, 336.
Ostrya virginica, 120, 431.
Otranto, Devonian beds near, 321.
Overlap of Devonian on Maquoketa, 25.
Owen, D. D., 85, 189, 259, 357.

Pacific Junction, elevation of, 131.
Page, L. W., 248, 249.
Pammel, L. H., Forest trees and shrubs of Monroe county, 423.
Patterson quarry, 56, 75.
Peat, 289.
Pennsylvanian series, 365.
Pentamerella dubia, 55.
Percival, elevation of, 131.
Philadelphus coronaria, 427.

Physiography, Chickasaw county, 261.
Fremont county, 127.
Hancock county, 86.
Howard county, 27.
Kossuth county, 86.
Mills county, 127.
Mitchell county, 301.
Monroe county, 358.
Tama county, 190.
Winnebago county, 86.
Physocarpus opulefolius, 426.
Pernopecten circulus, 227.
Picea excelsa, 433.
Pignut, 430.
Pilot Knob, 90, 91, 103, 106, 111.
Pinna peracuta, 137, 139, 161.
Pinus austriaca, 433.
strobus, 432.
sylvestris, 432.
Platanus occidentalis, 430.
Plattsmouth, elevation of, 131.
Plectambonites sericea, 39, 42, 43, 46, 47, 48, 49.
Pleistocene deposits, thickness of, 71.
Pleistocene system, Chickasaw county, 279.
Fremont county, 165.
Hancock county, 100.
Howard county, 62
Kossuth county, 100.
Mills county, 165.
Mitchell county, 326.
Monroe county, 377.
Tama county, 220
Winnebago county, 100.
Pleurotomaria mississippiensis 227
perhumerosa, 153, 160.
quinquesulcata, 227.
Polygyra hirsuta, 172.
leai, 171, 172.
multilineata, 171, 172, 173, 174.
submarginata, 138, 149, 160.
Populus alba, 432.
monilifera, 432.
tremuloides, 121, 432.
Poison Ivy, 115, 425.
Oak, 115.
Sumac, 115.
Vine, 115.
Post-glacial deposits, 243.
Potter, elevation of, 203.
Pre-Kansan drift, 230.
Gravels, 379.
Prickly Ash, 424.
Productella beds, 51, 52, 53.
Productella concentricus, 226.
subalata, 38, 39, 50, 51, 52.
Production of coal, Monroe county, 381
Productus arcuatus, 224, 226.
cora, 136, 142, 150, 161.
costatus, 137, 150, 153, 161.
longispinus, 139, 144, 153, 161.
nebraskensis, 138, 142, 143, 145, 150, 161.
pertenuis, 137, 145, 161.
punctatus, 142, 145, 153, 161, 227.
semireticularis, 138, 139, 145, 148, 153, 154, 161.
Prunus americana, 426.
serotina, 426.
virginiana, 426.
Pseudomonotis hawni, 139, 161.
Publications of Survey, 12.
Received during 1902, 15.
Pugnax uta, 139, 140, 161.
Pyramidula alternata, 171.
shimeki, 171, 172, 173, 174.
striatella, 171, 172, 173.
Pyrus iowensis, 116, 427.

Quaking-asp, 121.
Quercus, 121.
alba, 431.
imbricaria, 431.
macrocarpa, 431.
rubra, 431.
Quarries—
Allen, 277.
Bartlett, 317.
Bishop, 271, 288.
Brown E., 275.
Blodgett, 215.
Butlerville, 214.
Croft, 55, 60, 61.
Foreston 52, 75.
Gable, 312.
Green, L. D., 312.
Gopeland, 322.
Hellman, John, 58, 74.
Henton, 135.
Huffman, 270.
Jones, M. H., 59.
Kame, 276.
Lewis, 308, 310, 312.
Miller, Henry, 61.
Monaghan, M., 61.
Moss 324.
Nickerson, 315.
Patterson, 56, 75.
Ritter, 313.

Roche, J., 61.
Salisbury, 56, 57, 58, 75.
Sherman, 319.
Stevens, C. J., 216.
St. Ansgar, 319.

Rafinesquina alternata, 43, 46, 49.
nasuta, 49.
Randolph, elevation of, 131.
Red Cedar, 122.
Red Elm, 119.
Red raspberry, 426.
Red-root, 113.
Report of Asst. State Geologist, 14.
Norton, W. H., 17.
State Geologist, 11.
Weems, J. B., 20.
Rhamnus lanceolata, 424.
Rhipidomella, sp., 226.
Rhombopora lepidodendroides, 136, 141, 142, 144, 146, 148, 150, 152, 154, 160.
Rhus glabra, 115, 425.
toxicodendron, 115.
typhina, 115.
Rhynchonella persinuata, 227.
Rhynchotrema capax, 49.
Ribes aureum, 427.
gracile, 427,
grossularia, 427.
rubrum, 427.
Rice lake, 90.
Ritter quarry, 313.
Riverton, elevation of, 131.
Road materials, Chickasaw county, 289.
Hancock county, 108.
Howard county, 77.
Kossuth county, 108.
Mitchell county, 333.
Monroe county, 419.
Tama county, 248, 249.
Winnebago county, 108.
Robinia pseudacacia, 116.
Rock creek, 304.
Rosa Arkansana, 427.
rubiginosa, 427.
setigera, 427.
Rubus occidentalis, 426.
strigosus, 426.
villosus, 427.

Saint Louis limestone, 363, 364.
Saint Peter sandstone, 17, 336.
Salisbury quarry, 56, 57, 58, 75.
Salix, 122.
alba, 431.
amygadoloides, 431.
humilis, 431.
longifolia, 431.
nigra, 431.
rostrata, 431.
Salt creek, 208.
Sambucus canadensis, 117, 427.
Sand, 250, 419.
Dunes, 380.
Glass-making, 15.
Sandstone, Coal Measure, 373, 374.
Savage, T. E., Geology of Tama county, 187.
Scaphiocrinus hemisphericus, 141, 160.
Schellwein, Dr. E., 160, 183.
Schizodus, 141, 153, 161.
Schizophoria subelliptica, 226.
Scotch pine, 432.
Selection, elevation of, 359.
Seminula argentea, 137, 140, 143, 144, 150, 161.
Senefelder, Alois, 339, 340.
Septopora biseralis, 139, 144, 148, 154, 158, 160.
Service-berry, 117.
Shad-bush 117.
Shales, Coal Measure, 373.
Shell-bark Hickory, 120, 430.
Sheep-berry, 117.
Sherman quarry, 319.
Shimek, B., report on loess fossils, 170.
Sidney, elevation of, 131.
Slippery Elm, 119.
Smith, Geo. L., 183.
Smoky Hollow Coal Co., drill section of, 370.
Smooth Sumac, 115.
Soft Maple, 114.
Soils of Chickasaw county, 287.
Fremont county, 182.
Hancock county, 106.
Howard county, 71.
Kossuth county, 106.
Mills county, 182.
Mitchell county, 331.
Monroe county, 419.
Tama county, 246.
Winnebago county, 106.
Solenhofen stone, 340.
Solenopsis solenoides, 161.
Sphaerodoma primogenus, 150, 160.
Sphuradium edentulum alticola, 172, 173, 174.
Spirifer asper, 55.
biplicatus, 214, 217, 218, 220, 223, 224.
cameratus, 137, 138, 143, 148, 153, 161.
extenuatus, 214, 217, 218.
fimbriatus, 55, 60.

marionensis, 223, 227.
mucronatus, 320.
parryanus, 273, 275.
pennatus, 38, 39, 50, 51, 268, 269, 270.
subumbonus, 51.
subvaricosus, 55, 60, 320.
Spiriferina cristata, 141, 161.
kentuckensis, 148, 161.
Spiraea salicifolia, 116.
Staghorn Sumac, 115.
St. Ansgar quarries, 319.
Steel tipple, 390.
Stevens quarry, 216.
Straparollus latus, 214, 217, 218, 220, 223, 224.
obtusus, 227.
Stratigraphy, Chickasaw county, 267.
Fremont county, 132.
Hancock county, 100.
Howard county, 37.
Kossuth county, 100.
Mills county, 132.
Mitchell county, 307.
Monroe county, 363.
Tama county, 211.
Winnebago county, 100.
Streams, age of, 362.
Northeastern Iowa, 297, 298, 299.
Origin of, 99.
Streptelasma corniculum, 48.
Stropheodonta demissa, 50, 51, 55, 59, 272.
Stuart Weller, 226.
Succinea, 170, 171, 172, 173.
avara, 170, 171, 172.
grosvenorii, 172, 173.
ovalis, 172.
retusa, 171.
Sugar Maple, 114.
Sumac, 115, 425.
Symphoricarpus occidentalis, 118.
vulgaris, 428.
Syntrielasma hemiplicata, 138, 148, 161.
Syringopora, 157.
Syringa vulgaris, 429.
Syringothyris extenuatus, 223.
Systems of coal mining, 406.

Tabor, elevation of, 131.
Tama, elevation of, 203.
Tama county, geology of, 186.
Area, 188.
Building stone, 248.
Carboniferous, Lower, 213.
Carboniferous, Upper, 228.
Cedar Valley stage, 212.
Clay, 250.
Des Moines stage, 228.
Devonian system, 212.
Drainage, 203.
Economic products, 241.
Elevations, 203.
Flood plains, 202.
Geological formations, 212.
Iowan drift, 191, 239.
Kansan drift, 200, 235.
Kinderhook stage, 213.
Lime, 249.
Loess, 242.
Physiography, 190.
Pleistocene, 230.
Post-glacial deposits, 243.
Pre-Kansan drift, 230.
Sand, 250.
Soils, 246.
Stratigraphy, 211.
Topography, 190.
Unconformities, 245.
Water supply, 253.
Tail rope system, 386.
Tecoma radicans, 429.
Terraces, 128, 129, 330.
Tests of oolite for road materials, 248, 249.
Textularia, 141, 160.
Trees and shrubs, Monroe county, 423.
Thorn apple, 116.
Thuya occidentalis, 433.
Tilia americana, 112, 425.
Todd, J. E., 127.
Toledo, elevation of, 203.
Toledo lobe of Iowan drift, 193, 194, 195, 196, 198.
Topography, Chickasaw county, 261.
Fremont county, 127.
Hancock county, 86.
Howard county, 27.
Kossuth county, 86.
Mills county, 127.
Mitchell county, 297, 301.
Monroe county, 358.
Tama county, 190.
Winnebago county, 86.
Topography, Iowan drift, 32, 34, 191-200, 261-266, 301-306.
Kansan drift, 200.
Loess—Kansan area, 28.
Tower, elevation of, 359.
Traer Brick & Tile Co., 252.

Traer, elevation of, 2 3
Turkey river, preglacial valley of, 35.
Twin lakes, 89, 90, 111.
Tyrone, elevation of, 359.
Udden, J. A., Geology of Mills and Fremont counties, 125.

Ulmus americana, 118, 429.
fulva, 118, 119, 429.
racemosa, 429.
Unconformities, Howard county, 73.
Tama county, 245.
Mitchell county, 330.
Monroe county, 377.
Unio plicatus, 173.
Union Slough, 93, 96, 101.
Upham, Warren, 86.

Vallonia gracilicosta, 171, 172, 173 174.
Ventilation, 406.
Vertigo bollesiana, 173.
Viburnum lentago, 117.
opulus, 428.
prunifolium, 117, 428.
Velvet sumac, 115.
Vining, elevation of, 203.
Virginia Creeper, 113.
Vitis cinera, 424.
riparia, 113, 424.
Vitrea hammonis, 171, 173.

Water power, Howard county, 79.
Chickasaw county, 291.
Mitchell county, 337.
Water supplies, Chickasaw county, 290.
Fremont county, 180.
Hancock county, 108, 109.
Howard county, 78.
Kossuth county, 108, 109.
Mills county, 180.
Mitchell county, 335.
Monroe county, 420.
Tama county, 253.
Winnebago county, 108, 109.
Well records, 237, 238.
Wells, Chickasaw county, 290.
Wells—
Berger, J. A. 237.
Blazek, N., 238.
Bridge, 155.
Dowd, Elmer, 237.
Glenwood, 133, 134.
McMillan, 155.
New Hampton, 291.
Osage, 336.
Schoolcraft, J. W., 237.
Shaler, J. W., 237.
St. Ansgar, 337.
Wilkson, J. P., 238.
Weems, J. B., report as chemist, 20.
White, Dr. C. A., 26, 86, 126, 143, 189 213, 357.
White Cloud Crossing, elevation of, 131.
White Elm, 118.
White Maple, 114.
White Pine, 432.
White Poplar, 432.
White Thorn, 116.
White Walnut, 120.
Whitebreast Fuel Co., drill section of, 372.
Whitney, J. D., 26, 213.
Wild black cherry, 426.
Wild crab, 116.
Wild Fox Grape, 424.
Wild grape, 113.
Wild, John, brickyard, 250.
Wild Meadowsweet, 116.
Wild Plum, 426.
Wild red raspberry, 426.
Winnebago county, geology of, 83.
Building stone, 107.
Clays, 107, 108.
Drainage, 95.
Economic products, 107.
Forestry notes, 110.
Geological formations, 100.
Kansan drift, 100.
Physiography, 86.
Soils, 106.
Topography, 86.
Water supply, 108.
Wisconsin drift, 103.
Wisconsin gravels, 104.
Wisconsin drift, Hancock county, 86, 87, 103.
Kossuth county, 86, 87, 103.
Winnebago county, 86, 87, 103.
Gravels, 104.
Wolf-berry, 118.
Wolf creek, 204.
Work of survey, 1902, 11.

Xanthoxylum americanum, 424.

Young, J. E., Geology of Monroe county, 355.
Zaphrentis, sp., 226.
Zeacrinus, 160.
Zonitoides arboreus, 170, 171, 173.