


The University of Iowa Libraries







IOWA .

GEOLOGICAL SURVEY

VOLUME XXVII

Annual Report, 1916

Accompanying Papers

GEORGE F. KAY, Ph. D., State Geologist JAMES H. LEES, Ph. D., Assistant State Geologist



DES MOINES Published for Iowa Geological Survey

> Published by THE STATE OF IOWA Des Molnes

Robert Henderson, State Printer John M. Jamieson, State Binder

"30"

557.77 I975 Geology 1.27 1916 Cop. 2

Geological Survey Organization

GEOLOGICAL BOARD

HIS EXCELLENCY, GEORGE W. CLARKE
ADMINISTRATIVE OFFICERS
GEORGE F. KAYSTATE GEOLOGIST
James H. Lees
NELLIE E. NEWMAN
GEOLOGICAL SECTION
GEORGE F. KAYGEOLOGIST
JAMES H. LEESGEOLOGIST, AREAL GEOLOGY
W. H. NORTON GEOLOGIST, STRATIGRAPHY, UNDERGROUND WATERS
S. W. BeyerGeologist, Economic Geology
B. ShimekGeologist, Areal Geology
M. F. AreyGeologist, Areal Geology
JOHN L. TILTONGEOLOGIST, AREAL GEOLOGY
A. O. ThomasGeologist, Stratigraphy
F. M. VAN TUYLGEOLOGIST, STRATIGRAPHY
A. J. WilliamsGeologist, Stratigraphy
J. E. CARMANGEOLOGIST, PLEISTOCENE GEOLOGY
S. L. GALPIN
W. H. Schoewe
DAYTON STONER. ZOOLOGIST, RODENTS
BERT H. BAILEY
A. W. HIXSUNCHEMIST, COALS
TOPOGRAPHIC SECTION
G. S. SMITHTOPOGRAPHIC ENGINEER
W. L. MILLERTOPOGRAPHIO ENGINEER
WATER GAGING SECTION
R. H. BOLSTERHYDROGRAPHIC ENGINEER
C Henropeon Everyone



CONTENTS

r programme and the second of	PAGE
ADMINISTRATIVE REPORT, BY THE DIRECTOR	1
MINERAL PRODUCTION FOR 1916, BY GEORGE F. KAY	13
GEOLOGY OF RINGGOLD COUNTY, BY MELVIN F. AREY	33
GEOLOGY OF TAYLOR COUNTY, BY MELVIN F. AREY	69
GEOLOGY OF CLARKE COUNTY, BY JOHN L. TILTON	105
GEOLOGY OF CASS COUNTY, BY JOHN L. TILTON	171
GEOLOGY OF ADAIR COUNTY, BY JAMES E. GOW AND JOHN L. TILTON	277
LARGE BOWLDERS IN THE KANSAN DRIFT OF SOUTHERN IOWA, BY GEORGE F.	
Kay	
WARSTPINION RESCOIAS OF TOWA BY W H NORMON	255

ILLUSTRATIONS

PLATES	, 19	AGE
I.	Diagram of structure from Eureka shaft southwest across Cass county to Stennett along the west side of the fault plane	-
II.	Section across Adair county, south of the fault, from Briscoe, Adams county, to the "Backbone," Madison county	
III.	Map of the Wapsipinicon stage in eastern Iowa, to face	
IV.	Bowlders of weathering of Bertram limestone on Big creek, two and one-fourth miles north of Bertram, Linn county	375
v.	Mud flow of Independence shale, Linn section, Linn county	389
VI.	Independence beds at Kenwood, Linn county	403
VII.	Area of brecciated laminated Lower Davenport limestone, Rock Island, Illinois	427
VIII.	Slickensides on block of Upper Davenport limestone, Linn section, Linn county	431
IX.	Section in City Quarry, West Union, Fayette county. Outlines drawn from a photograph	
X.		507
XI.	Large blocks of Upper Davenport limestone in alignment, Linn section, Linn county	511
XII.	Cliff at Kenwood, Linn county	527
FIGUR		PAGE
	Erosional topography in Monroe township, Ringgold county	40
	Erosional topography shown in section 30, Athens township, Ringgold county	40
3.	An ideal section through a drift block between two large streams in the southern part of Ringgold county	41
4. 1	Portion of a tabular divide in section 21, Athens township, Ringgold county	42
5.]	Erosional topography in section 30 of Athens township, Ringgold county	42
6. 1	Reverted timber land in section 26, Poe township, Ringgold county	62
7.]	Rolling Kansan topography not uncommon in northern Taylor county.	70
	Kansan topography of northern Taylor county, showing the fairly even skyline	71
	Rolling Kansan topography in Taylor county showing the great width of the valleys	72
10.	Missouri limestone overlain by loess; in the southwest quarter of the southwest quarter section 7, Dallas township, Taylor county	77
	Exposure of cap rock with a big Kansan bowlder; in the southeast quarter of section 29, Nodaway township, Taylor county, as it appeared in 1907	78
12.	Exposure of Missouri limestone and shale overlain by gravel, "silt" and loess; southwest quarter of the southwest quarter of section 7, Dallas township, Taylor county	79
13.	Residual gravel exposed a few rods north of the middle of the east line of section 11, Marshall township, Taylor county	



FIGU	RES . P.	AG E
14.	A road cut near the northwest corner of section 16, Jackson township, Taylor county, showing segregated lime plates and nodules near the surface of the old Kansan drift	88
15.	A road cut near that shown in Figure 14 and showing similar lime plates and nodules near the surface of the old Kansan drift	89
16.	Marshy seeps on hillsides with dry land above and below. Southeast quarter of section 27, Nodaway township, Taylor county	92
17.	The broad bottom lands of Platte river above Blockton, Jefferson township, Taylor county	93
18.	Hertha limestone in the bed of South Squaw creek in the northwest quarter of the northwest quarter of section 6 of Osceola township, Clarke county	122
19.	Bethany Falls limestone (Earlham) on the south side of a projecting ridge of the upland in the southeast quarter of the northeast quarter of section 2 of Ward township, Clarke county	127
20.	The Westerville limestone as seen at the ford at Grand river immediately west of section 31, Doyle township, Clarke county	132
21.	The Westerville limestone as it is exposed at the bridge over Grand river directly west of Hopeville	134
22.	Early trails across Cass county, located by Mr. Charles H. Rhodes of Cumberland	175
23.	View looking northwest across the valley of Nishnabotna river from the dome of the Court House at Atlantic, Cass county	180
24.	Flood plains and terraces where these are conspicuous in Cass county	181
25.	An approximate profile north and south through the centers of Pymosa, Grove, Beargrove and Noble townships, Cass county	183
26.	An approximate profile west by north on a straight line through Massena, Cumberland, Lewis, and Iranistan, Cass county	184
27.	Fox quarry, east of the road. (Northeast quarter of the northeast quarter of section 31, Edna township, Cass county.)	194
28.	Dakota sandstone at Spring Creek. (West center of the northwest quarter of section 9, Cass township, Cass county.)	197
29.	Crystal Lake is a delightful spot. The bluff-of Dakota sandstone is on the south side of the pool	204
30.	On the east side of the road a mile south of Lewis a dark brownish sandstone has been quarried	
31.	Diagram representing conditions from near Reno, Edna township, Cass county, southeast to Briscoe, Adams county, across the fault plane.	212
32.	Interpretation of relations found at Atlantic, Cass county	233
33.	The bed of loess near the railroad station at Marne, Cass county	234
34.	Where the loessial topography ends and the erosional topography in the upland begins. View southeast from Vista Place, Atlantic, Cass county	236
35.	Diagram of maximum, minimum and mean temperatures for Atlantic, Cass county, 1891 to 1916	244
36.	Brickyard at Atlantic, Cass county	
37.	Exposure at the west end of the dam at the Port Union mill (Arbor Hill), Adair county	290
38.	Exposure near the mouth of a ravine on the Pemberton farm in section 27, Harrison township, Adair county	_
39.	The railroad cut at Adair reveals a thick bed of loess in the upland where it is now largely concealed by grass. Beneath the loess is	

FIGU	RES . I	AGE
40.	Map showing distribution of some large bowlders in Kansan drift in southern Iowa	347
41.	Diagram showing the distribution of big granite bowlders as related to the distribution of the ice sheets in Iowa	348
42.	Large granite bowlder in the northwest quarter of section 15, Otter Creek township, Lucas county	349
43.	Large granite bowlder in the southeast quarter of section 13, Liberty township, Lucas county	350
44.	Large granite bowlder in the northeast quarter of the northwest quarter of section 33, New Hope township, Union county	351
45.	Laminated Otis magnesian beds in Kearn's quarry north of Vinton, Benton county	378
46.	A lens eight feet long in the upper beds of the Otis limestone, Ellis Park quarry, Cedar Rapids, Linn county	380
47.	A lens in the upper beds of the Otis limestone, split vertically. Ellis Park quarry, Cedar Rapids, Linn county	381
48.	A lens in the upper layer of the Otis limestone in the quarry of the Chicago and North Western Railway Company at Cedar Rapids, Linn county	
49.	Lens in upper layers of Otis limestone in the quarry of the Chicago and North Western Railway Company at Cedar Rapids, Linn county	
50.	Vertically mottled limestone (polished). Upper bed of Otis limestone in Snouffer's quarry, Cedar Rapids, Linn county	
51.	Snouffer's quarry, Cedar Rapids, Linn county	
52.	Lower Davenport limestone, Bettendorf Stone Company's quarry, Bettendorf, Scott county	405
53.	Upper Davenport limestone, Schmidt's quarry, Davenport, Scott county	406
54.	Generalized section of Wapsipinicon brecciated beds	413
55.	Otis limestone overlain by Independence breccia, Aungst quarries, Vinton, Benton county	415
56.	Otis calcilutite showing a disrupted layer at the base of the railway cut north of Vinton, Benton county. Scale $\times \frac{1}{14}$	416
57.	Crackled surface of detached laminæ of Otis limestone near the base of the railway cut at Fayette, Fayette county	417
58.	Unindurated breccia composed chiefly of Independence detritus. Kearn's quarry north of Vinton, Benton county	418
59.	$Siliceo-calcareous\ nodule,\ Independence\ beds$	419
.60.	Fragment of a siliceo-calcareous nodule from which the calcite has been removed by solution. Independence horizon, Canton, Jackson country.	490
61.	county	
62.	Obscure flexures in shale of Independence zone, Linn section, Linn county	
63.	Otis beds overlain with breccia of the Independence zone. Aungst quarries north of Vinton, Benton county	423
64.	Structure lines in Independence zone. Railway cut north of Vinton, Benton county	424
65.	General relations of the Independence zone of brecciation. Railway cut north of Vinton, Benton county	_
66.	Crackle breccia. Upper surface of layer of Lower Davenport lime- stone. Section E. Felton creek, Cedar Rapids, Linn county	

FIGUI	RES .	AGE
67.	Block of massive Lower Davenport limestone, in part crackled, in part crushed to rubble. Felton creek, Cedar Rapids, Linn county	429
68.	Flexed laminæ of Lower Davenport limestone. Duck creek, Scott county	4 30
69.	Mosaic breccia, of Lower Davenport limestone. Rock Island, Illinois	
70.	Ledge of Lower Davenport laminated calcilutite largely crushed to rubble. Section E, east end, Felton creek, Cedar Rapids, Linn county	
71.	Large blocks of Upper Davenport limestone along the top and at the right. Railway cut north of Vinton, Benton county	435
72.	Faulted fold in a fragment of Lower Davenport limestone, Linn section, Linn county	439
73.	Faulted massive bed of Lower Davenport fragmental limestone. Base of section E, Felton creek, Cedar Rapids, Linn county	440
74.	Breccia of Lower Davenport limestone fragments. Schmidt's quarry, Davenport, Scott county	441
75.	Complex brecciation, with parallelism of detached laminæ in fragment. Linn section, Linn county	44 3
76 .	Fragments showing complex brecciation. Linn section, Linn county	445
77.	Block of breccia. Section E, Felton creek, Cedar Rapids, Linn county	446
78.	Block of dark granular Upper Davenport limestone with included fragments of Lower Davenport calcilutite. Aungst quarries, north of Vinton, Benton county	447
79.	Mound of Upper Davenport limestone with small fragments of Lower Davenport calcilutite commingled. Schmidt's quarry, Scott county	
80.	Portion of cliff, "Cedar Bluffs," on Wapsipinicon river about three miles southeast of Troy Mills, Linn county	452
81.	Matrix from which fragments have been removed by weathering. Independence beds, on Wapsipinicon river at Cedar Bluffs, about three miles southeast of Troy Mills, Linn county	453
82.	View near center of the east side of the City quarry, West Union, Fayette county	457
83.	Section in the railway cut at Fayette, Fayette county, on the south side west of the bridge	462
84.	Offsets in the railway cut at Fayette, Fayette county. Scale, one inch equals twelve feet	463
85.	Portion of the south face of Eagle Point near Fayette, Fayette county, as high as the base of the Upper Davenport limestone	465
86.	The base of the south face of the bluff at Eagle Point near Fayette, Fayette county, showing the folding and disruption of the upper part of the thinly laminated limestone (E')	466
87.	Section in the south part of the old railway cut west of Linn, Linn county	501
88.	An area of predominant Independence shale strongly bent and much broken, with some included fragments. Strong Davenport breccia at left. Summit of arch, Linn section, Linn county	504
89.	A detail from the Linn section, Linn county	505
90.	Independence limestone and shale. Quarry of the Chicago and North Western Railway Company, Cedar Rapids, Linn county	517
91.	Outline sketch of the eastern end of section E, Felton creek, Cedar Rapids, Linn county	52 3
92.	Passage of massive vesicular buff Independence limestone (A) into laminated limestone (B). Thickness of bed about one foot. Kenwood Linn county	529