

INDEX.

- Aceraceæ, 273.
Acer negundo, 273.
 nigrum, 273.
 saccharinum, 273.
Acervularia davidsoni, 166, 167, 168, 177, 514.
 coral reef, 169, 178.
 profunda, 168, 170, 174, 177, 513, 514.
 beds, 177.
 Actual fuel requirements, 95.
 Addition of gypsum, 99.
 Administrative reports, 3.
 Aeolian deposits, 211, 531.
 Aftonian stage, 523.
 Aikley, V. W., brick and tile plant, 221.
 Ales quarry, 408.
 Alexander creek, 509.
 Alfree mine, 341.
 Alkali waste, 70.
 Analyses of, 70.
 Alloway creek, 303.
 Alluvial areas, 534.
 Alluvium, 244, 330, 334, 423, 534.
 Altitudes, Benton county, 148.
 Clinton county, 380.
 Emmet, Palo Alto and Pocahontas counties, 239.
 Fayette county, 454.
 Jasper county, 291.
 Alumina, 60.
Alveolites goldfussi, 515, 519.
Ambonychia intermedia, 487.
 radiata, 487.
Amelanchier alnifolia, 269.
 American roofing slates, 73.
Amorpha canescens, 271.
 fruticosa, 271.
 nana, 271.
 Anacardiaceæ, 271.
 Analysis of alkali waste, 70.
 American roofing slates, 73.
 blast furnace slag, 71.
 Burlington limestone, 114.
 cement materials, 542.
 cement mixtures, 91.
 cement rock of western U. S., 64.
 Analysis of chalky limestones, 67.
 clay materials, 65, 350.
 clays and marls, 70.
 Coal Measure shales, 118.
 Colfax water, 365.
 De Kalb limestone, 121.
 Earlham limestone, 120.
 Fayette breccia, 108.
 "Fifty-foot" rock, 118.
 Fort Dodge cement, 117.
 Fort Dodge limestone, 117.
 furnace slag, 71.
 hard limestones, 65.
 Humboldt limestone, 116.
 Iowa chalks, 104.
 Iowa City limestone, 109.
 Iowa coals, 123.
 kiln coals, 97.
 Le Grande stone, 113.
 Lehigh cement materials, 64.
 Lime Creek shale, 111.
 Maquoketa shale, 543.
 marls and clays, 70.
 mineral water, 365.
 Mitchell county limestone, 119.
 Newton water, 361, 362.
 Niagara limestone, 491, 542.
 Oskaloosa limestone, 116.
 Ottumwa limestone, 116.
 Pella limestone, 116.
 Red Rock sandstone, 356.
 Saint Louis limestone, 116.
 Tracy limestone, 116.
 Trenton limestone, 107.
 Waverly limestone, 109.
Aquilegia canadensis, 276.
 Area, Benton county, 129.
 Clinton county, 281.
 Emmet, Palo Alto and Pocahontas counties, 231.
 Fayette county, 436.
 Jasper county, 281.
 of Iowan drift, 139, 288, 418, 442.
 of Kansan drift, 137, 284, 416, 445.
 of Wisconsin drift, 290.
 Argillaceous limestone, 55, 62.

- Arlington, Elevation of, 454.
 Armstrong, clay plant, 256.
 Elevation of, 239.
Asaphus extenuata, 467.
 iowensis, 464.
 Assistant State Geologist, report, 12.
 Work of, 3.
Astræaspongia hamiltonensis, 196.
Athyris vittata, 197.
 most abundant, 518.
 Atkins, Elevation of, 148.
 Atlas Portland Cement Company, 124.
Atrypa aspera, 162, 164, 177, 516.
 hystrix, 181.
 occidentalis, 181, 516.
 reticularis, 162, 165, 174, 177, 402, 513.
 Auburn, Elevation of, 454.
 Augusta stage, 113.
 Augst Brothers' quarry, 161, 218.
 Ayrshire, Elevation of, 239.
 Bain, H. F., Cement and Cement Materials in Iowa, 33, 102.
 cited, 103, 282, 307, 310, 355.
 Baldwin quarry, 399.
 Basal sandstones and shales, 386.
 Divisions of, 387.
 Baxter clay works, 353.
 Elevation of, 291.
 Bear creek, 154, 205, 481.
 Beaver View farm, 234.
Bellerophon bilobatus, 467, 470, 473, 487.
 Bells Plaine, brickyard, 222.
 Elevation of, 148.
 well, 224.
 Benson, W. B., 198.
 Benton county, Geology of, 125.
 Aeolian deposits, 211.
 Alluvium, 210.
 Altitudes, 148.
 Area, 129.
 Boundaries, 129.
 Brickyards, 221, 222.
 Buchanan gravels, 205.
 Building stones, 218.
 Cedar river, 150.
 Cedar Valley limestone, 218.
 General section of, 194.
 stage, 166.
 Clays, 221.
 Coggan beds, 158, 218.
 Copper, 223.
 Cumulose deposits, 210.
 Deformations, 216.
 Drainage, 149.
 Earlier geological work, 130.
 Economic products, 218.
 Fayette breccia, 161, 218.
 Benton county, Geological formations, 155.
 Iowan drift, 206.
 Iowan loess, 208.
 Iowan stage, 206.
 Iowa river, 149.
 Kansan drift, 203.
 Kansan stage, 203.
 Kinderhook stage, 197.
 Lime, 219.
 Lower Carboniferous series, 197.
 Middle Devonian series, 157.
 Paha, 142.
 Physiography, 131.
 Pleistocene system, 201.
 Post-glacial deposits, 210.
 Pre-Kansan drift, 201.
 Pre-Kansan stage, 201.
 Road materials, 220.
 Sand, 221.
 Soils, 211.
 Table of formations, 157.
 Topography, 131.
 Unconformities, 216.
 Wapsipinicon stage, 157.
 Water supplies, 224.
 Work in, 12.
 Berlin township, Niagara limestone in, 392.
 Well records, 408.
 Betulaceæ, 266.
 Beyer, S. W., cited 282, 288, 327.
 Mineral statistics, 15.
 Work of, 4, 13.
 Big Rock, Elevation of, 380.
 Black walnut, 263.
 Bladder nut, 272.
 Blairstown, Elevation of, 148.
 Blast furnace slag, 71.
 Analysis of, 71.
 Bliss quarry, 218.
 Bloomfield township, Niagara limestone in, 393.
 Well records in, 409.
 Blue creek, 154.
 Bog willow, 266.
 Book brickyard, 540.
 Brainard, 478.
 Elevation of, 454.
 Breccia, defined, 163.
 Brecciation, possible causes of, 163.
 Brickyard, Aikley, 221.
 Baxter, 353.
 Book, 510.
 Clermont, 538.
 Deutremont & Gross, 222.
 Garrison, 222.
 Harrington, 353.
 Henneman, 353.
 Henning, 353.
 Holdsworth, 352.

- Brickyard, Lyons, 427.
 McAllister, 352.
 McKinney, 427.
 Morrow, 223.
 Newby & Macy, 349.
 Oelwein, 537.
 Orcutt, 315, 350.
 Price, 426.
 Rink, 427.
 Robinson, 256.
 Shamburg, 353.
 Shannon, 222.
 Smith, 222.
 Stewart, 256.
 Straight Brothers, 256.
 Trajorsky, 222.
- Broaddy, Mr., 175.
 Browns, Elevation of, 380.
 Brush creek, 304.
 Buchanan gravels, 205, 251, 525.
 Buffalo creek, 154.
 Building stones, 218, 258, 354, 429, 535.
Bumastus orbicaudatus, 469, 488.
 Burnett well, 253.
 Burning bush, 572.
 Bur oak, 267.
 Burris mine, 345.
- Calamus, Elevation of, 80.
 Calcareous marls, 102.
 Caldwell mine, 199.
 Calhoun creek, 304.
 Call E., cited, 131.
 Calvin, S., cited, 103, 107, 108, 110, 152, 154, 163, 164, 194, 199, 206, 209, 403, 461, 491, 530.
 Work of, 3, 4.
Calymene senaria, 469, 488.
Camarotoechia neglecta, 497.
prolifera, 183, 195, 197.
Cameroceus proleiforme, 471, 488.
 Camp creek, 303.
 Caprifoliaceæ, 275.
 Carboniferous system, 255, 404.
 Carson Brothers' mine, 339.
 Carver, Thomas, 199.
 Cascade gulch, 475.
 Cascade Hollow section, 114.
 Causes of brecciation, 163.
 Cavitt mine, 342.
 Cedar creek, 242.
 Cedar river, 150.
 Cedar Valley limestone, 108, 218.
 General section of 194.
 stage, 166, 573.
 Celastraceæ, 272.
Celastrus scandens, 272.
Celtis occidentalis, 268.
 Cement and Cement Materials in Iowa, 33, 102.
 blocks in Iowa, 32.
 materials in Iowa, 102.
 Fayette county 542.
- Cement mixtures, Analyses of, 91.
 Burning of, 91.
 Composition of, 90.
 plants, 124.
 Portland, 50, 51.
 production in U. S., 37.
- Cement rock, 62.
 Analyses of, 64.
 In U. S., 64.
 Lehigh, 62.
- Cements, Carbonate, 42, 44.
 Complex, 46.
 Hydrate, 42, 43.
 Natural, 48.
 Oxychloride, 42.
 Portland, 48.
 Puzzolan, 50.
 Silicate, 42.
 Simple, 41, 42.
- Center township, Niagara in, 394.
 Well records in, 411.
- Ceraurus icarus*, 469, 488.
pleurexanthemus, 469, 488.
- Chalk, 66.
 Analyses of, 67.
 Characters of, 66.
 Composition of, 66.
 deposits in Iowa, 103.
 Distribution of, 66.
 Origin of, 66.
 Character of kila coals, 96.
 Charlotte, Elevation of, 380.
 Cherry creek, 299, 301.
 Chester lake, 236.
 Chilton quarry section, 115.
 Choke cherry, 270.
Chonetes cancellatus, 162, 164.
scitulus, 197.
Cladophora iowensis, 178, 191, 505.
magna, 197, 517.
- Classification of cements, 41.
 Clay analyses, 539, 543.
 Clay production in Iowa in 1904, 17, 23, 24, 25.
 in 1903, 17.
 in 1902, 17.
- Clays (see also Brick).
 in Benton county, 221.
 Clinton county, 426.
 Emmet, Palo Alto and Pocahontas counties, 256.
 Fayette county, 537.
 Jasper county, 348.
- Clays and shales, 71.
 Clay works at Armstrong, 256.
 Baxter, 353.
 Belle Blaine, 222.
 Clermont, 539.
 Clinton, 426.
 Colfax, 353.
 DeWitt, 427.
 Fonda, 256.
 Garrison, 222.

- Clay works at Kellogg, 352.
Lynnville, 349.
Lyons, 427.
Monroe, 350.
Newhall, 223.
Newton, 352.
Norway, 222.
Oelwein, 537.
Rolfe, 257.
Shellsburg, 222.
Spencer, 257.
Vinton, 221.
Wheatland, 427.
- Clear creek, 299.
Clear lake, 237.
- Clermont Brick and Tile Company, 538.
Abandoned shale pit of, 477.
Clay pit of, 539.
- Clermont, Elevation of, 426.
- Clinker grinding, 98.
Cost of, 98.
Fineness, 99.
- Clinton county, Geology of, 454.
- Clinton, Elevation of, 480.
Latest waterworks well at, 384.
wells, 381.
Samples from, 382.
Section of, 382.
- Clitambonites diversa*, 470, 471.
- Clover Hill mine, 344.
- Coal analyses, 123.
- Coal in Jasper county, 335.
Colfax district, 343.
Lynnville district, 336.
Monroe district, 337.
Newton district, 339.
Oswalt, 344.
Prairie City district, 342.
Vandalia, 342.
- Coal Measures, 311.
- Coal mine, Alfree, 341.
Burris, 345.
Caldwell, 199.
Carson Brothers, 339.
Cavitt, 342.
Clover Hill, 344.
Colfax Consolidated, 345.
Collins, 341.
Davis, 345.
Diagonal company, 344.
Edwards, 338.
French Brothers, 340.
Fowles, 341.
Good Brothers, 341.
Hanson, 343, 346.
Harrington, 343, 346.
Jasper County Coal and Mining Co., 337, 343.
Klondike, 314, 346.
Lister, 340.
Marshall, 337.
Meredith, 336.
McConoghey, 338.
- Coal mine, Norris, 342.
Pattison, 339.
Pulver, 342.
Shaff Brothers, 338.
Sharf Brothers, 337.
Shaw, 337.
Slaughter, 343.
Snooks, 339.
Valeria company, 344.
Warrick Brothers, 344.
White, 316, 342.
- Coal production in Iowa in 1904, 17, 21, 22.
in 1903, 17.
in 1902, 17.
in Jasper county, 335.
- Coggan beds, 158, 218.
- Colfax, clay works, 353.
coal district, 343.
Consolidated Coal Company, 345.
Elevation of, 291.
mineral water, 363.
well, 307.
- Comparison of Iowa coals, 347.
- Composition of blast furnace slag, 71.
cement mixtures, 90.
chalk, 66.
fresh water marls, 69.
gravel, 421.
limestones, 57.
marls, 69.
Portland cements, 53.
slates, 73.
- Constitution of Portland cements, 100.
- Contact, Niagara and Devonian, 497, 502.
- Copper in Benton county, 223.
Clinton county, 430.
Fayette county, 545.
Jasper county, 359.
- Cornaceæ, 275.
- Cost of drying material, 80.
excavation of raw material, 73.
raw materials at mill, 76.
- Cottonwood, 216.
- Crane creek, 456.
- Craspedophyllum strictum*, 517.
- Cratægus coccinea*, 270.
mollis, 270.
punctata, 270.
- Cratty, R. I., Forestry notes for Emmet county, 260.
- Creek, Alexander, 509.
Alloway, 303.
Bear, 154, 205 481.
Blue, 154.
Brush, 303.
Buffalo, 154.
Calhoun, 304.
Camp, 303.
Cedar, 242.
Cherry, 299, 301.
Clear, 299.

- Creek, Crane, 456.
 Cylinder, 242.
 Deep, 378.
 Elk, 299, 302, 378.
 Harts-mill, 375.
 Hinkle, 154, 192.
 Indian, 299, 301.
 Jack, 242.
 Lizard, 242.
 Mud, 154, 299.
 Old Man, 154.
 Otter, 256.
 Prairie, 152, 299, 301.
 Pratt, 154, 220.
 Rafferty, 336.
 Rock, 154, 303.
 Salt, 152.
 School-Section, 241.
 Silver, 299, 379.
 Snipe, 303.
 Squaw, 299, 302.
 Stein, 150.
 Sugar, 303, 378.
 Walnut, 304.
 Weasel, 154.
 Wild Cat, 205.
 Willow, 242.
 Wolf, 154, 299.
- Crippin, Elevation of, 239.
 Crushing tests of Williams' quarry stone, 536.
 Crystal lake, 239.
 Cumulose deposits, 210.
 Curlew, Elevation of, 239.
 Cut at Fayette, 506.
Cyclonema bilix, 480, 487.
 Cylinder, Elevation of, 239.
 Cylinder creek, 242.
Cyrtina hamiltonensis, 165, 197, 511, 517.
Cyrtoceras camarum, 470, 488.
Cystiphyllum americanum, 169, 196, 517.
 Data on deep strata 381.
 Davidsen tube mills, 90.
 Davis mine, 345.
 Deep creek, 378.
 Definition of marls, 67.
 Portland cement, 51, 53.
 Deformations of strata,
 Benton county, 216
 Fayette county, 532.
 Delaware stage, 462, 489.
 Des Moines formation, 117.
 river, 240, 303.
 stage, 310, 404.
 Devil's Backbone, 489.
 Devonian limestone, 107.
 Analyses of, 108, 109, 110, 111.
 General section, 519.
 system, 500.
 De Witt clay works, 427.
 township, Niagara in, 395.
 Well records in, 411.
 well, 385.
- Diagonal Coal Company, 344.
 Mine of, 344.
Dielasma iowensis, 192, 516, 518.
 most abundant, 518.
 roemingeri, 515, 516.
 Distribution of chalk in U. S., 66.
 fresh water marls, 69:
 precipitation, 296.
 Divisions of Niagara limestone, 402.
 Donnan, Elevation of, 454.
 Dooly quarry, 319, 355.
 Dover Mills, Elevation of, 454.
 section, 465.
 Drainage, Benton county, 149.
 Clinton county, 377.
 Emmet, Palo Alto and Pocahontas counties, 240.
 Fayette county, 455.
 Jasper county, 292.
 Dredging, 75.
 Drift, Iowan, 206, 288, 418, 527.
 Illinoian, 417.
 Kansan, 203, 251, 284, 416, 523.
 Pre-Kansan, 415, 521.
 Wisconsin, 250, 290.
 Drupaceae, 270.
 Dryer, 80.
 Cummer, 89.
 Ruggles Coles, 81.
 Drying blast furnace slag, 86.
 kiln coals, 97.
 raw cement materials, 79.
 Dwigan's quarry, 175.
- Earlham limestone, 120.
 East Des Moines river, 243.
 Eckel, E. C., Cement and Cement Materials of Iowa, 33, 41.
 Economic products, Benton county, 218.
 Clinton county, 426.
 Emmet, Palo Alto and Pocahontas counties, 256.
 Fayette county, 535.
 Jasper county, 335.
 Economics of slag limestone mixtures, 86.
 Eden township, Niagara in, 396.
 Well records in, 411.
 Edwards mine, 338.
 Effect of composition on burning, 96.
 heating on limestone, 61.
 Elbow lake, 237.
 Eldorado, Elevation of, 454.
 Elgin, Elevation of, 454.
 Elk creek, 299, 302, 378.
 Elk River Junction, 380.
 Elk River township, Niagara in, 396.
 Elwood, Elevation of, 454.
 Emmet county forestry notes, 260.

- Emmet, Palo Alto and Pocahontas counties, Geology of, 227.
 Alluvium, 244.
 Altitudes, Table of, 239.
 Buchanan gravels, 251.
 Carboniferous system, 255.
 Clay, 256.
 at Armstrong, 256.
 Fonda, 256.
 Rolfe, 257.
 near Spencer, 257.
 Creeks, 242.
 Drainage, 240.
 Economic products, 256.
 Forestry notes
 for, 260.
 Fuel supply, 258.
 Geological formations, 244.
 Gravels, 258.
 Kansan drift, 251.
 Lakes, 235, 236, 237.
 Physiography, 233.
 Pleistocene system, 244.
 Pre-Kansan sands and gravels, 254.
 Saint Louis limestone, 255.
 Stone, 258.
 Stratigraphy, 243.
 Synoptical table, 244.
 Topography, 233.
 Water supply, 258.
 Wisconsin drift, 250.
 Emmetsburg, Elevation of, 239.
 Erosion interval, 407.
 in Wisconsin drift, 301.
 Erratics in drift, 417, 419.
 Essentials of Portland cement, 54.
 Estherville, Elevation of, 239.
Euonymus atropurpureus, 301.
 Fagaceae, 267.
 Fairbank, Elevation of, 454.
 quarry section, 514.
 Falling spring, 488.
 Farnsworth, Dr. J. P., cited, 373, 406.
Favosites alpenensis, 171, 516.
 favosus, 497, 498, 499.
 niagarensis, 394, 497.
 placenta, 375.
 Fayette breccia, 108, 161, 218, 508.
 Fayette county, Geology of, 433.
 Aftonian stage, 523.
 Alluvial areas, 534.
 Altitudes, 454.
 Buchanan gravel, 525.
 Building stone, 535.
 Cedar Valley stage, 573.
 Clay, 537.
 Clermont Brick and Tile Company, 538.
 Contact Niagara-Devonian, 497, 502.
 Copper, 545.
 Deformations, 542.
 Fayette county—*Continued*.
 Delaware stage, 489.
 Devonian system, 500.
 Drainage, 455.
 Economic products, 535.
 Galena-Trenton stage, 461.
 Gold, 545.
 Iowan drift, 527.
 Kansan drift, 523.
 Lime, 537.
 Maquoketa stage, 463.
 Divisions of, 464.
 Niagara series, 489.
 Ordovician system, 461.
 Pleistocene system, 521.
 Pre-Kansan stage, 521.
 Road materials, 540.
 Soils, 533.
 Stone, 535.
 Stratigraphy, 458.
 Terrace formations, 451.
 Topography, 452.
 Water powers and supplies, 544.
 Fayette, Elevation of, 454.
 Railroad cut at, 506.
 Fifty-foot rock, 118.
 Fineness of grinding clinker, 99.
 mixture, 82.
Fistulipora constricta, 164.
 Fonda, Elevation of, 239.
 Formations, Table of, 157, 244, 305, 381, 460.
 Fort Dodge cement, 117.
 limestone, 117.
 Fossils of Maquoketa, 487.
 Forestry notes for Emmet county, 260.
 French Brothers' mine, 340.
 Fresh water marls, Analyses of, 70.
 Composition of, 69.
 Distribution of, 69.
 Origin of, 68.
 Fuel requirements, 94.
 Actual, 95.
 Theoretical, 94.
Fusispira nobilis, 462.
 ventricosa, 462.
 Galena-Trenton stage, 388, 461.
 Character of
 rocks of, 461.
 Fossils in Fayette
 county, 462.
 Garrison, Elevation of, 148.
 Gas as a kiln fuel, 96.
 Geest, 407, 493, 520.
 Geikie, cited, 163, 178.
 General characters of limestone, 66.
 General relations of strata,
 Benton county, 155.
 Clinton county, 380.
 Emmet, Palo Alto and
 Pocahontas counties,
 244.

- General relations of strata,
 Fayette county, 458.
 Jasper county, 304.
- Geographical distribution of marls, 69.
- Geological formations of Benton county,
 155.
 Clinton county, 425.
 Emmet, Palo Alto
 and Pocahontas
 counties, 244.
 Fayette county, 460.
 Jasper county, 305.
- Geology of Benton county, 125.
 Clinton county, 373.
 Emmet, Palo Alto and Poca-
 hontas counties, 229.
 Fayette county, 433.
 Jasper county, 279.
- Gilmore City, Elevation of, 239.
 quarry, 258.
- Glaucous willow, 266.
- Gold in Fayette county, 545.
- Good Brothers' mine, 341.
- Goose Lake, 379.
 Elevation of, 380.
 channel, 377, 378.
- Gorge, Post-glacial, 457.
- Grand Mound, Elevation of, 380.
- Granulation of slag, 85.
- Gravels, 258, 420, 525.
- Gravels, Buchanan, 205, 525.
 Wisconsin, 245.
- Greenlee, C. B., 198.
- Griffin mill, 82.
- Grinding and mixing, 81.
 Dry methods, 81.
 slag limestone mixtures, 83.
 Wet methods, 87.
- Grinding clinker, 98.
 fur. ace slag, 87.
- Grinnell well record, 306.
- Gypidula comis*, 164, 171, 508, 510.
 leviuscula 164, 508.
- Gypsum production in 1904, 17, 30.
 1903, 17,
 1902, 17,
 Addition to cement materials,
 99.
- Gypsum's quarry, 398.
- Gyronema pulchellum*, 470, 487.
- Gyroceras beds, 163.
- Hackberry, 271.
- Halysites catenulatus*, 398, 497.
- Hall, James, cited, 130, 282, 373, 406.
- Hampshire township, Niagara in, 397.
- Hanson mine, 343, 346.
- Harrington brickyard, 353.
 mine, 343, 346.
- Hart's Mill creek, 375.
- Haverlock, Elevation of, 239.
- Hawkeye, Elevation of, 454.
- Hazel nut, 266.
- Heltophyllum halli*, 472, 517.
- Henneman brickyard, 353.
- Henning brickyard, 353.
- Herwehe quarry, 320.
- Hicoria minima*, 263.
- High calcium limes, 45.
- Hilgard, cited, 212.
- Hindia parva*, 469, 472.
- Hinkle creek, 154, 192.
- History of Jasper county, 281.
- Hoen, A. B., cited, 110.
- Holdsworth brickyard, 352.
- Holopea concinnula*, 488.
- Homocospira apriniformis*, 497.
- Houser, G. L., cited, 46.
- Humboldt limestone, 116.
- Huntington mill, 82.
- Hydrate cements, 43.
- Hydraulic limes, 47.
- Hypothyris intermedia*, 504, 508.
- Illinoian drift, 417.
 stage, 417.
- Impurities in limestone, 59.
- Indian creek, 299, 301.
- Iowa chalk deposits, 103.
 Analyses of, 104.
- Iowa City limestone, 103.
 Analysis of, 109.
- Iowa coals, Analyses of, 123.
 Comparison of, 347.
- Iowa lake, 255.
- Iowan area, 141.
 boulders, 208, 528, 529.
- Iowan drift, 206, 288, 418, 527.
 Area of, 139, 442.
 gravels, 531.
 -Kansas border, 133, 439.
 loess, 208, 529.
 stage, 206, 326, 418, 527.
- Iowa P'aint Company, mentioned, 166.
- Iowa river, 149.
- Ira, Elevation of, 291.
- Iron, 31.
 in limestone, 60.
- Ischadites iowensis*, 462
- Isotelus maximus*, 467.
 zone, 468.
- Jasper County Coal Company, 343, 346.
- Jasper county, Geology of, 279.
 Alluvium, 330, 331.
 Altitudes in, 291.
 Clay works, 348.
 Coal districts, 335.
 Drainage, 292.
 Economic products, 335.
 Geological formations,
 Table of, 305.
 Iowan stage, 326.
 Kansan stage, 323.
 Kinderhook strata, 308,
 309.
 Loess, 326.
 Meteorology, 293.
 Mineral waters, 363.

- Jasper county, Mississippian series, 308.
 Pennsylvanian series, 310.
 Physiography, 283.
 Pleistocene system, 323.
 Post-glacial sands, 330.
 Red Rock sandstone, 316.
 Road materials, 357.
 Saint Louis strata, 308, 309.
 Sand, 357.
 Soils, 333.
 Stone, 354.
 Stratigraphy, 304.
 Topography, 283.
 Water power, 366.
 Water supply, 360.
 Wisconsin stage, 329.
- Jones, A. J., cited, 306, 308.
- Jordan sandstone, 387.
- Juglandaceæ, 263.
- Juglans nigra*, 263.
- Juniperus virginiana*, 262.
- Kansan drift, 203, 251, 284, 416, 523.
 Area of, 137, 284.
 Depth of, 204.
- Kansan stage, 203, 251, 323, 416, 523.
- Kearns' quarry, 218.
- Keiser quarry, 188, 219.
- Kellogg, clay works, 352.
 Elevation of, 291.
 Stone near, 355.
- Kemper quarry, 355.
- Keyes, Chas. R., cited, 405.
- Keystone, Elevation of, 148.
- Kiel's quarry, 408.
- Kiln coals, Analysis of, 97.
 Character of, 96.
 Drying, 97.
 Pulverizing, 97.
- Kimball, L. L., cited, 37.
- Kinderhook limestone, 112.
 shale, 112.
 stage, 197.
 strata, 308, 309.
- King, cited, 214.
- Kirkland quarry, 189.
- Klondike coal mine, 314.
- Knapp, J. C., clay works, 537.
- Knapp quarry, 185.
- Lake, Chester, 236.
 Clear, 237.
 Crystal, 239.
 Elbow, 237.
 Goose, 379.
 Iowa, 235.
 Lizard, 237.
 Lost Island, 236.
 Medium, 237.
 Okamanpadu, 235.
 Okoboji, 236.
 Pelican, 236.
- Lake, Rush, 237.
 Spirit, 236.
 Silver, 237.
 Swan, 236.
 Turtle, 235.
 Twelve Mile, 236.
 Virgin, 237.
- Lamphear quarry, 318, 355.
- Lardell's well, 252.
- Latest waterworks well at Clinton, 384.
- La Tourenne, 199.
- Laurens, Elevation of, 239.
- Lead, Clinton county, 430.
 Fayette county, 544.
 Production in Iowa, 1904, 17, 31.
 1903, 17.
 1902, 17.
- Le Grande stone, 113.
 Analysis of, 113.
- Lehigh cement rock, 462.
- Leptaena rhomboidealis*, 391, 462.
unicostata, 470, 480.
- Leverett, Frank, cited, 374, 416, 417.
- Liberty township, Niagara in, 397.
 Well records in, 412.
- Lima, Elevation of, 454.
- Lime, 219, 430, 537.
- Lime Creek shales, 111.
 Analysis of, 111.
- Limestone, Analyses of, 108, 109, 110, 111.
 Cedar Valley, 108.
 Composition of, 57.
 Devonian, 107.
 Effect of heating on, 61.
 Ordovician, 105.
 Origin of, 56.
 Physical characters of, 61.
 Varieties of, 57.
- Lincoln township, Niagara in, 397.
- Lingula townensis*, 462.
- Lister mine, 340.
- Little Turkey river, 456.
- Loess, 320, 422, 529.
 beneath Wisconsin drift, 328.
 bodies in gravel terrace, 531.
- Long's quarry, 184, 219.
- Lonsdale, E. H., cited, 104.
- Lophospira conoidea*, 487.
hillmorensis, 462.
quadrisulcata, 468.
- Losses of heat in practice, 94.
- Lost Nation, Elevation of, 380.
- Lower Maquoketa division, 464, 465.
- Low Moor, Elevation of, 380.
- Lower Carboniferous series, 197.
- Lower Maquoketa division, 465.
- Lowlands, Mississippi, 374.
 Wapsipinicon, 375.
- Lundteigen, A. E., cited, 40, 106, 109, 116.
- Luzerne, Elevation of, 148.
- Lyellia americana*, 498.

- Lynnville clay works, 349.
 coal district, 336.
 Elevation of, 291.
 stone near, 354.
- Lyons, clay works, 427.
 Elevation of, 480.
- Macbride, T. H., Geology of Emmet,
 Palo Alto and Pocahontas counties, 227.
 Work of, 10.
- Macy and Newby brickyard, 349.
- Magnesia, 58.
 limit in cement materials, 59.
- Magnesium limes, 46.
- Mallard, Elevation of, 239.
- Malone, Elevation of, 380.
- Malus iowensis*, 269.
- Maquoketa river, 378.
- Maquoketa shale, 388, 463.
 Distribution of, 391, 463.
 Divisions of, 464.
 Fossils of, 487.
 General section of, 484.
 Thickness of, 391, 486.
 Trilobites of, 469, 488.
 Typical exposures, 465.
- Maquoketa stage, 390, 463.
- Marls, 67.
 Origin of, 67.
- Marshall mine, 337.
- Maynard, Elevation of, 454.
 Section at, 515.
- McAllister clay pit, 313.
 well, 313.
- McConoghey mine, 338.
- McDonald well section, 314.
- McGee, cited, 130, 154, 164, 281, 282, 283, 373, 405.
- McKay well, 352.
- McKinley's quarry, 186, 217.
- McKinney brickyard, 427.
- Medium lake, 237.
- Meredith mine, 336.
- Merrill, cited, 156.
- Metals, Ores of, 357.
- Meteorology, 293.
- Methods of excavation, 73.
 cement manufacture, 77.
- Middle Devonian series, 157.
- Middle Maquoketa division, 474.
- Midland Junction, Elevation of, 380.
- Miller, B. L., cited, 310, 317, 322, 332.
- Mineral production in Iowa, 1904, 17.
 1903, 17.
 1902, 17.
- Mineral waters, 363.
 Analysis of, 365.
- Mines (see coal mines).
- Mingo, Elevation of, 291.
- Mining, 75.
- Mississippian series, 308.
- Mississippi lowlands, 374.
- Missourian formation, 119.
- Mitchell county limestone, 110.
 Analysis of, 110.
- Mitchellville, Elevation of, 291.
- Monroe clay works, 350.
 coal district, 337.
- Morgan quarry, 320, 354.
- Mosnat, Roy, cited, 202.
- Morrow clay plant, 223.
- Mounds of prehistoric people, 146.
- Mud creek, 299.
- Murchisonia gracilis*, 470, 473.
 major, 462.
- Murphy, Elevation of, 291.
 Stone near, 355.
- Natural cements, 47, 48.
- Newberg, Elevation of, 291.
- Newberryia johannis*, 514.
- Newberry cited, 82.
- Newhall, Elevation of, 149.
- Newton clay works, 352.
 coal district, 339.
 Elevation of, 291.
 water supply, 361, 362.
- Niagara-Devonian, contact exposure, 497.
 limestone, 389, 392.
 Areal extent of, 392, 489.
 Description of, 392.
 Distribution in Fayette county, 489.
 Divisions of, 402.
 Thickness of, 490.
- Niagara, Sections of, 395, 396, 397, 399, 400, 401, 497, 492, 494, 498, 535.
- Nileus vigilans*, 469.
 zone, 468.
- Nolan well section, 321.
- Norris mine, 342.
- Northcutt quarry, 354.
- North Skunk river crossing, Elevation of, 291.
- Norton, W. H., cited, 108, 131, 158, 161, 162, 306, 308, 361, 382, 417.
- Norway, Elevation of, 149.
- Ocher, 358.
- Oelwein, Elevation of, 454.
 Pressed Brick Company, 537.
- Older Clinton wells, 381.
 drift plain, 376.
- Oleaceæ, 275.
- Olive township, Niagara in, 399.
 Well records in, 412.
- Oneota limestone, 387.
- Orange township, Niagara in, 399.
 Well records in, 413.
- Orcutt clay works, 315, 350.
- Ordovician limestones, 105.
 system, 390, 461.

- Ores of the metals, 359.
 Origin of chalk, 66.
 fresh water marls, 67.
 limestones, 56.
Orthothis biforata acutilirata, 480, 482.
 laticosta, 391.
 lynx, 480.
 fissicosta, 487.
 flabellites, 497.
 hamburgensis, 473.
 hybrida, 402.
 insculpta, 470.
 iowensis, 162, 164, 165, 509, 516.
 kankakensis, 471.
 macfarlanei, 508.
 occidentalis, 391, 480, 482.
 pectinella, 487.
 plicatella, 474.
 subquadrata, 472, 473.
 testudinaria, 463, 470.
 whitfieldi, 470, 471.
Orthoceras bilineatum, 468.
 sociale, 470.
Orthothetes chemungensis, 164, 168.
 subplana, 497.
Ostrya virginiana, 266.
 Oswalt, Coal near, 344.
 Otter creek, 456.
 Ottumwa limestone, 116.
 Analysis of, 116.
 Owen, D. D., cited, 130, 437.
 Paha, 142.
 Palo Alto county (see Emmet county).
 Paper Company well, 382.
 Papilionaceæ, 271.
Paracyclas elliptica, 164.
 Patrick, G. E., analyst, 111.
 Patterson's mine, 339.
 Patterson spring, 479.
 Section at, 479.
 Pelican lake, 236.
 Pella limestone, 116.
 Analysis of, 116.
 Pennsylvanian series, 310.
Pentamerella dubia, 181, 508, 510.
 arata, 164.
Pentamerus oblongus, 393, 498.
 Pettit quarry, 218.
Phacops rana, 164, 515.
Phillipsastrea billingsi, 182, 517.
Pholidostrophia nacrea, 164, 508, 517.
 Physical characters of limestone, 61.
 Physiography of Benton county, 131.
 Clinton county, 374.
 Emmet, Palo Alto and
 Pocahontas counties, 233.
 Fayette county, 439.
 Jasper county, 283.
 Pinaceæ, 262.
 Pitch's well, 201.
Platystoma niagarensis, 402.
Plectambonites sericea, 391, 469, 480.
 Pleistocene system, 201, 244, 323, 415,
 521.
 Section of, 522.
 Plover, Elevation of, 239.
 Pocahontas county (see Emmet county).
Polygyra multilineata, 327.
 Pomaceæ, 269.
Populus alba, 263.
 deltoides, 264.
 monilifera, 264.
 tremuloides, 263.
 Portland cements, 48, 50, 51.
 Composition of, 53.
 Definition of, 51, 53.
 Methods of manu-
 facture, 77.
 Preparation for kiln,
 78.
 Post-glacial deposits, 210.
 gorge, 457.
 sands, 330.
 Postville Junction, Elevation of, 454.
 Prairie City, coal district, 342.
 Elevation of, 291.
 well section, 363.
 Prairie willow, 266.
 Prairie creek, 299, 301.
 Precipitation, Table of, 296.
 Pre-Kansan drift, 201, 415, 521.
 sands and gravels, 254.
 stage, 201, 254, 521.
 Preparation of raw materials, 78.
 Prickly ash, 271.
Productella subulata, 164, 515.
 Production of cement in U. S., 37.
 cement blocks in Iowa, 32.
 clay in Iowa 1904, 17,
 23, 24, 25.
 1903, 17.
 1902, 17.
 coal in Iowa 1904, 17,
 21, 22.
 1903, 17.
 1902, 17.
 gypsum in Iowa 1904, 17,
 30.
 1903, 17.
 1902, 17.
 lead in Iowa 1904, 17, 31.
 1903, 17.
 1902, 17.
 sand-lime brick 1904, 17,
 31.
 Profile C., R. I. & P. R. R., in Jasper
 county, 288.
Pterinea demissa, 480.
Pterygometopus callicephalus, 469.
Ptychophyllum versiforme, 172, 169.
Ptyctodus calceolus, 181, 507.
 Pulverizing coal, 97.
 Pulver mine, 342.
 Pure hard limestone, 64.
 Putnam township, Elevation in, 454.

- Puzzolan cements, 46, 50.
Pyramidula striatella, 327.
 Quarry, Ales, 408.
 Aungst Brothers, 161, 218.
 Baldwin, 399.
 Bliss, 218.
 Davis, 536.
 Dooley, 319, 355.
 Dwigans, 175.
 Gypsum's 398.
 Herwehe, 320, 321.
 Kearns', 218.
 Keiser, 188, 219.
 Kemper, 355.
 Kiel's, 408.
 Kirkland, 189.
 Knapp, 185.
 Lampbear, 318, 355.
 Long's, 184, 219.
 McKinley's, 186, 217.
 Morgan, 320, 354.
 Northcutt, 354.
 Pettit, 218.
 Quinn, 172, 173.
 Reinhart, 355.
 Rosenberger, 172, 218.
 Tripp, 190, 217.
 Wallace, 218.
 Williams, 535.
 Williams and Davis, 494.
 Quarrying, 74.
Quercus macrocarpa, 267.
 rubra, 267.
 Quicklime, 430.
 Quinn quarry, 172, 173.
Rafinesquina alternata, 391, 470.
 var. *loxorhysis*, 477.
 deltoidea, 462.
 minnesotensis, 462, 470.
 Randalia, Elevation of, 454.
 Raw materials for cement, 73.
 actually in use, 64.
 cost at mill, 76.
 cost of drying, 80.
 Cost of excavation, 73.
 Drying, 79.
 Methods of drying, 80.
 excavation, 73.
 Preparation of, 78.
 Water in, 79.
 Rawson's mill section, 481.
 Reasnor coal shaft section, 318.
 Stone near, 355.
 Red Rock sandstone, 316.
 Analysis of, 356.
 Physical tests of, 356.
 Reinhart quarry, 355.
 Report of Assistant State Geologist, 12.
 State Geologist, 3.
 Residual materials, 520.
 Rhamnaceæ, 274.
Rhus glabra, 272.
 hirta, 271.
 radicans, 272.
Rhynchonella neenah, 473.
Rhynchotrema capax, 391, 470.
 inaequivalvis, 471.
 perlamellosa, 487.
Rhynchotrema cuneata americana, 402.
Ribes cynosbati, 268.
 floridum, 264.
 gracilis, 268.
 Riggs, Elevation of, 380.
 Ringstead, Well section at, 254.
 Rink brickyard, 427.
 River, Cedar, 150.
 Des Moines, 249, 303.
 East Des Moines, 243.
 Iowa, 149.
 Little Turkey, 456.
 Maquoketa, 378, 455.
 Mississippi, 377.
 North Skunk, 302.
 Skunk, 296.
 Turkey, 456.
 Wapsipinicon, 377, 455.
 Road building, 541.
 Road materials, 220, 357, 540.
Robinia pseudacacia, 271.
 Robinson, brickyard, 256.
 Rock Creek, 303.
 Elevation on, 291.
 Rodman, Elevation of, 239.
 Rolfe, Elevation of, 239.
 Roofing slate, 72.
 Composition of, 73.
Rosa arkansana, 269.
 blanda, 269.
 Rosaceæ, 268.
 Rosenberger quarry, 172.
 Rotary kiln, 92.
 Processes adapted for, 84.
 Rubens, Elevation of, 239.
Rubus occidentalis, 268.
 strigosus, 268.
 villosus, 269.
 Ruggles-Coles dryer, 81.
 Russell, I. C., cited, 77, 103.
 Rutaceæ, 271.
 Ruthven, Elevation of, 239.
Saccocrinus christyi, 402.
 Saint Lawrence limestone, 387.
 Saint Louis limestone, 115, 116, 255.
 strata, 308, 309.
 Saint Lucas, Elevation of, 454.
 Saint Peter sandstone, 388.
 Salicaceæ, 263.
Salix alba vitellina, 265.
 amygdaloides, 265.
 bebbiana, 266.
 cordata, 266.
 discolor, 266.
 fluvialis, 265.
 humilis, 266.

- Salix myrtilloides*, 266.
nigra, 265.
sericea, 266.
 Sand, 221, 357, 428, 540.
 Sand-lime brick production, 1904, 31.
 Sand Prairie, 145.
 Savage, T. E., Administrative report, 12.
 cited, 114, 115, 288, 327.
 Geology of Benton
 county, 125.
 Geology of Fayette
 county, 433.
 Saxifragaceae, 268.
 Section, Aungst quarry, 161.
 Bliss, 165.
 Cascade gulch, 475.
 Hollow, 114.
 Cedar river, 180.
 Chalk beds, 104.
 Chilton quarry, 115.
 Clermont shale pit, 477.
 Contact Niagara-Devo-
 nian, 497.
 Crane creek, 511.
 Dover mills, 465.
 Dwigan quarry, 173.
 Fairbank, 514.
 Fayette cut, 506.
 Garrison quarry, 192.
 General Cedar valley, 194.
 General Devonian, 519.
 General Maquoketa, 484.
 Keiser, 188.
 Kirkland, 187.
 Klondike coal mine, 314.
 Knapp quarry, 186.
 Lime Creek shales, 110.
 Lynnville, 312.
 Maynard, 515.
 McAllister clay pit, 313.
 McDonald well, 314.
 Morgan quarry, 320.
 Niagara, 395, 396, 397, 399,
 400, 401.
 Nolan well, 321.
 Oelwein clay plant, 537.
 Patterson's spring, 479.
 Pleistocene near Oelwein, 522.
 near Winton, 207.
 Prairie City well, 363.
 Quinn quarry, 166.
 Railroad cut, 162.
 Rawson's mill, 481.
 Reasnor, 318.
 Robertson quarry, 120.
 Rosenberger quarry, 172.
 Specht ferry, 106.
 Tripp's quarry, 190.
 Wadena, near, 482.
 Wallace quarry, 158.
 Well section, 201, 252, 254.
 Westfield bridge, 502.
 West Union, 517.
 Section, Whites' coal shaft, 316.
 Wild Cat bluff, 175.
 Williams and Davis quarry,
 494.
 Williams quarry, 492.
 Windsor, 509.
 Shaff Brothers' mine, 338.
 Shamburg brickyard, 353.
 Shannon brickyard, 205, 222.
 Sharf Brothers' mine, 337.
 Sharon township, Niagara in, 399.
 Well records in, 413.
 Shaw mine, 337.
 Shellsburg, Elevation of, 148.
 Topographic sheet, 148.
 Shifting sands in Jasper county, 287.
 Silica, 59, 60.
 In limestone, 58.
 Silicate cements, 42.
 Silurian system, 392.
 Silver creek, 299, 372.
 Silver lake, 237.
 Simple cements, 41.
 Siphonocrinus armosus, 402.
 Skunk river, 296.
 Elevation on, 291.
 Slag, 71.
 Blast furnace, 71.
 limestone mixtures, 83.
 Economics
 of, 86.
 Slate, 72.
 Analyses of, 73.
 Composition of, 73.
 Slaughter mine, 243.
 Smith ball mills, 90.
 Smith brickyard, 222.
 Snipe creek, 303.
 Snooks mine, 339.
 Soil, Alluvial, 215.
 Drift, 213.
 Loess, 212.
 Types of, 212.
 Sandy, 315.
 Swamp, 214.
 Soils of Benton county, 211.
 Clinton county, 430.
 Fayette county, 533.
 Jasper county, 333.
 Specht ferry section, 106.
 limestone, Analysis of, 107.
 Spirifer asperus, 164.
 binnesialis, 165, 171, 513.
 fimbriata, 517.
 niagarensis, 402.
 parryanus, 172, 178, 192.
 pennatus, 162, 170, 517.
 subearicosus, 517.
 Spirifer pennatus beds, 162.
 Spirit lake, 236.
 Spring Rock township, Niagara in, 400.
 Well records in,
 414.

- Spring Valley township, Niagara in, 400.
Stanley, Elevation of, 454.
Staphyleaceæ, 272.
Staphylea trifolia, 272.
Steiger, George, analyst, 109, 114, 116.
Stewart brickyard, 256.
Stone, 218, 258, 354, 535.
 production in Iowa 1904, 17, 27,
 28.
 1903, 17.
 1902, 17.
Stover, C. C., 254.
Straight Brothers' brickyard, 256.
Straparollus cyclostomus, 194.
Stratigraphy, Benton county, 155.
 Clinton county, 380.
 Emmet, Palo Alto and
 Pocahontas counties,
 243.
 Fayette county, 458.
 Jasper county, 304.
Streptelasma corniculum, 462, 473, 477.
 patula, 402.
 spongaxis, 497.
Stropheodonta demissa, 162, 164, 518.
Strophomena fluctuosa, 469.
 incurvata, 474.
 planumbona, 470.
 plicata, 391.
 trilobata, 480.
Sturtevant mill, 89.
Succinea avara, 327, 422.
 ovata, 327.
Sugar creek, 303.
 Elevation on, 291.
Sully, Elevation of, 291.
Sumner, Elevation of, 454.
Swan lake, 236.
Syringopora verticellata, 395.
Table of altitudes, Benton county, 48.
 Clinton county, 380.
 Emmet, Palo Alto
 and Pocahontas
 counties, 239.
 Fayette county, 454.
 Jasper county, 291.
Table of basal sandstones and shales,
 357.
Table of formations, Benton county, 157.
 Clinton county, 381.
 Emmet, Palo Alto
 and Pocahontas
 counties, 244.
 Fayette county, 416.
 Jasper county, 305.
Table of well records, 408.
Tentaculites sterlingensis, 480.
Terraces along Turkey river, 451.
Tharp, G. M., 202.
Theoretical, fuel requirements, 94.
Thickness of Maquoketa, 391, 486.
 Niagara, 404, 490.
Tiliaceæ, 274.
Topographic maps, 3.
Topography of Benton county, 131.
 Clinton county, 374.
 Emmet, Palo Alto and
 Pocahontas counties,
 233.
 Fayette county, 452.
 Jasper county, 283.
Toronto, Elevation of, 380.
Total cost of coal preparation, 98.
Tracy limestone, Analysis of, 116.
Trajorsky brickyard, 222.
Trenton limestone, Analysis of, 107.
Trilobites of Maquoketa, 469, 488.
Tripp's quarry, 190.
Trochoceras baeri, 474.
Trochonema umbilicatum, 462.
Turtle lake, 235.
Twelve Mile lake, 236.
Udden, J. A., Geology of Clinton county,
 371.
Ulmaceæ, 267.
Ulmus alata, 268.
 americana, 267.
 fulva, 267.
Uncinulus stricklandi, 497.
Underlying formations, 381.
Upper Maquoketa division, 479.
Use of term Portland, 53.
Uses of Portland cement, 40.
Valeria Coal and Mining Company, 344.
Valeria, Elevation of, 291.
Value of deposits for cement materials,
 73.
 mineral production in Iowa
 for 1904, 17.
 for 1903, 17.
 for 1902, 17.
 mineral waters, 365.
Vandalia, Coal near, 342.
Van Horn, Elevation of, 148.
Varieties of limestone, 57.
Viburnum lentago, 276.
 pubescens, 276.
Virgin lake, 237.
Vitaceæ, 274.
Vitis vulpina, 274.
Wadena, Elevation of, 454.
Walford, Elevation of, 148.
Wallace quarry, 74, 160, 218.
Wapsipicon river, 378, 455.
 stage, 500.
Warrick Brothers' mine, 344.
Washington township, Niagara in, 401.
Waterford township, Niagara in, 401.
 Well records in,
 414.
Water, Mineral, 363.
Water in raw materials, 79.
Water power, Fayette county, 544.
 Jasper county, 366.

- Water supply, Benton county, 224.
 Clinton county, 429.
 Emmet, Palo Alto and
 Pocahontas counties,
 258.
 Fayette county, 544.
 Jasper county, 360.
- Waterworks well at Clinton, 384.
- Watkins, Elevation of, 148.
- Waucoma, Elevation of, 454.
- Weir, George W., 254.
 well, 253.
- Well record, Pitch's, 385.
- Well records in Clinton county, 408.
 section at Ringstead, 254.
- Welton, Elevation of, 380.
- Welton township, Niagara in, 402.
 Well records in, 415.
- West Bend, Elevation of, 239.
- West Gate, Elevation of, 454.
- West Union, Elevation of, 454.
- Wet methods of grinding and mixing,
 87.
- Wheatland, clay works, 427.
 Elevation of, 380.
- White, Dr. C. A., cited, 231, 232.
- White mine, 316, 342.
- Whitney, J. D., cited, 313, 335, 437.
- Wilder, F. A., Administrative report, 3.
 cited, 103.
- Williams and Davis quarry, 494.
- Williams, Ira A., Geology of Jasper
 county, 279.
- Williams' mill, 98.
- Williams' quarry, 535.
- Wisconsin drift, 250, 290.
 gravels, 245.
 Loess underlying, 328.
 stage, 245, 329.
- Wolf creek, 299.
- Xanthoxylum americanum*, 271.
- Zaphrentis stokesi*, 395.
- Zinc production in Iowa for 1904, 31.
- Zygospira modesta*, 437, 480.
 recurvirostra, 437.