INDEX.

Adams county, 442.
Adams county, analyses of coal, 504.
Adams county, coal, 445.
Adel, Dallas county, 258.
Age of lithographic limestone, 82.
Age of sandstones of Pine Creek, 80, 82. Agriculture and Geology, 19. Albia, 379. Albion, Marshall county, 238. Algonkian rocks, described, 103. Altoona, Polk county, 238. Appalachian coal field, 94. Appalachian field, subdivision, 95. Appanoose county, analyses of coal, 504. Coal deposits, 406. Moravia district, 411. Milledgville district, ALL Cincinnati district, 419. American Carboniferous, major members. 67. Analyses, value of chemical, 500. Of Iowa coals, 504. Andrews, quoted, 165. Angus, Boone county, 226. Angus, Greene county, 223. Anthracite shipped to Iowa, 520. Area, glaciated, in Iowa, 102. Artificial coal, 64. Ash in coals, 502. Assistants, 4. Audubon county, 430. Augusta formation, 85. Aux Vases sandstone, 85, 89. Avery, Monroe county, 377. Avon, Polk county, 288. Bain, H. F., 27. Bartlett, Fremont county, section, 452. Base of Carboniferous, 77. Basin, Carboniferous, of Mississippi valley, 55. Bayard, Guthrie county, 251. Bear Creek, district, 392. Beds associated with coal seams, 52. Beginning of Coal Measure Epoch in Upper Mississippi region, 90 Beginning of coal period, uniform conditions, 92. Bellefountaine, Marion county, section, Bennington, Marion county, section, 149,

Braddyville, Page county, section, 455.

Blakesburg, Wapello county, 392. Blastoidal limestone, 84.

Bloomfield, 428.

Ackworth, Warren county, 314.

Adair county, coal, 441. Adair, Adair county, 442. Bonaparte, Van Buren county, 433. Boone county, analyses of coal, 505. Angus district, 226. Coal deposits, 225. Des Moines valley district, 229. Squaw creek district, 235. Boonesborough, Boone county, 232. Boone valley mines, 235. Borings, deep, 139 Keokuk county, 117. Mahaska county, 117. Boulders, 136. Boyleston, Henry county, 482. Brazil, Appanoose county, 414. Breccia, crinoidal, 70. Brick, from under clay, 136. Briquettes, economy, 519. Manufacture, 577. Bond employed, 518. Briscoe, Adams county, 441, 446. Buffalo, Scott county, 472. Burlington limestone, lower, 85. Burlington limestone, upper, 85, Bussey, Marion county, 309. Calcite, 120. Calcareous beds, Coal Measures, 135. Calvin, S., acknowledgment, 27. Age of sandstones at Pine Creek, 80, Cambrian rocks, described, 104. Cannel coal, 494. Formation, 475. Carlisle, Warren county, 307. Carbon, Adams county, 447. Carbon, Davis county, 427. Carbon, forms, 41. Carboniferous, major members, 67. Base, 77. Basin of Mississippi valley, 55. Deposits of eastern Iowa, 465. Formations, described, 108, General section, 161. Geological provinces, 60. Subdivisions, 67. Carboniferous (Lower), 69, 108. Classification, 85. Definition, biological, 83. Delimitation, 74. Derivation of limestones, 70. Distribution, 72. Faunal characteristics, 83. Lithological characters, 70. Principal section, 78. Subdivisions, 85 Carboniferous (Upper), 68, 91, 108. Coal fields, 94.

Divisions, 95, 118, 120.

Occurrence of coal, or, Carroll county, coal, 218. Cass county, coal, 440. Cedar Valley limestone, 107. Centerville, 418. Section, 407. Central Iowa, coal beds, 242. Detailed section, 145. Generalized section, 151. Chalk, Niobrara, 111. Character of Saint Louis limestone, 88, Chariton, 371. Chemical analyses of coal, 499. Iowa coals, 504. Chemical changes in coal formation, 47. Chemung controversy, 77. Chester shales, 85. Chouteau limestone, 85. Cincinnati, Appanoose county, 419. Clarinda, Page county, 454. Clarke county, coal deposits, 451. Classes of sediments, 119. Classification of Mississippian series, 85. Of strata, principles, 63. Clay and shale, 191. Clay seams in coal, 189, 266. Clay fissures in coal, 189, Cleveland, Lucas county, 367. Clinton county, 469. Coal, anthracite, 492. Areas, comparisons, 36. Artificial, 44. Ash, 502. Bituminous, 493. Chemical analyses, 499, 504. Chemical changes in formation, 47. Clay seams in, 189, 266. Comparisons, 502. Deposition, 91. Deposits, extent, 37. Deposits of southwestern Iowa, 435. Examinations, 23. Early productions of counties, 522. Fixed carbon, 502. Formation, diminution in bulk, 49. Formation, history, 45. From drift materials, 171. Hardness, 498. Industry, extent, 521. Investigations, 22. Kinds, 492. Lamination, 497. Lithological characters, 136. Markets, 527. Methods of formation, 171. Mining, waste, 511. Moisture, 501. Number of mines, 525. Occurrence, 91. Origin, 41. Physical properties, 496.

Poetry, 32. Power, 35. Preparation for market, 514. Production, comparisons, 34. Proportion in Coal Measure rocks, Prospecting, 131. Semi-anthracite, 403. Source of materials, 41. Sulphur, 503. Territory supplied, 527. Upper Coal Measure, 139. Utilization of dust, 516. Value of product, 525 Vegetable origin, proofs, 43. Volatile combustible matter, 501. Waste in dust, 515. Coal basin, form of interior, 143. Lenticular, 177. Coal beds (see also coal seams). Central Iowa, 241. Character and number, 175. Dislocations, 186. Extent of individual, 173. Irregularities of deposition, 178. Northcentral Iowa, 195. Roof, 137. Southwestern Iowa, 357. Coal fields, Appalachian, 94. Eastern interior, 96. Interior basin, 94. Iowa, 23, 33, 36. Michigan, 94. Western interior, 97, 162. Coalfield, Monroe county, 367. Coal horizons, 163. At Des Moines, 175. At Lehigh, 209. Coal Measures, area, 23, 33, 36, 99. Basal sandstone, 134. Calcareous beds, 135. Coal beds, 173. Economic value, 91. Floor, 60, 72. General conclusions, 160. General considerations, 123. Geological relations, 112. Limestone, 135. Lithology, 123. Local stratigraphy, 160. Proportion of coal, 124. Relations of upper and lower, 161. Sandstones, 131. Series, 91. Shales, 191 Stratigraphy, 141. Subdivisions, 118. Thickness, 144. Unconformities, 147, 150, 152, 154, 169. Variability of strata, 152. Coal Measures (Lower), 68, 119.

Delimitation, 94. Divisions, 94. Individuality, 93. Lithology, 125. Shales, 126. Stratigraphy, 144, 154. Thickness, 153. Overlapping, 113. Coal Measures (Upper), 119, 137, 155. Coal, 139. Deformations, 156. Lithology, 125. Shales, 137. Strata, regularity, 155. Thickness, 159. Typical section, 155. Coalport, Jefferson county, 298. Coalport, Marion county, section, 227. Coal region, elevation, 101. General geology, 99. Geographical limits in Iowa, 99. Topography, 100. Coal report, 21. Mining, 22. Preliminary, 21. Scope, 21. Uses, 22. Coal seams (see also coal beds). Andrews on, 165. Associated beds, 52. Conditions of disposition, 167. Cycles of accumulation, 169. Effect of ironstone nodules, 497. Faults, 187. Naming, 26. Parallelism, 165. Pinches, 179. Relations, 37. Rolls, 88. Stratigraphical importance, 93, 176. Undulatory charater, 279. Coalsiding, Jasper county, 297. Coalville, Webster county, 203. Coke from Iowa coals, 516. Colfax, 300. Commerce, Polk county, 273, 336. Comparison of coals, 502. Composition of Iowa coals, 491, 524. Cone-in-cone, 129. Confidence, Wayne county, 402. Conditions of deposition, 44, 123. Contents, table, 5. Coppack, Henry county, 480. Correlations, 79.
Council Bluffs, prospecting for coal, 439.
Creep in coal mine, 229.
Cretaceous formations, described, 109. Crinoidal breccia, 70. Limestone, 84. Cross bedding in sandstone, 133, 134. Cut-outs in coal, 182.

Dailas county, analyses of coal, 505. Coal beds, 253.

Des Moines valley district, 254.

Raccoon valley district, 256. Raccoon valley, south, district, 261. Dakota formation, 111. Dallas, Marion county, 333-Danville, Des Moines county, 484. Davenport, 471. Davis county, analyses of coal, 505. Coal deposits, 424.

Dawson, Dallas county, 245, 261.

Decatur county, coal deposits, 462. Deep borings, 139.
Deep mining, in Belgium, 193.
In England, 193. In Kansas, 192. Limits of, 191. Deep well at Red Oak, 159. Definition, biological, of Mississippian series, 83. Delaware county, 467.
Delimitation of Lower Carboniferous, 74. Lower Coal Measures, 94. Mississippian, 74. Denmark, Lee county, 487. Deposition, conditions, 44, 123. Of coal, 91. Paleozoic sediments, 65. Des Moines, 267, 276, 290. Sections, 131, 269 Des Moines county, 483. Des Moines formation, 68, 120, 126, 144. Des Moines river, section at Fort Dodge, 801 Des Moines valley district, Dallas county, Polk county, 283. Wapello county, 384. De Soto, Dallas county, 261. Devonian formations, described, 107. Diabase, olivine, 104. Distribution of Lower Carboniferous, 73. Of Mississippian series, 73. Divisions, of Kinderhook three fold, 80, 86. Lower Coal Measures, 120. Pennsylvania series, 120. Drakesville, Davis county, 428. Drift, 111. Drill, diamond, 25. Drill records, value, 24. Douds station, Van Buren county, 431. Dunreath, Marion county, section, 325, Early attempts to learn of Iowa coal, 522. Eastern interior coal field, 96 Eastern Iowa, Carboniferous deposits, 465. Economic value of Coal Measures, 92. Economy of briquettes, 319. Eddyville section, 375. Wapello county, 384.

INDEX. Eldora, Hardin county, 216. Elevations in coal region, 101. Elk Cliff, section, 132, 146. Encrinital limestone, 70 Erosion, Mississippi basin, 56. Modern, 185. Preglacial, 184. Erosive channels, 181. Evans, Mahaska county, 349. Exline, Appanoose county, 420. Extent of coal deposits, 37. Coal industry, 521. Extraneous sediments in coal seam, 180, Fairfield, Jefferson county, 119, 399. Fanslers, Guthrie county, 249. Farmington, Van Buren county, 434. Faults, in coal beds, 186. Near Des Moines, 282. Step, 187. Wedge, 188. Faunal characteristics of Mississippian series, 83. Ferry P. O., Mahaska county, 356. Fire, an element of progress, 29. Brick, from under clay, 136. Worshipers, 30. Fish bed, 72. Fixed carbon in coal, 502. Flagler, Marion county, 335. Flint Brick Works, Des Moines, 284. Floor of Coal Measures, 60, 72, Floris, Davis county, 426. Folds in Mississippi basin, trend, 59. Forbush, Appanoose county, 417. Formations, Des Moines, 120, 126, 144. Geological, of Iowa, 103. Of Wisconsin, 120, 137. Overlapping, 113. Thickness in Iowa, 112. Form of Interior coal basin, 143.

Gypsum, 110, 129. Mines, 201. Section, 198. Fossils, lithographic, 81. Use in classification of strata, 61. Foster, Monroe county, 381, 424. Franklin township, Lee county, 486. Frederick, Monroe county, 378. Fremont county, Coal Measures, 452. Fremont, Mahaska county, section. 355.

Fort Dodge, beds, 102, 110, 129.

Forms of carbon, 41. Fort Benton formation, 111,

Galena limestone, 105. Gas from Iowa coals, 516. General section in central lowa, 151, Geode bed, 85. Geographical limits of Iowa coal area, 99. Geological board, 3.

Features, Mississippi basin. 57. Formations of Iowa, 103, Provinces, 60. Relations of Iowa Coal Measures, 112. Section, at Louisiana, Missouri. 78. Sections, general, 142

Geology, general, of coal region, 99. Gilbert, Story county, 237. Glaciated area in Iowa, 102. Glenwood, Mills county, 443. Gordon, C. H., acknowledgments, 27. Grand Junction, 220.

Graphite, 492. Greene county, analyses of coal, sos. Coal beds, 219 Grundy county, 466

Guthrie county, analyses of coal, 505. Coal beds, 225, 242. Raccoon valley district, 245. Gypsum, beds, 110, 128.

In coal, 136. Hall, lames quoted, 112. Hamilton county, analyses of coal, 506. Coal beds, 211.

Hannibal shales, 85 Hardin county, analyses of coal, 506. Coal deposits, 214. Harrison county, 436 Hastie, Polk county, 290. Hawleyville, Taylor county, 458. Henry county, coal deposits, 450.

Unconformities, 116 High Bridge, Dallas connty, 255. Hillsboro, Van Buren county, 249, 282. Hillsooro, Van huren county, 429, 428. Hilltown, Appanoise county, 422, 428. "Horseback," at Des Moines, 180. At Kalo, 180, 206.

Howard, Wayne county, 405. Hull well, 104. Humboldt county, prospecting for coal, 106.

Importance, stratigraphical, of coal seams. Increase in coal mining, 524.

Independence shales, 107. Indianola, 313 Individuality of Lower Coal Measures, 93. Interior basin, coal fields, 94. Previous to Carboniferous, 65.

Introduction, 29. Investigation, necessarily extended, 61. Iowa City, 407. Iowa coal, production, 34, 36.

Chemical analyses, 504. Deep mining, 36. Development of resources, 33. Gas and coke, 516. Mineral resources, 33, 37. Iowa county, Coal Measures, 470.

Iron ore, 137.

Jackson county, 468. amaica, Guthrie county, 245. Jamestown, Scott county, 472. Jasper county, analyses of coal, 506. Coal beds, 291. lefferson county, 393. erome, Appanoose county, 413. Johnson county, 469. Jones, A. I., acknowledgments, 27. Jones county, 468. Kalo, Webster county, 180, 204. Kaskaskia limestone, 85, 89. Wanting in Iowa, 89 Keb, Wapello county, 386. Keokuk, 117, 485. Basal sandstone at, 134. Keokuk county, analyses of coal, 506. Borings, 117. Coal deposits, 357, 470. Lower Coal bed, 117. Unconformity, 117. Prospecting, 176. '. Keokuk limestone, 85, 87. Keosauqua, 432. Kinderhook formation, 85. Three fold division, 80, 86. Kinds of coal, 492. Kirkville, Wapello county, 385. Knoxville, 333. Lacona district, Warren county, 314. Laddsdale, Davis county, 425, 429. Laddsdale, Wapello county, 391. Lakes, filling, 59. Lamination of coals, 497. Laneville, Appanoose county, 415. Lapworth, quoted, 63. Le Claire, Scott county, 471. Le Claire limestone, 107. Lee county, coal, 484. Unconformities, 416. Lehigh, Webster county, 207. Drill records, 207. Libertyville, Jefferson county, 401. Lignite, 44. Limestone, blastoidal, 84. Cedar valley, 107. Coal Measure, 135. Crinoidal, 84 Encrinital, 70.
"Fifty-foot," in Appanoose county, 135. Galena, 105. Le Claire, 107. Lithographic, age, 82. Lower Magnesian, 104. "Mountain," 69, 72. Niagara, 106. Oneota, 104.

"Seventeen-foot," in Appanoose county, 135. Trenton, 105. Lime creek shale, 108. Linden, Dallas county, 246, 266. Linn county, Coal Measures, 467. Lithographic fossils, 81. Limestone, age, 82. ithological characters of coal, 136. Sequence, 53, 143. Lithology of Coal Measures, 123. Loess, III. Logan, Harrison county, 437. Lonsdale, E. H., acknowledgments, 27. Louisiana, Missiouri, geological section, 78. Louisiana shales, 85. Lower Burlington limestone, 85. Lower Carboniferous series, 69. Characters of limestones, 71. Delimitation, 74.
Derivation of limestones, 70. Distribution, 72. Lithological characters, 70. Strata, thickness, 70 Lower Coal Measures, 68, 119. Delimitation, 94. Divisions, 120 Individuality, 93. Lithology, 125. Shales, 126. Stratigraphy, 144. Lower Magnesian limestone, 104. Lucas county, analyses of coal, 507. Coal deposits, 366. Little Whitebreast district, 370. Minor localities, 373. Whitebreast valley district, 367. Lucas, Lucas county, 367. Lynnville, Jasper county, 295. Lyon county, outcrops, 103. Madison county, analyses of coal, 507. Coal beds, 304. Magnesian limestone, lower, 104. Mahaska county, analyses of coal, 507. Borings, 117. Coal beds, 340. Ideal section, 179. Lower coal bed, 117. Muchachinock valley district, 348. Oskaloosa district, 345. Oskanosa district, 345. Raven cliff, 133. Skunk valley, North, district, 342. Skunk valley, South, district, 344. "The Bluffs," 133. Unconformities, 117.
Major members of American Carbonifer-

ous, 67. Maquoketa shales, 106.

Marion county, analyses of coal, 501.

Coal beds, 317. Redrock, 49, 52. Saint Louis limestone, 318. Unconformities, 116, 117. Markets for coal, 527. Marlite, definition, 137. Marshall county, coal, 237. Marysville, Marion county, 337. McGee, W. J., quoted, 101. McGregor, 105. Members of American Carboniferous, 67. Michigan coal basin, 96. Middle river valley district, Warren county, 309. Milledgeville, Appanoose county, 411. Mills county, 443. Mineral resources, investigations, 38. Mining, deep, 36. Limits of, 91. Mississippi basin, erosion, 56. Geological section, 57. Structural fractures, 57. Topography, 56. Mississipian, origin of term, 72. Section, 115.
Mississippian series, 68, 69, 108.
Biological definition, 83. Classification, 85. Delimitation, 74. Derivation of limestones, 70. Distribution, 73-Faunal characters, 83 Lithological characters, 70.
Subdivision, 85.
Mississippi valley, Carboniferous basin, 55.
Missouri formation, 68, 120, 137, 155. Mitchellville, Jasper county, 299. Modern erosion, 185. Moingona, Boone county, 231. Moisture in coal, 501. Monmouth, Jackson county, 468. Monroe county, Albia district, 378. Analyses of coals, 507. Avery district, 375. Coal, 374. Soap creek district, 380. Monroe, Jasper county, 299. Montgomery county, coal, 443. Montpelier sandstone, 108. Moravia, Appanoose county, 411. Morman Ridge, Marshall county, 238. "Mountain limestone," 69, 72. Mount Pleasant, 483. Muscatine, 476. Muscatine county, coal, 475. Muchachinock district, Mahaska county, 348. Mystic, Appanoose county, 151, 415.

Necessity of extended investigations, 61.

Newmarket, Taylor county, 459.

Newton, 298. Niagara limestone, 106. Nigger heads, 137. Niobrara chalk, 111. Nishnabotna sandstone, 109. North river valley district, Monroe county, 307. Number of coal mines in Iowa, 525. Nyman, Page county, 456. Oakland Mills, Henry county, 181. Occurrence of coal, 91. Oil in Iowa, 157. Olivine diabase, 104 Oneota limestone, 104. Oolite in Saint Louis limestone, 88. Ore, iron, 137. Origin of coal, 41. Oscillation of shore-line, 47, 113, 160. Oskaloosa district, Mahaska county, 345. Ottumwa, Wapello county, 387. Overlap of strata, 113. Owen, D. D., work, 37-Oxford Junction, Jones county, 468. Page county, coal deposits, 453. Paleozoic sediments, deposition, 65. Series, complicated structure, 59. Panora, Guthrie county, 247. Patrick, G. E., 24, 491. Peat, 496. Bogs, 50. Growth of, 50. Swamp, ideal, 51. Pella, Marion county, 327. Pennsylvania series, 68, 91, 109. Divisions, 95, 118, 120.
Perlee, Jefferson county, 395.
Perry, Dallas county, 295.
Physical properties of coal, 496.
Pinch in coal, 189. Pine creek, age of sandstone, 80. 82. Plant remains, 42. Pleasant Ridge township, Lee county, 486. Pleistocene formations, 111. Polk City, Polk county, 283. Polk county, analyses of coal, 508. Coal, 37, 267. Des Moines valley district, 283. Raccoon valley district, 273. Potsdam in Iowa, 104. Pottawattamie county, 439. Power of coal, 35. Poweshiek county, analyses of coal, 508. Coal beds, 300. Preface, 19. Preglacial channels, 183. Preparation of coal for market, 514.

Principles in classification of strata, 63.

Prospecting for coal, 131.

Pyrite in coal, 136.

New Sharon, Mahaska county, 343.

Quarries at Sioux City, 111. Quartzite, in sandstone, 132. Sioux, 103 In Woodbury shales, 111.

Raccoon valley district. Guthrie county.

Dallas county, 256. Polk county, 273. South, Dallas county, 261. Rank of coal producing states, 524. Records of shafts, value, 24. Redfield, Dallas county, 263.

Redneid, Dallas County, 203. Red Oak, deep well, 159. Redrock, Marion county, 49, 52. Coal bed, 147. Sandstone, 132, 135. Section, 327. Reese granite quarry, 111. Richland, Keokuk county, 365. Ringgold county, 461.

Rippey, Greene county, 221. Rock formations, thickness in Iowa, 112. Rock oil, 151. Rockville, Delaware county, 467. Rolls in coal, 188.

Rome, Henry county, 481. Romo of coal, 137. Rose Hill, Mahaska county, 345. Runnells, Polk county, 291.

Saint Croix sandstone, 104. Sainte Genevieve limestone, 85. Saint Louis limestone, 85, 88.

Characters, 88. In central Iowa, 146, Overlapping, 113. Saint Peter sandstone, 105. Sandstone, basal, 134.

Bluffs, 133, 134. Coal Measure, 131. Cross-bedding, 133, 134. Montpelier, 108. Nishnabotna, 109 Redrock, 132, 135. Saint Croix, 104.

Saint Peter, 105. Shattered by blasting, 133.
Saylorville, Polk county, 287.
Scott county, analyses of coals, 508.

Coal deposits, 470 Searsboro, Poweshiek county, 302. Section at Des Moines, 131. At Louisiana, Missouri, 78. Central Iowa, detailed, 145.

General geological, 142. Sediments, classes, 119. Paleozoic deposition, 65. Selenite, 128.

Selma, Van Buren county, 431. Sequence, lithological, 53, 143.

Seymour, Wayne county, 435. Shafts, depth, 36. Records, value, 21. Shales and clays, 191.

Independence, 107. Lime creek, 100. Lower Coal Measure, 126. Maquoketa, 106. Upper Coal Measures, 137.

Opper Con measures, 137.
Shelby county, 437.
Shore-line, oscillations, 47, 16o.
Sigourney, Keokuk county, 364.
Silurian formation, described, 104.

Sioux quartzite, 103 Skunk valley, north, district, Mahaska

county, 342. South, district, Mahaska county, 344. Slickensides, 186. Southwest Mahaska district, 354. Southeastern Iowa, coal beds, 356. Southwestern Iowa, coal deposits, 435.

South river valley district, Warren county, 313. Spencer, A. C., acknowledgments, 27. Spring Hill, Warren county, 309. Spring valley, Decatur county, section,

462. Squaw creek valley district, Boone county,

Statistics, collection, 26. Step-faults, 127. Star P. O., Marion county, 382. Story county, coal, 237. Strata, succession, 124. Stratigraphical importance of coal seams,

Stratigraphy of Coal Measures, 141. Structural features of Mississippi basin, 57. Stuart, Guthrie county, 252. Subcarboniferous, use of term, 72. Subdivisions, of Carboniferous, 67.

Coal Measures, 118. In Appalachian field, 95. Mississippian series, 85. Succession of strata, 124. Sulphur in coal, 503. Summerset, Warren county, 310. Surface deposits, 111. Swan, Marion county, 330.

Talmage, Union county, 451. Tara, Webster county, 202. Tate, F. C., acknowledgment, 27. Taylor county, analyses of coal, 508. Coal deposits, 457. Thickness, Coal Measures, 144.

Lower Carboniferous strata, 70. Rock formations in Iowa, 112.
Thornburg, Keokuk county, 363.
Topography, in Mississippi basin, 56.
Coal region, 100.

Trend of folds in Mississippi basin, 50. Trenton limestone, 105.

Unconformity in Coal Measures, 147, 150.

Unconformity, Mahaska county, 117. Fairfield, 116. Fort Dodge, 117. Iowa City, 117.

Keokuk, 117. Keokuk county, 116. Le Claire, 117. Redrock, 116.

Role of, 65. Uniform conditions at beginning coal period, 92.

Union county, 450. Upper Coal Measureres, 68, 119, 137, 139, 155. Upper Burlington limestone, 85, 86,

Upper Mississippi region at the beginning of the Coal Measure epoch, 90. Utilization of fine coal, 515. Wan Buren county, analyses of coals, 508.

Coal deposits, 508. Des Moines valley district, 430. Value of coal analyses, 500.
Value of coal product in Iowa, 525.
Van Meter, Dallas county, 256, 306. Verdi, Washington county, 478.

Zenorsville, Boone county Volatile combustible matter in coal, 501.

Zero, Lucas county, 374.

Wapello county, analyses of coal, 508 Cedar Valley district, 384.

Cedar Valley district, 344.
Coal beds, 383.
Warren county, analyses of coal, 508.
Coal beds, 306.
Lacona district, 314.
Middle River Valley district, 309.
South River Valley district, 313. Warsaw limestone, 85, 88.

Washington county, 478.
Wassonville, Washington county, 477.
Waste in coal mining, 511.

Waverly beds, 85. Wayne county, analyses of coal, 508. Coal deposits, 402.

Webster county, analyses of coal, 508. Coal beds, 117. Unconformities, 117.

Wedge fault, 188. Well at Hull, 104. Western Interior coal field, 97, 162. West Point, Lee county, 487. What Cheer, Keokuk county, 361. Williams, H. S., quoted, 63. Winterset, Madison county, 305.

Woodbine, Harrison county, 437-Woodbury shales, 110. Work done, 39. Worthen, A. H., work, 38.

Zenorsville, Boone county, 236.









