

Baoli Yang, MD, PhD

Articles:

Mykytyn K, Mullins RF, Andrews M, Chiang AP, Swiderski RE, Yang B, Braun T, Casavant T, Stone EM, Sheffield VC. Bardet-Biedl syndrome type 4 (BBS4)-null mice implicate Bbs4 in flagella formation but not global cilia assembly. *Proc Natl Acad Sci U S A.* 2004 Jun 8;101(23):8664-9. Epub 2004 Jun 1.

Zaheer A, Yang B, Cao X, Lim R. Decreased copper-zinc superoxide dismutase activity and increased resistance to oxidative stress in glia maturation factor-null astrocytes. *Neurochem Res.* 2004 Aug;29(8):1473-80.

Lim R, Zaheer A, Khosravi H, Freeman JH Jr, Halverson HE, Wemmie JA, Yang B. Impaired motor performance and learning in glia maturation factor-knockout mice. *Brain Res.* 2004 Oct 22;1024(1-2):225-32.

Nishimura DY, Fath M, Mullins RF, Searby C, Andrews M, Davis R, Andorf JL, Mykytyn K, Swiderski RE, Yang B, Carmi R, Stone EM, Sheffield VC. Bbs2-null mice have neurosensory deficits, a defect in social dominance, and retinopathy associated with mislocalization of rhodopsin. *Proc Natl Acad Sci U S A.* 2004 Nov 23;101(47):16588-93. Epub 2004 Nov 11.

Fath MA, Mullins RF, Searby C, Nishimura DY, Wei J, Rahmouni K, Davis RE, Tayeh MK, Andrews M, Yang B, Sigmund CD, Stone EM, Sheffield VC. Mkks-null mice have a phenotype resembling Bardet-Biedl syndrome. *Hum Mol Genet.* 2005 May 1;14(9):1109-18. Epub 2005 Mar 16.

Cao XR, Shi PP, Sigmund RD, Husted RF, Sigmund CD, Williamson RA, Stokes JB, Yang B. Mice heterozygous for beta-ENaC deletion have defective potassium excretion. *Am J Physiol Renal Physiol.* 2006 Jul;291(1):F107-15. Epub 2006 Mar 28.

Zaheer A, Haas JT, Reyes C, Mathur SN, Yang B, Lim R. GMF-knockout mice are unable to induce brain-derived neurotrophic factor after exercise. *Neurochem Res.* 2006 Apr;31(4):579-84. Epub 2006 May 13.

Grinnell KL, Yang B, Eckert RL, Bickenbach JR. De-differentiation of mouse interfollicular keratinocytes by the embryonic transcription factor Oct-4. *J Invest Dermatol.* 2007 Feb;127(2):372-80. Epub 2006 Aug 24

Ingraham CR, Kinoshita A, Kondo S, Yang B, Sajan S, Trout KJ, Malik MI, Dunnwald M, Goudy SL, Lovett M, Murray JC, Schutte BC. Abnormal skin, limb and craniofacial morphogenesis in mice deficient for interferon regulatory factor 6 (Irf6). *Nat Genet.* 2006 Nov;38(11):1335-40. Epub 2006 Oct 15.

- Oliver PM, Cao X, Worthen GS, Shi P, Briones N, MacLeod M, White J, Kirby P, Kappler J, Marrack P, Yang B. Ndfip1 protein promotes the function of itch ubiquitin ligase to prevent T cell activation and T helper 2 cell-mediated inflammation. *Immunity.* 2006 Dec;25(6):929-40. Epub 2006 Nov 30.
- Zaheer A, Zaheer S, Sahu SK, Yang B, Lim R. Reduced severity of experimental encephalomyelitis in GMF-deficient mice. *Neurochem Res.* 2007 Jan;32(1):39-47. Epub 2006 Dec 7.
- Shi PP, Cao XR, Qu J, Volk KA, Kirby P, Williamson RA, Stokes JB, Yang B. Nephrogenic diabetes insipidus in mice caused by deleting COOH-terminal tail of aquaporin-2. *Am J Physiol Renal Physiol.* 2007 May;292(5):F1334-44.
- Zaheer A, Sahu SK, Wu Y, Zaheer A, Haas J, Lee K, Yang B. Diminished cytokine and chemokine expression in the central nervous system of GMF-deficient mice with experimental autoimmune encephalomyelitis. *Brain Res.* 2007 May 4;1144:239-47. Epub 2007 Jan 27.
- Menon K, Wu Y, Haas J, Sahu SK, Yang B, Zaheer A. Diminished degradation of myelin basic protein by anti-sulfatide antibody and interferon-gamma in myelin from glia maturation factor-deficient mice. *Neurosci Res.* 2007 Jun;58(2):156-63. Epub 2007 Feb 22.
- Nelson RF, Glenn KA, Zhang Y, Wen H, Knutson T, Gouvier CM, Robinson BK, Zhou Z, Yang B, Smith RJ, Paulson HL. Selective cochlear degeneration in mice lacking the F-box protein, Fbx2, a glycoprotein-specific ubiquitin ligase subunit. *J Neurosci.* 2007 May 9;27(19):5163-71.
- Zaheer S, Wu Y, Bassett J, Yang B, Zaheer A. Glia maturation factor regulation of STAT expression: a novel mechanism in experimental autoimmune encephalomyelitis. *Neurochem Res.* 2007 Dec;32(12):2123-31.
- Tilakaratne HK, Yang B, Hunter SK, Andracki ME, Rodgers VG. Can myoglobin expression in pancreatic beta cells improve insulin secretion under hypoxia? An exploratory study with transgenic porcine islets. *Artif Organs.* 2007 Jul;31(7):521-31.
- Xie P, Stunz LL, Larison KD, Yang B, Bishop GA. Tumor necrosis factor receptor-associated factor 3 is a critical regulator of B cell homeostasis in secondary lymphoid organs. *Immunity.* 2007 Aug;27(2):253-67.
- Zhang Y, Zolov SN, Chow CY, Slutsky SG, Richardson SC, Piper RC, Yang B, Nau JJ, Westrick RJ, Morrison SJ, Meisler MH, Weisman LS. Loss of Vac14, a regulator of the signaling lipid phosphatidylinositol 3,5-bisphosphate, results in neurodegeneration in mice. *Proc Natl Acad Sci U S A.* 2007 Oct 30;104(44):17518-23. Epub 2007 Oct 23.

- Gustafson-Wagner EA, Sinn HW, Chen YL, Wang DZ, Reiter RS, Lin JL, Yang B, Williamson RA, Chen J, Lin CI, Lin JJ. Loss of mXinalpha, an intercalated disk protein, results in cardiac hypertrophy and cardiomyopathy with conduction defects. *Am J Physiol Heart Circ Physiol.* 2007 Nov;293(5):H2680-92. Epub 2007 Aug 31.
- Davis RE, Swiderski RE, Rahmouni K, Nishimura DY, Mullins RF, Agassandian K, Philp AR, Searby CC, Andrews MP, Thompson S, Berry CJ, Thedens DR, Yang B, Weiss RM, Cassell MD, Stone EM, Sheffield VC. A knockin mouse model of the Bardet-Biedl syndrome 1 M390R mutation has cilia defects, ventriculomegaly, retinopathy, and obesity. *Proc Natl Acad Sci U S A.* 2007 Dec 4;104(49):19422-7.
- Zaheer A, Knight S, Zaheer A, Ahrens M, Sahu SK, Yang B. Glia maturation factor overexpression in neuroblastoma cells activates glycogen synthase kinase-3beta and caspase-3. *Brain Res.* 2008 Jan 23;1190:206-14. Epub 2007 Nov 13.
- Kobuke K, Piccolo F, Garringer KW, Moore SA, Sweezer E, Yang B, Campbell KP. A common disease-associated missense mutation in alpha-sarcoglycan fails to cause muscular dystrophy in mice. *Hum Mol Genet.* 2008 May 1;17(9):1201-13. Epub 2008 Feb 5.
- Zaheer A, Zaheer S, Thangavel R, Wu Y, Sahu SK, Yang B. Glia maturation factor modulates beta-amyloid-induced glial activation, inflammatory cytokine/chemokine production and neuronal damage. *Brain Res.* 2008 May 7;1208:192-203. Epub 2008 Mar 10.
- Xue HH, Jing X, Bollenbacher-Reilley J, Zhao DM, Haring JS, Yang B, Liu C, Bishop GA, Harty JT, Leonard WJ. Targeting the GA binding protein beta1L isoform does not perturb lymphocyte development and function. *Mol Cell Biol.* 2008 Jul;28(13):4300-9. Epub 2008 Apr 21.
- Shi PP, Cao XR, Sweezer EM, Kinney TS, Williams NR, Husted RF, Nair R, Weiss RM, Williamson RA, Sigmund CD, Snyder PM, Staub O, Stokes JB, Yang B. Salt-sensitive hypertension and cardiac hypertrophy in mice deficient in the ubiquitin ligase Nedd4-2. *Am J Physiol Renal Physiol.* 2008 Aug;295(2):F462-70. Epub 2008 Jun 4.
- Cao XR, Lill NL, Boase N, Shi PP, Croucher DR, Shan H, Qu J, Sweezer EM, Place T, Kirby PA, Daly RJ, Kumar S, Yang B. Nedd4 controls animal growth by regulating IGF-1 signaling. *Sci Signal.* 2008 Sep 23;1(38):ra5.
- Foot NJ, Dalton HE, Shearwin-Whyatt LM, Dorstyn L, Tan SS, Yang B, Kumar S. Regulation of the divalent metal ion transporter DMT1 and iron homeostasis by a ubiquitin-dependent mechanism involving Ndfips and WWP2. *Blood.* 2008 Nov 15;112(10):4268-75. Epub 2008 Sep 5.

- Yang B, Gay DL, MacLeod MK, Cao X, Hala T, Sweezer EM, Kappler J, Marrack P, Oliver PM. Nedd4 augments the adaptive immune response by promoting ubiquitin-mediated degradation of Cbl-b in activated T cells. *Nat Immunol.* 2008 Dec;9(12):1356-63.
- Xu D, Borges GR, Grobe JL, Pelham CJ, Yang B, Sigmund CD. Preservation of Intracellular Renin Expression Is Insufficient to Compensate for Genetic Loss of Secreted Renin. *Hypertension.* 2009 Oct 12. [Epub ahead of print]
- Conkright JJ, Apsley KS, Martin EP, Ridsdale R, Rice WR, Na CL, Yang B, Weaver TE. NEDD4-2 Mediated Ubiquitination Facilitates Processing of Surfactant Protein C. *Am J Respir Cell Mol Biol.* 2009 May 7. [Epub ahead of print]
- Bailey CM, Margaryan NV, Abbott DE, Schutte BC, Yang B, Khalkhali-Ellis Z, Hendrix MJ. Temporal and spatial expression patterns for the tumor suppressor Maspin and its binding partner interferon regulatory factor 6 during breast development. *Dev Growth Differ.* 2009 Jun;51(5):473-81.
- Yang B, Kumar S. Nedd4 and Nedd4-2: closely related ubiquitin-protein ligases with distinct physiological functions. *Cell Death Differ.* 2009 Jun 26. [Epub ahead of print]
- Walder RY, Yang B, Stokes JB, Kirby PA, Cao X, Shi P, Searby CC, Husted RF, Sheffield VC. Mice defective in Trpm6 show embryonic mortality and neural tube defects. *Hum Mol Genet.* 2009 Aug 18. [Epub ahead of print]
- Howitt J, Putz U, Lackovic J, Doan A, Dorstyn L, Cheng H, Yang B, Chan-Ling T, Silke J, Kumar S, Tan SS. Divalent metal transporter 1 (DMT1) regulation by Ndfip1 prevents metal toxicity in human neurons. *Proc Natl Acad Sci U S*

Scholarly Publications

Department of Obstetrics and Gynecology
University of Iowa, Iowa City, IA